

FEBRUARY 2025

 **KOLORSLED®**  
*Illuminating Life*



THE  
BEAUTY  
OF VIVID  
RADIANCE.

**POWERING YOUR SPACES,  
SAFEGUARDING THE PLANET.**



Research suggests that **lights play an important role** in our well-being. Exposure to natural light affects our energy, mood, sleep and overall quality of life. However, due to the modern lifestyle, optimal exposure to natural light becomes difficult. Even when it comes to our interiors, it is said that an adequate amount of light improves energy levels while inadequate or dull lighting may add to depression and other deficiencies in the body. The type of light and its luminance affects other aspects of daily life like concentration, appetite and many others. So to cater to lighting requirements that help alleviate our mood, Kolors brings to you a range of LED lights that's just the right blend of everything required to uplift your mood through efficient lighting and make you happy.



At Kolors, the unsatiated desire to innovate is what keeps us going relentlessly in our journey of surpassing excellence and achieving perfection. Taking the journey of beautifying lives a little farther, we bring to you a new offering – Kolors LED lighting. A concoction of the finest designs, world-class materials and advanced technology, this range of LED lighting is conceived to offer lighting solutions that are superior and sustainable. Perfected to the finest details, these products undergo rigorous quality checks at our in-house international standard laboratory where they are tested by a full-fledged Research & Development department. Crafted to let you embrace a world adorned with unmatched brightness, these are just what you need to light up your spaces with Happy Lighting!

---

Panel Light | Down Light | Spot Light | Street Light | Flood Light | Bulb  
Batten Light | LED Strip | Rope Light | High Bay Light | Garden Spike Light



# DRIVEN BY **INNOVATION**, MEASURED BY **TRUST**.

Kolors is a Fast Moving Electrical Goods (FMEG) Company that has cemented its position as a leading player in the industry. With an unwavering focus on quality, meticulous execution, and an extensive product range, we have established ourselves at the forefront of the electrical goods market.

Since our inception in 1970 as a small trading company dealing in electrical wiring accessories, we have come a long way. Gradually, we ventured into manufacturing electrical switches and fixtures for various sectors, including homes, offices, factories, airports, and hotels. Today, we take immense pride in being the creators of international quality products that are conceived, designed, and manufactured in India.

Driven by a pursuit of excellence, Kolors offers a comprehensive range of switches, sockets, accessories, MCBs, LED lighting products, plug tops, wires & cables, lamp holders, doorbells, distribution boxes, home automation systems, and mounting boxes for diverse market segments. Our 5 state-of-the-art manufacturing plants, 14 depots, strong workforce of over 2000 individuals, with more than 10000 products and vast network of 5000 plus Channel Partners enable us to cater to a wide customer base across India.

At Kolors, we believe in the fusion of quality, sophistication, and style. Our relentless focus on innovation and proficiency has allowed us to deliver world-class products that exude grandeur and sheer class. With a wide array of offerings, we have something to suit every style of living, ensuring that our customers find the perfect solutions for their electrical needs.

Our commitment to excellence has been recognized through prestigious accolades, including being honored with the India Design Mark twice. These acknowledgments further validate our dedication to delivering products of unmatched quality and design.

Kolors is proud to be an Indian company that stands tall in the electrical goods industry. We continuously strive to raise the bar, bringing international standard quality products with our ultra modern state of the art manufacturing processes, which has helped us in claiming ISI, ISO & CE certifications. With Kolors, you can expect nothing less than superior electrical goods that enhance stylish living.



## नवीनता से प्रेरित, विश्वास द्वारा मापा गया ।

कलर्स, एक फास्ट-मूविंग इलेक्ट्रिकल गुड्स (FMEG) मैनुफैक्चरिंग कंपनी है, जिसने खुद को उद्योग में एक अग्रणी खिलाड़ी के रूप में मजबूती से स्थापित किया है। गुणवत्ता पर हमारा बेजोड़ फोकस, निष्पादन में सूक्ष्मता और विविध श्रेणी में अटल प्रतिबद्धता हमें उद्योग जगत में सबसे आगे रखती है।

यह बात १९७० की है जब कलर्स ने एक छोटी सी व्यापारिक कंपनी को स्थापित किया, जो कि इलेक्ट्रीकल वायरिंग एक्सेसरीज़ में व्यापार करती थी। अपनी कार्यप्रणाली के दौरान, कलर्स समूह ने धीरे-धीरे घरों, कारखानों, हवाई अड्डों और होटलों के लिए इलेक्ट्रीकल स्विच और एक्सेसरीज़ उत्पादन के क्षेत्र में अपने कदम रखे। आज हम अंतर्राष्ट्रीय गुणवत्ता वाले उत्पादों के निर्माता होने में गर्व महसूस करते हैं जिनकी कल्पना, डिज़ाइन एवं निर्मितता भारत में ही की गई है।

काम पर प्रतिष्ठा द्वारा चालित कलर्स ने आज एक व्यापक प्रकार के वायरिंग उपकरण जैसे: स्विच, सॉकेट, एक्सेसरीज़, एमसीबी, डिस्ट्रीब्यूशन बॉक्स, एलईडी लाईटिंग उत्पाद, प्लग टॉप, वायर एवं केबल्स, लैम्प होल्डर, डोर बेल, माउंटिंग बॉक्स और घर स्वचालन उत्पाद, इत्यादि के निर्माण से उद्योग जगत में अपना एक स्थान बनाया है। ९ अत्याधुनिक उत्पादन प्लांट्स, १४ डिपो, १००० से अधिक चैनल पार्टनर्स, २००० से ज्यादा कर्मचारियों और १०००० से ज्यादा प्रोडक्ट्स के साथ कलर्स पूरे भारत में मौजूद है और अनगिनत लोगों को विश्वस्तरीय उत्पाद प्रदान कर रहा है।

गुणवत्ता, परिष्कार और शैली का अनुसरण हमें उद्योग के शीर्ष की ओर ले जाता है। हमारे उत्पादों की विस्तृत श्रृंखला कुछ ऐसा प्रदान करती है जो जीवन की हर शैली के अनुरूप हो। हमारे इन्ोवेशन, अग्रणी दृष्टिकोण और प्रवीणता ने हमें विश्व स्तरीय गुणवत्ता वाले उत्पाद प्रदान करने में मदद की है जो भव्य जीवनशैली और विशेष श्रेणी दर्शाती है। कलर्स उत्पादों की बेजोड़ गुणवत्ता और हमारे अत्याधुनिक विनिर्माण संयंत्रों ने हमें ISI, ISO और CE प्रमाणीकरण का दावा करने में मदद की है। ये प्रमाणपत्र हमें दुनिया भर में कहीं भी अपने उत्पाद बेचने की अनुमति देते हैं। हमारे प्रयास का नतीजा वास्तव में पुरस्कृत हुआ है जैसे – भारत डिजाइन मार्क से दो बार सम्मानित होना।



# THE FUTURE OF EFFICIENT ILLUMINATION.

## PANEL LIGHT

|    |             |
|----|-------------|
| 12 | Kyle        |
| 14 | Klara       |
| 17 | Karis       |
| 20 | Karis Trio  |
| 23 | Karis Smart |
| 25 | Keeto       |
| 28 | Keeto Neo   |
| 30 | Keeto 2x2   |
| 32 | Kongo       |
| 34 | Bling       |
| 34 | Novva       |
| 36 | Krown       |
| 40 | Glowz       |

## DOWN LIGHT

|    |               |
|----|---------------|
| 44 | Karis         |
| 46 | Kute          |
| 46 | Klay          |
| 48 | Klair         |
| 50 | Kliff         |
| 53 | Kandid        |
| 53 | Kandid Trio   |
| 56 | Kute 2.0      |
| 56 | Kute 2.0 Trio |
| 57 | Kenzo         |

## BULK HEAD

|    |       |
|----|-------|
| 57 | Igloo |
| 57 | Boat  |

## SPOT LIGHT

|    |                 |
|----|-----------------|
| 61 | Primus          |
| 61 | Primus 2.0      |
| 61 | Primus 2.0 Trio |
| 63 | Kornet          |
| 67 | Kornet 2.0      |
| 69 | Kornet 2.0 Trio |
| 71 | Karat           |
| 73 | Karat Trio      |
| 75 | Deko            |
| 77 | Kresent         |
| 77 | Tik Tak         |
| 79 | Kandy 2.0       |
| 81 | Prism 01        |
| 81 | Prism 02        |
| 81 | Prism 03        |



#### **TRACK LIGHT**

84 Matrix

#### **WALL LIGHT**

86 Streak

#### **LINEAR LIGHT**

88 Sigma

#### **STRIP LIGHT**

90 Kove

#### **ROPE LIGHT**

93 Groove

#### **BULB**

96 Keeto Inverter

96 Keeto B22

96 Nano

96 Teeny

98 Keeto E27

100 Kandle

102 KBall

102 KGlow

#### **T-BULB**

100 Kate

#### **BATTEN LIGHT**

105 Karis

105 NYX

105 Majesty

105 Vivid

105 Komet

#### **STREET LIGHT**

108 Kite

108 Edge

#### **FLOOD LIGHT**

110 Kite

110 Kanon

#### **HIGH BAY LIGHT**

112 Kamp

#### **SPIKE LIGHT**

112 Oasis



## **LIVE **ECO-FRIENDLY** IN A FUTURISTIC LIFE.**

Now it's easier to follow your agenda of environmental responsibility. To begin with, eco-friendly LED lights are energy-efficient due to the design of the fixture and device. Apart from being non-toxic and made from recyclable material, these lights do not emit ultraviolet radiation.



## UNVEILING A NEW ERA OF LED LIGHTING.

These sleek LED panels redefine lighting with their energy-efficient brilliance, casting a soothing radiance that transforms any space. Elevate your ambience with KYLE Panel Lights, where modern design meets exceptional luminance.





**KILE**  
PANEL LIGHT

BRING OUT  
EXCEPTIONAL  
RADIANCE.



**FEATURES:**

- Non-isolated Driver, Efficiency: >80%
- Total Harmonic Distortion (THD%): <15%
- 4-stage Electrical Protection:
  - Over Voltage
  - Under Voltage
  - Short Circuit
  - Open Circuit



Superior Surge  
Protection 2.5KV



Wide Voltage  
Range 85 - 265 V-



IP20



|                                                                                     | Code         | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension    | Cutout Size | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-----|--------------|-------------|-------------------------|-------|
| <b>KYLE PANEL LIGHT SLIM-ROUND</b>                                                  |              |       |             |              |            |     |              |             |                         |       |
|    | 2409PL06R WW | 6W    | 3000K       | >0.9         | 120°       | >80 | Φ120*22.5    | Φ 98        | 560.00                  | 01/40 |
|                                                                                     | 2409PL06R NW | 6W    | 4000K       | >0.9         | 120°       | >80 | Φ120*22.5    | Φ 98        | 560.00                  | 01/40 |
|                                                                                     | 2409PL06R CW | 6W    | 6500K       | >0.9         | 120°       | >80 | Φ120*22.5    | Φ 98        | 560.00                  | 01/40 |
|    | 2409PL10R WW | 10W   | 3000K       | >0.9         | 120°       | >80 | Φ145*22.5    | Φ 125       | 675.00                  | 01/40 |
|                                                                                     | 2409PL10R NW | 10W   | 4000K       | >0.9         | 120°       | >80 | Φ145*22.5    | Φ 125       | 675.00                  | 01/40 |
|                                                                                     | 2409PL10R CW | 10W   | 6500K       | >0.9         | 120°       | >80 | Φ145*22.5    | Φ 125       | 675.00                  | 01/40 |
|    | 2409PL15R WW | 15W   | 3000K       | >0.9         | 120°       | >80 | Φ170*22.5    | Φ 150       | 850.00                  | 01/40 |
|                                                                                     | 2409PL15R NW | 15W   | 4000K       | >0.9         | 120°       | >80 | Φ170*22.5    | Φ 150       | 850.00                  | 01/40 |
|                                                                                     | 2409PL15R CW | 15W   | 6500K       | >0.9         | 120°       | >80 | Φ170*22.5    | Φ 150       | 850.00                  | 01/40 |
|    | 2409PL20R WW | 20W   | 3000K       | >0.9         | 120°       | >80 | Φ225*22.5    | Φ 205       | 1200.00                 | 01/40 |
|                                                                                     | 2409PL20R NW | 20W   | 4000K       | >0.9         | 120°       | >80 | Φ225*22.5    | Φ 205       | 1200.00                 | 01/40 |
|                                                                                     | 2409PL20R CW | 20W   | 6500K       | >0.9         | 120°       | >80 | Φ225*22.5    | Φ 205       | 1200.00                 | 01/40 |
| <b>KYLE PANEL LIGHT SLIM-SQUARE</b>                                                 |              |       |             |              |            |     |              |             |                         |       |
|    | 2409PL06S WW | 6W    | 3000K       | >0.9         | 120°       | >80 | 120*120*22.5 | 98*98       | 560.00                  | 01/40 |
|                                                                                     | 2409PL06S NW | 6W    | 4000K       | >0.9         | 120°       | >80 | 120*120*22.5 | 98*98       | 560.00                  | 01/40 |
|                                                                                     | 2409PL06S CW | 6W    | 6500K       | >0.9         | 120°       | >80 | 120*120*22.5 | 98*98       | 560.00                  | 01/40 |
|    | 2409PL10S WW | 10W   | 3000K       | >0.9         | 120°       | >80 | 145*145*22.5 | 125*125     | 675.00                  | 01/40 |
|                                                                                     | 2409PL10S NW | 10W   | 4000K       | >0.9         | 120°       | >80 | 145*145*22.5 | 125*125     | 675.00                  | 01/40 |
|                                                                                     | 2409PL10S CW | 10W   | 6500K       | >0.9         | 120°       | >80 | 145*145*22.5 | 125*125     | 675.00                  | 01/40 |
|   | 2409PL15S WW | 15W   | 3000K       | >0.9         | 120°       | >80 | 170*170*22.5 | 150*150     | 850.00                  | 01/40 |
|                                                                                     | 2409PL15S NW | 15W   | 4000K       | >0.9         | 120°       | >80 | 170*170*22.5 | 150*150     | 850.00                  | 01/40 |
|                                                                                     | 2409PL15S CW | 15W   | 6500K       | >0.9         | 120°       | >80 | 170*170*22.5 | 150*150     | 850.00                  | 01/40 |
|  | 2409PL20S WW | 20W   | 3000K       | >0.9         | 120°       | >80 | 225*225*22.5 | 205*205     | 1200.00                 | 01/40 |
|                                                                                     | 2409PL20S NW | 20W   | 4000K       | >0.9         | 120°       | >80 | 225*225*22.5 | 205*205     | 1200.00                 | 01/40 |
|                                                                                     | 2409PL20S CW | 20W   | 6500K       | >0.9         | 120°       | >80 | 225*225*22.5 | 205*205     | 1200.00                 | 01/40 |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE






ZERO  
MERCURY



**KLARA**  
PANEL LIGHT

## WHERE ELEGANCE MEETS ENCHANTMENT.

Crafted with precision and designed to inspire, these luminous marvels seamlessly blend modern aesthetics with unparalleled functionality. Experience the art of illumination as Klara's soft, even glow transforms any space into a haven of sophistication.




## REVOLUTIONIZE YOUR STYLE.

Rimless design

Lit edges



Easy installation



Adjustable clips

### FEATURES:

- Non-isolated Driver, Efficiency: >80%
- Total Harmonic Distortion (THD%): <15%
- 4-stage Electrical Protection:
  - Over Voltage
  - Under Voltage
  - Short Circuit
  - Open Circuit



In-built Driver



Superior Surge  
Protection 2.5KV



Wide Voltage  
Range 100 - 300 V~



IP20

|                                                                                   | Code         | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension  | Cutout Size | List Price (₹) Per Unit | Pack  |
|-----------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-----|------------|-------------|-------------------------|-------|
| <b>KLARA PANEL LIGHT (RIMLESS) ROUND</b>                                          |              |       |             |              |            |     |            |             |                         |       |
|  | 2405PL12R WW | 12W   | 3000K       | >0.9         | 120°       | >80 | Φ120*30    | Φ 75-100    | 860.00                  | 01/20 |
|                                                                                   | 2405PL12R NW | 12W   | 4000K       | >0.9         | 120°       | >80 | Φ120*30    | Φ 75-100    | 860.00                  | 01/20 |
|                                                                                   | 2405PL12R CW | 12W   | 6500K       | >0.9         | 120°       | >80 | Φ120*30    | Φ 75-100    | 860.00                  | 01/20 |
|  | 2405PL18R WW | 18W   | 3000K       | >0.9         | 120°       | >80 | Φ170*32    | Φ 75-150    | 1160.00                 | 01/20 |
|                                                                                   | 2405PL18R NW | 18W   | 4000K       | >0.9         | 120°       | >80 | Φ170*32    | Φ 75-150    | 1160.00                 | 01/20 |
|                                                                                   | 2405PL18R CW | 18W   | 6500K       | >0.9         | 120°       | >80 | Φ170*32    | Φ 75-150    | 1160.00                 | 01/20 |
|  | 2405PL24R WW | 24W   | 3000K       | >0.9         | 120°       | >80 | Φ223*32    | Φ 75-200    | 1475.00                 | 01/20 |
|                                                                                   | 2405PL24R NW | 24W   | 4000K       | >0.9         | 120°       | >80 | Φ223*32    | Φ 75-200    | 1475.00                 | 01/20 |
|                                                                                   | 2405PL24R CW | 24W   | 6500K       | >0.9         | 120°       | >80 | Φ223*32    | Φ 75-200    | 1475.00                 | 01/20 |
| <b>KLARA PANEL LIGHT (RIMLESS) SQUARE</b>                                         |              |       |             |              |            |     |            |             |                         |       |
|  | 2405PL12S WW | 12W   | 3000K       | >0.9         | 120°       | >80 | 120*120*30 | Φ 75-100    | 900.00                  | 01/20 |
|                                                                                   | 2405PL12S NW | 12W   | 4000K       | >0.9         | 120°       | >80 | 120*120*30 | Φ 75-100    | 900.00                  | 01/20 |
|                                                                                   | 2405PL12S CW | 12W   | 6500K       | >0.9         | 120°       | >80 | 120*120*30 | Φ 75-100    | 900.00                  | 01/20 |
|  | 2405PL18S WW | 18W   | 3000K       | >0.9         | 120°       | >80 | 170*170*32 | Φ 75-150    | 1200.00                 | 01/20 |
|                                                                                   | 2405PL18S NW | 18W   | 4000K       | >0.9         | 120°       | >80 | 170*170*32 | Φ 75-150    | 1200.00                 | 01/20 |
|                                                                                   | 2405PL18S CW | 18W   | 6500K       | >0.9         | 120°       | >80 | 170*170*32 | Φ 75-150    | 1200.00                 | 01/20 |
|  | 2405PL24S WW | 24W   | 3000K       | >0.9         | 120°       | >80 | 223*223*32 | Φ 75-200    | 1515.00                 | 01/20 |
|                                                                                   | 2405PL24S NW | 24W   | 4000K       | >0.9         | 120°       | >80 | 223*223*32 | Φ 75-200    | 1515.00                 | 01/20 |
|                                                                                   | 2405PL24S CW | 24W   | 6500K       | >0.9         | 120°       | >80 | 223*223*32 | Φ 75-200    | 1515.00                 | 01/20 |

|                                                                                     | Code      | Particular                               | Dimension  | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|-----------|------------------------------------------|------------|-------------------------|-------|
| <b>KLARA PANEL LIGHT SURFACE FRAME-ROUND</b>                                        |           |                                          |            |                         |       |
|  | 2405PL12R | 12W Surface Frame Round LED Panel Light  | Φ120*30    | 160.00                  | 01/40 |
|                                                                                     | 2405PL18R | 18W Surface Frame Round LED Panel Light  | Φ170*30    | 255.00                  | 01/40 |
|                                                                                     | 2405PL24R | 24W Surface Frame Round LED Panel Light  | Φ225*30    | 325.00                  | 01/40 |
| <b>KLARA PANEL LIGHT SURFACE FRAME-SQUARE</b>                                       |           |                                          |            |                         |       |
|  | 2405PL12S | 12W Surface Frame Square LED Panel Light | 120*120*30 | 160.00                  | 01/40 |
|                                                                                     | 2405PL18S | 18W Surface Frame Square LED Panel Light | 170*170*30 | 255.00                  | 01/40 |
|                                                                                     | 2405PL24S | 24W Surface Frame Square LED Panel Light | 225*225*30 | 325.00                  | 01/40 |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY

# KARIS

PANEL LIGHT

## LET YOUR SPACES RADIATE GLORY.

Minimalistic, compact and sophisticated, these panels with a high lumen value offer efficient and uniform brightness to your spaces.

Energy-efficient and enduring, these are at par with electrical safety standards. Designed to cater to a range of requirements, these add a dash of warmth to the spaces they adorn.



# KARIS

## PANEL LIGHT

|                                                                                     | Code         | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension  | Cutout Size | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-----|------------|-------------|-------------------------|-------|
| KARIS PANEL LIGHT-ROUND                                                             |              |       |             |              |            |     |            |             |                         |       |
|    | 2402PL03R WW | 3W    | 3000K       | >0.5         | 120°       | >80 | Φ 82*36    | Φ 60        | 350.00                  | 01/60 |
|                                                                                     | 2402PL03R NW | 3W    | 4000K       | >0.5         | 120°       | >80 | Φ 82*36    | Φ 60        | 350.00                  | 01/60 |
|                                                                                     | 2402PL03R CW | 3W    | 6500K       | >0.5         | 120°       | >80 | Φ 82*36    | Φ 60        | 350.00                  | 01/60 |
|    | 2402PL06R WW | 6W    | 3000K       | >0.9         | 120°       | >80 | Φ 116*36   | Φ 95        | 450.00                  | 01/40 |
|                                                                                     | 2402PL06R NW | 6W    | 4000K       | >0.9         | 120°       | >80 | Φ 116*36   | Φ 95        | 450.00                  | 01/40 |
|                                                                                     | 2402PL06R CW | 6W    | 6500K       | >0.9         | 120°       | >80 | Φ 116*36   | Φ 95        | 450.00                  | 01/40 |
|    | 2402PL09R WW | 9W    | 3000K       | >0.9         | 120°       | >80 | Φ 116*36   | Φ 95        | 535.00                  | 01/40 |
|                                                                                     | 2402PL09R NW | 9W    | 4000K       | >0.9         | 120°       | >80 | Φ 116*36   | Φ 95        | 535.00                  | 01/40 |
|                                                                                     | 2402PL09R CW | 9W    | 6500K       | >0.9         | 120°       | >80 | Φ 116*36   | Φ 95        | 535.00                  | 01/40 |
|    | 2402PL12R WW | 12W   | 3000K       | >0.9         | 120°       | >80 | Φ 166*36   | Φ 145       | 700.00                  | 01/40 |
|                                                                                     | 2402PL12R NW | 12W   | 4000K       | >0.9         | 120°       | >80 | Φ 166*36   | Φ 145       | 700.00                  | 01/40 |
|                                                                                     | 2402PL12R CW | 12W   | 6500K       | >0.9         | 120°       | >80 | Φ 166*36   | Φ 145       | 700.00                  | 01/40 |
|    | 2402PL15R WW | 15W   | 3000K       | >0.9         | 120°       | >80 | Φ 166*36   | Φ 145       | 775.00                  | 01/40 |
|                                                                                     | 2402PL15R NW | 15W   | 4000K       | >0.9         | 120°       | >80 | Φ 166*36   | Φ 145       | 775.00                  | 01/40 |
|                                                                                     | 2402PL15R CW | 15W   | 6500K       | >0.9         | 120°       | >80 | Φ 166*36   | Φ 145       | 775.00                  | 01/40 |
|    | 2402PL18R WW | 18W   | 3000K       | >0.9         | 120°       | >80 | Φ 220*36   | Φ 200       | 960.00                  | 01/40 |
|                                                                                     | 2402PL18R NW | 18W   | 4000K       | >0.9         | 120°       | >80 | Φ 220*36   | Φ 200       | 960.00                  | 01/40 |
|                                                                                     | 2402PL18R CW | 18W   | 6500K       | >0.9         | 120°       | >80 | Φ 220*36   | Φ 200       | 960.00                  | 01/40 |
|   | 2402PL22R WW | 22W   | 3000K       | >0.9         | 120°       | >80 | Φ 220*36   | Φ 200       | 1150.00                 | 01/40 |
|                                                                                     | 2402PL22R NW | 22W   | 4000K       | >0.9         | 120°       | >80 | Φ 220*36   | Φ 200       | 1150.00                 | 01/40 |
|                                                                                     | 2402PL22R CW | 22W   | 6500K       | >0.9         | 120°       | >80 | Φ 220*36   | Φ 200       | 1150.00                 | 01/40 |
| KARIS PANEL LIGHT-SQUARE                                                            |              |       |             |              |            |     |            |             |                         |       |
|  | 2402PL03S WW | 3W    | 3000K       | >0.5         | 120°       | >80 | 82*82*36   | 60*60       | 350.00                  | 01/60 |
|                                                                                     | 2402PL03S NW | 3W    | 4000K       | >0.5         | 120°       | >80 | 82*82*36   | 60*60       | 350.00                  | 01/60 |
|                                                                                     | 2402PL03S CW | 3W    | 6500K       | >0.5         | 120°       | >80 | 82*82*36   | 60*60       | 350.00                  | 01/60 |
|  | 2402PL06S WW | 6W    | 3000K       | >0.9         | 120°       | >80 | 116*116*36 | 95*95       | 450.00                  | 01/40 |
|                                                                                     | 2402PL06S NW | 6W    | 4000K       | >0.9         | 120°       | >80 | 116*116*36 | 95*95       | 450.00                  | 01/40 |
|                                                                                     | 2402PL06S CW | 6W    | 6500K       | >0.9         | 120°       | >80 | 116*116*36 | 95*95       | 450.00                  | 01/40 |
|  | 2402PL09S WW | 9W    | 3000K       | >0.9         | 120°       | >80 | 116*116*36 | 95*95       | 535.00                  | 01/40 |
|                                                                                     | 2402PL09S NW | 9W    | 4000K       | >0.9         | 120°       | >80 | 116*116*36 | 95*95       | 535.00                  | 01/40 |
|                                                                                     | 2402PL09S CW | 9W    | 6500K       | >0.9         | 120°       | >80 | 116*116*36 | 95*95       | 535.00                  | 01/40 |
|  | 2402PL12S WW | 12W   | 3000K       | >0.9         | 120°       | >80 | 166*166*36 | 145*145     | 700.00                  | 01/40 |
|                                                                                     | 2402PL12S NW | 12W   | 4000K       | >0.9         | 120°       | >80 | 166*166*36 | 145*145     | 700.00                  | 01/40 |
|                                                                                     | 2402PL12S CW | 12W   | 6500K       | >0.9         | 120°       | >80 | 166*166*36 | 145*145     | 700.00                  | 01/40 |
|  | 2402PL15S WW | 15W   | 3000K       | >0.9         | 120°       | >80 | 166*166*36 | 145*145     | 775.00                  | 01/40 |
|                                                                                     | 2402PL15S NW | 15W   | 4000K       | >0.9         | 120°       | >80 | 166*166*36 | 145*145     | 775.00                  | 01/40 |
|                                                                                     | 2402PL15S CW | 15W   | 6500K       | >0.9         | 120°       | >80 | 166*166*36 | 145*145     | 775.00                  | 01/40 |
|  | 2402PL18S WW | 18W   | 3000K       | >0.9         | 120°       | >80 | 220*220*36 | 200*200     | 960.00                  | 01/40 |
|                                                                                     | 2402PL18S NW | 18W   | 4000K       | >0.9         | 120°       | >80 | 220*220*36 | 200*200     | 960.00                  | 01/40 |
|                                                                                     | 2402PL18S CW | 18W   | 6500K       | >0.9         | 120°       | >80 | 220*220*36 | 200*200     | 960.00                  | 01/40 |
|  | 2402PL22S WW | 22W   | 3000K       | >0.9         | 120°       | >80 | 220*220*36 | 200*200     | 1150.00                 | 01/40 |
|                                                                                     | 2402PL22S NW | 22W   | 4000K       | >0.9         | 120°       | >80 | 220*220*36 | 200*200     | 1150.00                 | 01/40 |
|                                                                                     | 2402PL22S CW | 22W   | 6500K       | >0.9         | 120°       | >80 | 220*220*36 | 2008200     | 1150.00                 | 01/40 |

|                                                                                     | Code         | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension  | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-----|------------|-------------------------|-------|
| <b>KARIS SURFACE PANEL LIGHT-ROUND</b>                                              |              |       |             |              |            |     |            |                         |       |
|    | 2403PL06R WW | 6W    | 3000K       | >0.9         | 120°       | >80 | Φ 116*36   | 550.00                  | 01/40 |
|                                                                                     | 2403PL06R NW | 6W    | 4000K       | >0.9         | 120°       | >80 | Φ 116*36   | 550.00                  | 01/40 |
|                                                                                     | 2403PL06R CW | 6W    | 6500K       | >0.9         | 120°       | >80 | Φ 116*36   | 550.00                  | 01/40 |
|    | 2403PL09R WW | 9W    | 3000K       | >0.9         | 120°       | >80 | Φ 116*36   | 695.00                  | 01/40 |
|                                                                                     | 2403PL09R NW | 9W    | 4000K       | >0.9         | 120°       | >80 | Φ 116*36   | 695.00                  | 01/40 |
|                                                                                     | 2403PL09R CW | 9W    | 6500K       | >0.9         | 120°       | >80 | Φ 116*36   | 695.00                  | 01/40 |
|    | 2403PL12R WW | 12W   | 3000K       | >0.9         | 120°       | >80 | Φ 166*36   | 820.00                  | 01/40 |
|                                                                                     | 2403PL12R NW | 12W   | 4000K       | >0.9         | 120°       | >80 | Φ 166*36   | 820.00                  | 01/40 |
|                                                                                     | 2403PL12R CW | 12W   | 6500K       | >0.9         | 120°       | >80 | Φ 166*36   | 820.00                  | 01/40 |
|    | 2403PL15R WW | 15W   | 3000K       | >0.9         | 120°       | >80 | Φ 166*36   | 930.00                  | 01/40 |
|                                                                                     | 2403PL15R NW | 15W   | 4000K       | >0.9         | 120°       | >80 | Φ 166*36   | 930.00                  | 01/40 |
|                                                                                     | 2403PL15R CW | 15W   | 6500K       | >0.9         | 120°       | >80 | Φ 166*36   | 930.00                  | 01/40 |
|    | 2403PL18R WW | 18W   | 3000K       | >0.9         | 120°       | >80 | Φ 220*36   | 1180.00                 | 01/40 |
|                                                                                     | 2403PL18R NW | 18W   | 4000K       | >0.9         | 120°       | >80 | Φ 220*36   | 1180.00                 | 01/40 |
|                                                                                     | 2403PL18R CW | 18W   | 6500K       | >0.9         | 120°       | >80 | Φ 220*36   | 1180.00                 | 01/40 |
|    | 2403PL22R WW | 22W   | 3000K       | >0.9         | 120°       | >80 | Φ 220*36   | 1460.00                 | 01/40 |
|                                                                                     | 2403PL22R NW | 22W   | 4000K       | >0.9         | 120°       | >80 | Φ 220*36   | 1460.00                 | 01/40 |
|                                                                                     | 2403PL22R CW | 22W   | 6500K       | >0.9         | 120°       | >80 | Φ 220*36   | 1460.00                 | 01/40 |
| <b>KARIS SURFACE PANEL LIGHT-SQUARE</b>                                             |              |       |             |              |            |     |            |                         |       |
|   | 2403PL06S WW | 6W    | 3000K       | >0.9         | 120°       | >80 | 116*116*36 | 550.00                  | 01/40 |
|                                                                                     | 2403PL06S NW | 6W    | 4000K       | >0.9         | 120°       | >80 | 116*116*36 | 550.00                  | 01/40 |
|                                                                                     | 2403PL06S CW | 6W    | 6500K       | >0.9         | 120°       | >80 | 116*116*36 | 550.00                  | 01/40 |
|  | 2403PL09S WW | 9W    | 3000K       | >0.9         | 120°       | >80 | 116*116*36 | 695.00                  | 01/40 |
|                                                                                     | 2403PL09S NW | 9W    | 4000K       | >0.9         | 120°       | >80 | 116*116*36 | 695.00                  | 01/40 |
|                                                                                     | 2403PL09S CW | 9W    | 6500K       | >0.9         | 120°       | >80 | 116*116*36 | 695.00                  | 01/40 |
|  | 2403PL12S WW | 12W   | 3000K       | >0.9         | 120°       | >80 | 166*166*36 | 820.00                  | 01/40 |
|                                                                                     | 2403PL12S NW | 12W   | 4000K       | >0.9         | 120°       | >80 | 166*166*36 | 820.00                  | 01/40 |
|                                                                                     | 2403PL12S CW | 12W   | 6500K       | >0.9         | 120°       | >80 | 166*166*36 | 820.00                  | 01/40 |
|  | 2403PL15S WW | 15W   | 3000K       | >0.9         | 120°       | >80 | 166*166*36 | 930.00                  | 01/40 |
|                                                                                     | 2403PL15S NW | 15W   | 4000K       | >0.9         | 120°       | >80 | 166*166*36 | 930.00                  | 01/40 |
|                                                                                     | 2403PL15S CW | 15W   | 6500K       | >0.9         | 120°       | >80 | 166*166*36 | 930.00                  | 01/40 |
|  | 2403PL18S WW | 18W   | 3000K       | >0.9         | 120°       | >80 | 220*220*36 | 1180.00                 | 01/40 |
|                                                                                     | 2403PL18S NW | 18W   | 4000K       | >0.9         | 120°       | >80 | 220*220*36 | 1180.00                 | 01/40 |
|                                                                                     | 2403PL18S CW | 18W   | 6500K       | >0.9         | 120°       | >80 | 220*220*36 | 1180.00                 | 01/40 |
|  | 2403PL22S WW | 22W   | 3000K       | >0.9         | 120°       | >80 | 220*220*36 | 1460.00                 | 01/40 |
|                                                                                     | 2403PL22S NW | 22W   | 4000K       | >0.9         | 120°       | >80 | 220*220*36 | 1460.00                 | 01/40 |
|                                                                                     | 2403PL22S CW | 22W   | 6500K       | >0.9         | 120°       | >80 | 220*220*36 | 1460.00                 | 01/40 |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY



**NATURAL WHITE**

**WARM WHITE**

**COOL WHITE**

## KARISTrio

PANEL LIGHT

This 3-in-1 LED panel light is thoughtfully designed to turn your spaces into different moods. Offering an ideal setting for each occasion, these stunning pieces of accessories will give your interiors a touch of radiance that's unmatched.

Changes colour by clicking the switch OFF & ON



3-IN-1 COLOUR  
CHANGING





# KARIS trio

PANEL LIGHT

SHINING A LIGHT  
ON INNOVATION.



3-IN-1 COLOUR  
CHANGING

Complement different shades of your mood with cool, warm and natural white lights with Karis Trio LED panels. Aesthetically designed to uplift your spaces, these panels are fluctuation proof and provide a wide beam angle. While these stay lit for amazingly long hours, they are suitable for both residential and commercial spaces.

Changes colour  
by clicking the switch  
OFF & ON

|                                                                                     | Code             | Power | Colour Temp             | Power Factor | Beam Angle | CRI | Dimension  | Cutout Size | List Price (₹) Per Unit | Pack  |            |
|-------------------------------------------------------------------------------------|------------------|-------|-------------------------|--------------|------------|-----|------------|-------------|-------------------------|-------|------------|
| <b>KARIS TRIO 3-IN-1 COLOUR CHANGING PANEL LIGHT-ROUND</b>                          |                  |       |                         |              |            |     |            |             |                         |       | <b>NEW</b> |
|    | 2402PL06R 3-in-1 | 6W    | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | Φ 116*36   | Φ 95        | 520.00                  | 01/40 |            |
|    | 2402PL09R 3-in-1 | 9W    | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | Φ 116*36   | Φ 95        | 640.00                  | 01/40 |            |
|    | 2402PL12R 3-in-1 | 12W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | Φ 172*38   | Φ 146       | 840.00                  | 01/40 |            |
|    | 2402PL15R 3-in-1 | 15W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | Φ 172*38   | Φ 146       | 900.00                  | 01/40 |            |
| <b>KARIS TRIO 3-IN-1 COLOUR CHANGING PANEL LIGHT-SQUARE</b>                         |                  |       |                         |              |            |     |            |             |                         |       | <b>NEW</b> |
|    | 2402PL06S 3-in-1 | 6W    | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | 116*116*36 | 95*95       | 520.00                  | 01/40 |            |
|    | 2402PL09S 3-in-1 | 9W    | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | 116*116*36 | 95*95       | 640.00                  | 01/40 |            |
|   | 2402PL12S 3-in-1 | 12W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | 172*172*38 | 146*146     | 840.00                  | 01/40 |            |
|  | 2402PL15S 3-in-1 | 15W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | 172*172*38 | 146*146     | 900.00                  | 01/40 |            |
| <b>KARIS TRIO 3-IN-1 COLOUR CHANGING SURFACE PANEL LIGHT-ROUND</b>                  |                  |       |                         |              |            |     |            |             |                         |       | <b>NEW</b> |
|  | 2403PL06R 3-in-1 | 6W    | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | Φ 116*36   | -           | 630.00                  | 01/40 |            |
|  | 2403PL09R 3-in-1 | 9W    | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | Φ 116*36   | -           | 765.00                  | 01/40 |            |
|  | 2403PL12R 3-in-1 | 12W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | Φ 166*36   | -           | 970.00                  | 01/40 |            |
|  | 2403PL15R 3-in-1 | 15W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | Φ 166*36   | -           | 1035.00                 | 01/40 |            |
| <b>KARIS TRIO 3-IN-1 COLOUR CHANGING SURFACE PANEL LIGHT-SQUARE</b>                 |                  |       |                         |              |            |     |            |             |                         |       | <b>NEW</b> |
|  | 2403PL06S 3-in-1 | 6W    | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | 116*116*36 | -           | 630.00                  | 01/40 |            |
|  | 2403PL09S 3-in-1 | 9W    | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | 116*116*36 | -           | 765.00                  | 01/40 |            |
|  | 2403PL12S 3-in-1 | 12W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | 166*166*36 | -           | 970.00                  | 01/40 |            |
|  | 2403PL15S 3-in-1 | 15W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | 166*166*36 | -           | 1035.00                 | 01/40 |            |

All dimensions in mm

Introducing

# KARIS SMART


LED PANEL LIGHT  
WITH MOTION SENSOR



How it works:

ON: Activates with motion.

OFF: Turns off automatically  
after 1 minute of no motion.



STAIRCASE



PORCH



STOREROOMS



INDUSTRIAL SHED



GARAGE



Non Dimmable



Operating Temp  
-30°C to +50°C



15-Foot  
Detection Range



360° Motion  
Detection



Automatic  
Turn Off

|                                                                                   | Code         | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |            |
|-----------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|------------|
| <b>KARIS SMART LED PANEL LIGHT WITH MOTION SENSOR</b>                             |              |       |             |              |            |     |           |             |                         |       | <b>NEW</b> |
|  | 2264PL09R WW | 9W    | 3000K       | >0.9         | 120°       | >80 | Φ 116*36  | Φ 95        | 725.00                  | 01/40 |            |
|                                                                                   | 2264PL09R NW | 9W    | 4000K       | >0.9         | 120°       | >80 | Φ 116*36  | Φ 95        | 725.00                  | 01/40 |            |
|                                                                                   | 2264PL09R CW | 9W    | 6500K       | >0.9         | 120°       | >80 | Φ 116*36  | Φ 95        | 725.00                  | 01/40 |            |
|  | 2264PL15R WW | 15W   | 3000K       | >0.9         | 120°       | >80 | Φ 166*36  | Φ 145       | 1000.00                 | 01/40 |            |
|                                                                                   | 2264PL15R NW | 15W   | 4000K       | >0.9         | 120°       | >80 | Φ 166*36  | Φ 145       | 1000.00                 | 01/40 |            |
|                                                                                   | 2264PL15R CW | 15W   | 6500K       | >0.9         | 120°       | >80 | Φ 166*36  | Φ 145       | 1000.00                 | 01/40 |            |
| <b>KARIS SMART LED SURFACE PANEL LIGHT WITH MOTION SENSOR</b>                     |              |       |             |              |            |     |           |             |                         |       | <b>NEW</b> |
|  | 2265PL09R WW | 9W    | 3000K       | >0.9         | 120°       | >80 | Φ 116*36  | -           | 885.00                  | 01/40 |            |
|                                                                                   | 2265PL09R NW | 9W    | 4000K       | >0.9         | 120°       | >80 | Φ 116*36  | -           | 885.00                  | 01/40 |            |
|                                                                                   | 2265PL09R CW | 9W    | 6500K       | >0.9         | 120°       | >80 | Φ 116*36  | -           | 885.00                  | 01/40 |            |
|  | 2265PL15R WW | 15W   | 3000K       | >0.9         | 120°       | >80 | Φ 166*36  | -           | 1225.00                 | 01/40 |            |
|                                                                                   | 2265PL15R NW | 15W   | 4000K       | >0.9         | 120°       | >80 | Φ 166*36  | -           | 1225.00                 | 01/40 |            |
|                                                                                   | 2265PL15R CW | 15W   | 6500K       | >0.9         | 120°       | >80 | Φ 166*36  | -           | 1225.00                 | 01/40 |            |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY



KEETO  
PANEL LIGHT

## LUMINANCE THAT LEAVES YOU SPELLBOUND.

Contemporary, stylish and smart these are an ideal fit for every modern space. Made to cater to a range of requirements, these let you embrace a brighter world with no compromise on style. Its uniform and consistent brightness makes it suitable for indoor application. High on energy efficiency, these aluminium panel lights have a long life and are optimally safe.



Aluminium  
Body



|                                                                                     | Code                    | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension  | Cutout Size | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|-------------------------|-------|-------------|--------------|------------|-----|------------|-------------|-------------------------|-------|
| <b>KEETO SLIM ALUMINIUM RECESSED PANEL LIGHT-ROUND</b>                              |                         |       |             |              |            |     |            |             |                         |       |
|    | <b>NEW</b> 2204PL03R WW | 3W    | 3000K       | >0.9         | 120°       | >80 | Φ 85*24    | Φ 75        | 370.00                  | 01/40 |
|                                                                                     | 2204PL03R NW            | 3W    | 4000K       | >0.9         | 120°       | >80 | Φ 85*24    | Φ 75        | 370.00                  | 01/40 |
|                                                                                     | 2204PL03R CW            | 3W    | 6500K       | >0.9         | 120°       | >80 | Φ 85*24    | Φ 75        | 370.00                  | 01/40 |
|    | 2204PL06R WW            | 6W    | 3000K       | >0.9         | 120°       | >80 | Φ 120*24   | Φ 105       | 480.00                  | 01/40 |
|                                                                                     | 2204PL06R NW            | 6W    | 4000K       | >0.9         | 120°       | >80 | Φ 120*24   | Φ 105       | 480.00                  | 01/40 |
|                                                                                     | 2204PL06R CW            | 6W    | 6500K       | >0.9         | 120°       | >80 | Φ 120*24   | Φ 105       | 480.00                  | 01/40 |
|    | 2204PL09R WW            | 9W    | 3000K       | >0.9         | 120°       | >80 | Φ 120*24   | Φ 105       | 615.00                  | 01/40 |
|                                                                                     | 2204PL09R NW            | 9W    | 4000K       | >0.9         | 120°       | >80 | Φ 120*24   | Φ 105       | 615.00                  | 01/40 |
|                                                                                     | 2204PL09R CW            | 9W    | 6500K       | >0.9         | 120°       | >80 | Φ 120*24   | Φ 105       | 615.00                  | 01/40 |
|    | 2204PL12R WW            | 12W   | 3000K       | >0.9         | 120°       | >80 | Φ 170*24   | Φ 153       | 740.00                  | 01/20 |
|                                                                                     | 2204PL12R NW            | 12W   | 4000K       | >0.9         | 120°       | >80 | Φ 170*24   | Φ 153       | 740.00                  | 01/20 |
|                                                                                     | 2204PL12R CW            | 12W   | 6500K       | >0.9         | 120°       | >80 | Φ 170*24   | Φ 153       | 740.00                  | 01/20 |
|    | 2204PL15R WW            | 15W   | 3000K       | >0.9         | 120°       | >80 | Φ 170*24   | Φ 153       | 850.00                  | 01/20 |
|                                                                                     | 2204PL15R NW            | 15W   | 4000K       | >0.9         | 120°       | >80 | Φ 170*24   | Φ 153       | 850.00                  | 01/20 |
|                                                                                     | 2204PL15R CW            | 15W   | 6500K       | >0.9         | 120°       | >80 | Φ 170*24   | Φ 153       | 850.00                  | 01/20 |
|    | 2204PL18R WW            | 18W   | 3000K       | >0.9         | 120°       | >80 | Φ 225*24   | Φ 205       | 1020.00                 | 01/20 |
|                                                                                     | 2204PL18R NW            | 18W   | 4000K       | >0.9         | 120°       | >80 | Φ 225*24   | Φ 205       | 1020.00                 | 01/20 |
|                                                                                     | 2204PL18R CW            | 18W   | 6500K       | >0.9         | 120°       | >80 | Φ 225*24   | Φ 205       | 1020.00                 | 01/20 |
|   | 2204PL22R WW            | 22W   | 3000K       | >0.9         | 120°       | >80 | Φ 225*24   | Φ 205       | 1275.00                 | 01/20 |
|                                                                                     | 2204PL22R NW            | 22W   | 4000K       | >0.9         | 120°       | >80 | Φ 225*24   | Φ 205       | 1275.00                 | 01/20 |
|                                                                                     | 2204PL22R CW            | 22W   | 6500K       | >0.9         | 120°       | >80 | Φ 225*24   | Φ 205       | 1275.00                 | 01/20 |
| <b>KEETO SLIM ALUMINIUM RECESSED PANEL LIGHT-SQUARE</b>                             |                         |       |             |              |            |     |            |             |                         |       |
|  | <b>NEW</b> 2204PL03S WW | 3W    | 3000K       | >0.9         | 120°       | >80 | 85*85*24   | 75*75       | 370.00                  | 01/40 |
|                                                                                     | 2204PL03S NW            | 3W    | 4000K       | >0.9         | 120°       | >80 | 85*85*24   | 75*75       | 370.00                  | 01/40 |
|                                                                                     | 2204PL03S CW            | 3W    | 6500K       | >0.9         | 120°       | >80 | 85*85*24   | 75*75       | 370.00                  | 01/40 |
|  | 2204PL06S WW            | 6W    | 3000K       | >0.9         | 120°       | >80 | 120*120*24 | 105*105     | 480.00                  | 01/40 |
|                                                                                     | 2204PL06S NW            | 6W    | 4000K       | >0.9         | 120°       | >80 | 120*120*24 | 105*105     | 480.00                  | 01/40 |
|                                                                                     | 2204PL06S CW            | 6W    | 6500K       | >0.9         | 120°       | >80 | 120*120*24 | 105*105     | 480.00                  | 01/40 |
|  | 2204PL09S WW            | 9W    | 3000K       | >0.9         | 120°       | >80 | 120*120*24 | 105*105     | 615.00                  | 01/40 |
|                                                                                     | 2204PL09S NW            | 9W    | 4000K       | >0.9         | 120°       | >80 | 120*120*24 | 105*105     | 615.00                  | 01/40 |
|                                                                                     | 2204PL09S CW            | 9W    | 6500K       | >0.9         | 120°       | >80 | 120*120*24 | 105*105     | 615.00                  | 01/40 |
|  | 2204PL12S WW            | 12W   | 3000K       | >0.9         | 120°       | >80 | 170*170*24 | 153*153     | 740.00                  | 01/20 |
|                                                                                     | 2204PL12S NW            | 12W   | 4000K       | >0.9         | 120°       | >80 | 170*170*24 | 153*153     | 740.00                  | 01/20 |
|                                                                                     | 2204PL12S CW            | 12W   | 6500K       | >0.9         | 120°       | >80 | 170*170*24 | 153*153     | 740.00                  | 01/20 |
|  | 2204PL15S WW            | 15W   | 3000K       | >0.9         | 120°       | >80 | 170*170*24 | 153*153     | 850.00                  | 01/20 |
|                                                                                     | 2204PL15S NW            | 15W   | 4000K       | >0.9         | 120°       | >80 | 170*170*24 | 153*153     | 850.00                  | 01/20 |
|                                                                                     | 2204PL15S CW            | 15W   | 6500K       | >0.9         | 120°       | >80 | 170*170*24 | 153*153     | 850.00                  | 01/20 |
|  | 2204PL18S WW            | 18W   | 3000K       | >0.9         | 120°       | >80 | 225*225*24 | 205*205     | 1020.00                 | 01/20 |
|                                                                                     | 2204PL18S NW            | 18W   | 4000K       | >0.9         | 120°       | >80 | 225*225*24 | 205*205     | 1020.00                 | 01/20 |
|                                                                                     | 2204PL18S CW            | 18W   | 6500K       | >0.9         | 120°       | >80 | 225*225*24 | 205*205     | 1020.00                 | 01/20 |
|  | 2204PL22S WW            | 22W   | 3000K       | >0.9         | 120°       | >80 | 225*225*24 | 205*205     | 1275.00                 | 01/20 |
|                                                                                     | 2204PL22S NW            | 22W   | 4000K       | >0.9         | 120°       | >80 | 225*225*24 | 205*205     | 1275.00                 | 01/20 |
|                                                                                     | 2204PL22S CW            | 22W   | 6500K       | >0.9         | 120°       | >80 | 225*225*24 | 205*205     | 1275.00                 | 01/20 |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY

|                                                                                     | Code         | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension  | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-----|------------|-------------------------|-------|
| <b>KEETO SURFACE ALUMINIUM PANEL LIGHT-ROUND</b>                                    |              |       |             |              |            |     |            |                         |       |
|    | 2212PL06R WW | 6W    | 3000K       | >0.9         | 120°       | >80 | Φ 120*35   | 585.00                  | 01/40 |
|                                                                                     | 2212PL06R NW | 6W    | 4000K       | >0.9         | 120°       | >80 | Φ 120*35   | 585.00                  | 01/40 |
|                                                                                     | 2212PL06R CW | 6W    | 6500K       | >0.9         | 120°       | >80 | Φ 120*35   | 585.00                  | 01/40 |
|    | 2212PL09R WW | 9W    | 3000K       | >0.9         | 120°       | >80 | Φ 120*35   | 740.00                  | 01/40 |
|                                                                                     | 2212PL09R NW | 9W    | 4000K       | >0.9         | 120°       | >80 | Φ 120*35   | 740.00                  | 01/40 |
|                                                                                     | 2212PL09R CW | 9W    | 6500K       | >0.9         | 120°       | >80 | Φ 120*35   | 740.00                  | 01/40 |
|    | 2212PL12R WW | 12W   | 3000K       | >0.9         | 120°       | >80 | Φ 170*35   | 870.00                  | 01/20 |
|                                                                                     | 2212PL12R NW | 12W   | 4000K       | >0.9         | 120°       | >80 | Φ 170*35   | 870.00                  | 01/20 |
|                                                                                     | 2212PL12R CW | 12W   | 6500K       | >0.9         | 120°       | >80 | Φ 170*35   | 870.00                  | 01/20 |
|    | 2212PL15R WW | 15W   | 3000K       | >0.9         | 120°       | >80 | Φ 170*35   | 985.00                  | 01/20 |
|                                                                                     | 2212PL15R NW | 15W   | 4000K       | >0.9         | 120°       | >80 | Φ 170*35   | 985.00                  | 01/20 |
|                                                                                     | 2212PL15R CW | 15W   | 6500K       | >0.9         | 120°       | >80 | Φ 170*35   | 985.00                  | 01/20 |
|    | 2212PL18R WW | 18W   | 3000K       | >0.9         | 120°       | >80 | Φ 225*35   | 1255.00                 | 01/20 |
|                                                                                     | 2212PL18R NW | 18W   | 4000K       | >0.9         | 120°       | >80 | Φ 225*35   | 1255.00                 | 01/20 |
|                                                                                     | 2212PL18R CW | 18W   | 6500K       | >0.9         | 120°       | >80 | Φ 225*35   | 1255.00                 | 01/20 |
|    | 2212PL22R WW | 22W   | 3000K       | >0.9         | 120°       | >80 | Φ 225*35   | 1550.00                 | 01/20 |
|                                                                                     | 2212PL22R NW | 22W   | 4000K       | >0.9         | 120°       | >80 | Φ 225*35   | 1550.00                 | 01/20 |
|                                                                                     | 2212PL22R CW | 22W   | 6500K       | >0.9         | 120°       | >80 | Φ 225*35   | 1550.00                 | 01/20 |
| <b>KEETO SURFACE ALUMINIUM PANEL LIGHT-SQUARE</b>                                   |              |       |             |              |            |     |            |                         |       |
|   | 2212PL06S WW | 6W    | 3000K       | >0.9         | 120°       | >80 | 120*120*35 | 585.00                  | 01/40 |
|                                                                                     | 2212PL06S NW | 6W    | 4000K       | >0.9         | 120°       | >80 | 120*120*35 | 585.00                  | 01/40 |
|                                                                                     | 2212PL06S CW | 6W    | 6500K       | >0.9         | 120°       | >80 | 120*120*35 | 585.00                  | 01/40 |
|  | 2212PL09S WW | 9W    | 3000K       | >0.9         | 120°       | >80 | 120*120*35 | 740.00                  | 01/40 |
|                                                                                     | 2212PL09S NW | 9W    | 4000K       | >0.9         | 120°       | >80 | 120*120*35 | 740.00                  | 01/40 |
|                                                                                     | 2212PL09S CW | 9W    | 6500K       | >0.9         | 120°       | >80 | 120*120*35 | 740.00                  | 01/40 |
|  | 2212PL12S WW | 12W   | 3000K       | >0.9         | 120°       | >80 | 170*170*35 | 870.00                  | 01/20 |
|                                                                                     | 2212PL12S NW | 12W   | 4000K       | >0.9         | 120°       | >80 | 170*170*35 | 870.00                  | 01/20 |
|                                                                                     | 2212PL12S CW | 12W   | 6500K       | >0.9         | 120°       | >80 | 170*170*35 | 870.00                  | 01/20 |
|  | 2212PL15S WW | 15W   | 3000K       | >0.9         | 120°       | >80 | 170*170*35 | 985.00                  | 01/20 |
|                                                                                     | 2212PL15S NW | 15W   | 4000K       | >0.9         | 120°       | >80 | 170*170*35 | 985.00                  | 01/20 |
|                                                                                     | 2212PL15S CW | 15W   | 6500K       | >0.9         | 120°       | >80 | 170*170*35 | 985.00                  | 01/20 |
|  | 2212PL18S WW | 18W   | 3000K       | >0.9         | 120°       | >80 | 225*225*35 | 1255.00                 | 01/20 |
|                                                                                     | 2212PL18S NW | 18W   | 4000K       | >0.9         | 120°       | >80 | 225*225*35 | 1255.00                 | 01/20 |
|                                                                                     | 2212PL18S CW | 18W   | 6500K       | >0.9         | 120°       | >80 | 225*225*35 | 1255.00                 | 01/20 |
|  | 2212PL22S WW | 22W   | 3000K       | >0.9         | 120°       | >80 | 225*225*35 | 1550.00                 | 01/20 |
|                                                                                     | 2212PL22S NW | 22W   | 4000K       | >0.9         | 120°       | >80 | 225*225*35 | 1550.00                 | 01/20 |
|                                                                                     | 2212PL22S CW | 22W   | 6500K       | >0.9         | 120°       | >80 | 225*225*35 | 1550.00                 | 01/20 |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY

|                                                                                   | Code         | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension  | Cutout Size | List Price (₹) Per Unit | Pack  |
|-----------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-----|------------|-------------|-------------------------|-------|
| <b>KEETO NEO SLIM ALUMINIUM RECESSED PANEL LIGHT-ROUND</b>                        |              |       |             |              |            |     |            |             |                         |       |
|  | 2241PL12R WW | 12W   | 3000K       | >0.9         | 120°       | >80 | Φ 144*23   | Φ 131       | 740.00                  | 01/20 |
|                                                                                   | 2241PL12R NW | 12W   | 4000K       | >0.9         | 120°       | >80 | Φ 144*23   | Φ 131       | 740.00                  | 01/20 |
|                                                                                   | 2241PL12R CW | 12W   | 6500K       | >0.9         | 120°       | >80 | Φ 144*23   | Φ 131       | 740.00                  | 01/20 |
|  | 2241PL18R WW | 18W   | 3000K       | >0.9         | 120°       | >80 | Φ 189*23   | Φ 176       | 1020.00                 | 01/20 |
|                                                                                   | 2241PL18R NW | 18W   | 4000K       | >0.9         | 120°       | >80 | Φ 189*23   | Φ 176       | 1020.00                 | 01/20 |
|                                                                                   | 2241PL18R CW | 18W   | 6500K       | >0.9         | 120°       | >80 | Φ 189*23   | Φ 176       | 1020.00                 | 01/20 |
| <b>KEETO NEO SLIM ALUMINIUM RECESSED PANEL LIGHT-SQUARE</b>                       |              |       |             |              |            |     |            |             |                         |       |
|  | 2241PL12S WW | 12W   | 3000K       | >0.9         | 120°       | >80 | 144*144*23 | 131*131     | 740.00                  | 01/20 |
|                                                                                   | 2241PL12S NW | 12W   | 4000K       | >0.9         | 120°       | >80 | 144*144*23 | 131*131     | 740.00                  | 01/20 |
|                                                                                   | 2241PL12S CW | 12W   | 6500K       | >0.9         | 120°       | >80 | 144*144*23 | 131*131     | 740.00                  | 01/20 |
|  | 2241PL18S WW | 18W   | 3000K       | >0.9         | 120°       | >80 | 189*189*23 | 176*176     | 1020.00                 | 01/20 |
|                                                                                   | 2241PL18S NW | 18W   | 4000K       | >0.9         | 120°       | >80 | 189*189*23 | 176*176     | 1020.00                 | 01/20 |
|                                                                                   | 2241PL18S CW | 18W   | 6500K       | >0.9         | 120°       | >80 | 189*189*23 | 176*176     | 1020.00                 | 01/20 |

|                                                                                     | Code     | Power In | Model Name     | List Price (₹) Per Unit | Pack |
|-------------------------------------------------------------------------------------|----------|----------|----------------|-------------------------|------|
| <b>KEETO DRIVER</b>                                                                 |          |          |                |                         |      |
|    | 2204DR03 | 3W       | LED Driver 3W  | 240.00                  | 05   |
|    | 2204DR06 | 6W       | LED Driver 6W  | 255.00                  | 05   |
|   | 2204DR09 | 9W       | LED Driver 9W  | 300.00                  | 05   |
|  | 2204DR12 | 12W      | LED Driver 12W | 300.00                  | 05   |
|  | 2204DR15 | 15W      | LED Driver 15W | 385.00                  | 05   |
|  | 2204DR18 | 18W      | LED Driver 18W | 385.00                  | 05   |
|  | 2204DR22 | 22W      | LED Driver 22W | 490.00                  | 05   |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY



**SHINING LIGHT UPON TIMELESS MEMORIES.**



KEETO  
PANEL LIGHT

## BOUNDLESS ILLUMINATION, COMPACT FINISH.

Stylish, stunning and ultra-modern, these panels illuminate your spaces uniformly and efficiently. Made to cater to a range of requirements, these add a dash of warmth to your interiors making them look bright and inviting. Ideally suited for commercial and industrial applications.



|                                                                                   | Code         | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension  | List Price (₹) Per Unit | Pack  |
|-----------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-----|------------|-------------------------|-------|
| <b>KEETO BACKLIT SLIM PANEL-SQUARE</b>                                            |              |       |             |              |            |     |            |                         |       |
|  | 2204PL40S WW | 40W   | 3000K       | >0.9         | 120°       | >80 | 600*600*30 | 2800.00                 | 01/05 |
|                                                                                   | 2204PL40S NW | 40W   | 4000K       | >0.9         | 120°       | >80 | 600*600*30 | 2800.00                 | 01/05 |
|                                                                                   | 2204PL40S CW | 40W   | 6500K       | >0.9         | 120°       | >80 | 600*600*30 | 2800.00                 | 01/05 |

|                                                                                   |              |     |       |      |      |     |            |         |       |
|-----------------------------------------------------------------------------------|--------------|-----|-------|------|------|-----|------------|---------|-------|
| <b>KEETO BACKLIT SLIM SURFACE PANEL-SQUARE</b>                                    |              |     |       |      |      |     |            |         |       |
|  | 2212PL40S WW | 40W | 3000K | >0.9 | 120° | >80 | 600*600*60 | 3600.00 | 01/05 |
|                                                                                   | 2212PL40S NW | 40W | 4000K | >0.9 | 120° | >80 | 600*600*60 | 3600.00 | 01/05 |
|                                                                                   | 2212PL40S CW | 40W | 6500K | >0.9 | 120° | >80 | 600*600*60 | 3600.00 | 01/05 |

|                                                                                   | Code     | Power In | Model Name     | List Price (₹) Per Unit | Pack |
|-----------------------------------------------------------------------------------|----------|----------|----------------|-------------------------|------|
| <b>KEETO BACKLIT SLIM PANEL DRIVER</b>                                            |          |          |                |                         |      |
|  | 2204DR40 | 40W      | LED Driver 40W | 860.00                  | 05   |

|                                                                                     | Code     | Model Name    | List Price (₹) Per Unit | Pack |
|-------------------------------------------------------------------------------------|----------|---------------|-------------------------|------|
| <b>KEETO BACKLIT SLIM PANEL CLAMP</b>                                               |          |               |                         |      |
|  | 2204CL40 | Clamp for 40W | 170.00                  | 01   |

**NEW**

All dimensions in mm


**ROBUST  
DESIGN**

**GREEN  
PRODUCT**

**SUPERIOR  
CRI**

**ENERGY  
SAVER**

**MAINTENANCE  
FREE**

**ZERO  
MERCURY**



# KONGO

SLIM SURFACE ALUMINIUM  
PANEL LIGHT



ELEVATE EVERY  
AMBIENCE.



Designed to transform any space into a captivating and vibrant environment, these lights offer an unparalleled lighting experience that will elevate your surroundings to new heights of sophistication.



Aluminium  
Body



Detachable  
Driver



Superior Surge  
Protection



Wide voltage  
range 100-300V



|                                                                                   | Code         | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension  | List Price (₹) Per Unit | Pack  |            |
|-----------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-----|------------|-------------------------|-------|------------|
| <b>KONGO SLIM SURFACE ALUMINIUM PANEL LIGHT-ROUND</b>                             |              |       |             |              |            |     |            |                         |       | <b>NEW</b> |
|  | 2243PL08R WW | 8W    | 3000K       | >0.9         | 120°       | >80 | Φ 108*27   | 700.00                  | 01/40 |            |
|                                                                                   | 2243PL08R NW | 8W    | 4000K       | >0.9         | 120°       | >80 | Φ 108*27   | 700.00                  | 01/40 |            |
|                                                                                   | 2243PL08R CW | 8W    | 6500K       | >0.9         | 120°       | >80 | Φ 108*27   | 700.00                  | 01/40 |            |
|  | 2243PL15R WW | 15W   | 3000K       | >0.9         | 120°       | >80 | Φ 155*27   | 925.00                  | 01/20 |            |
|                                                                                   | 2243PL15R NW | 15W   | 4000K       | >0.9         | 120°       | >80 | Φ 155*27   | 925.00                  | 01/20 |            |
|                                                                                   | 2243PL15R CW | 15W   | 6500K       | >0.9         | 120°       | >80 | Φ 155*27   | 925.00                  | 01/20 |            |
|  | 2243PL22R WW | 22W   | 3000K       | >0.9         | 120°       | >80 | Φ 200*27   | 1395.00                 | 01/20 |            |
|                                                                                   | 2243PL22R NW | 22W   | 4000K       | >0.9         | 120°       | >80 | Φ 200*27   | 1395.00                 | 01/20 |            |
|                                                                                   | 2243PL22R CW | 22W   | 6500K       | >0.9         | 120°       | >80 | Φ 200*27   | 1395.00                 | 01/20 |            |
| <b>KONGO SLIM SURFACE ALUMINIUM PANEL LIGHT-SQUARE</b>                            |              |       |             |              |            |     |            |                         |       | <b>NEW</b> |
|  | 2243PL08S WW | 8W    | 3000K       | >0.9         | 120°       | >80 | 108*108*27 | 700.00                  | 01/40 |            |
|                                                                                   | 2243PL08S NW | 8W    | 4000K       | >0.9         | 120°       | >80 | 108*108*27 | 700.00                  | 01/40 |            |
|                                                                                   | 2243PL08S CW | 8W    | 6500K       | >0.9         | 120°       | >80 | 108*108*27 | 700.00                  | 01/40 |            |
|  | 2243PL15S WW | 15W   | 3000K       | >0.9         | 120°       | >80 | 155*155*27 | 925.00                  | 01/20 |            |
|                                                                                   | 2243PL15S NW | 15W   | 4000K       | >0.9         | 120°       | >80 | 155*155*27 | 925.00                  | 01/20 |            |
|                                                                                   | 2243PL15S CW | 15W   | 6500K       | >0.9         | 120°       | >80 | 155*155*27 | 925.00                  | 01/20 |            |
|  | 2243PL22S WW | 22W   | 3000K       | >0.9         | 120°       | >80 | 200*200*27 | 1395.00                 | 01/20 |            |
|                                                                                   | 2243PL22S NW | 22W   | 4000K       | >0.9         | 120°       | >80 | 200*200*27 | 1395.00                 | 01/20 |            |
|                                                                                   | 2243PL22S CW | 22W   | 6500K       | >0.9         | 120°       | >80 | 200*200*27 | 1395.00                 | 01/20 |            |

|                                                                                     | Code     | Power In | Model Name     | List Price (₹) Per Unit | Pack |            |
|-------------------------------------------------------------------------------------|----------|----------|----------------|-------------------------|------|------------|
| <b>KONGO DRIVER</b>                                                                 |          |          |                |                         |      | <b>NEW</b> |
|  | 2243DR08 | 8W       | LED Driver 8W  |                         | 05   |            |
|  | 2243DR15 | 15W      | LED Driver 15W |                         | 05   |            |
|  | 2243DR22 | 22W      | LED Driver 22W |                         | 05   |            |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY



# Bling

PANEL LIGHT



## UPGRADE YOUR SPACE WITH MODERN LIGHTING.

Experience lighting like never before with Novva Panel Light. Designed to meet the demands of modern living, these cutting-edge LEDs offer a perfect blend of style and functionality.



**NOVVA**  
PANEL LIGHT



|                                                                                   | Code           | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |
|-----------------------------------------------------------------------------------|----------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|
| <b>NOVVA PANEL LIGHT-ROUND</b>                                                    |                |       |             |              |            |     |           |             |                         |       |
|  | 2239PL03R CGBP | 3W    | 6500K/GBP   | >0.9         | 120°       | >80 | Φ 103*23  | Φ 80        | 425.00                  | 01/50 |
|                                                                                   | 2239PL06R CGBP | 6W    | 6500K/GBP   | >0.9         | 120°       | >80 | Φ 147*30  | Φ 110       | 540.00                  | 01/40 |
|                                                                                   | 2239PL12R CGBP | 12W   | 6500K/GBP   | >0.9         | 120°       | >80 | Φ 196*30  | Φ 160       | 800.00                  | 01/20 |

|                                                                                   |                |     |           |      |      |     |            |         |        |       |
|-----------------------------------------------------------------------------------|----------------|-----|-----------|------|------|-----|------------|---------|--------|-------|
| <b>NOVVA PANEL LIGHT-SQUARE</b>                                                   |                |     |           |      |      |     |            |         |        |       |
|  | 2239PL03S CGBP | 3W  | 6500K/GBP | >0.9 | 120° | >80 | 102*103*23 | 80*80   | 425.00 | 01/50 |
|                                                                                   | 2239PL06S CGBP | 6W  | 6500K/GBP | >0.9 | 120° | >80 | 147*147*30 | 110*110 | 540.00 | 01/40 |
|                                                                                   | 2239PL12S CGBP | 12W | 6500K/GBP | >0.9 | 120° | >80 | 196*196*30 | 160*160 | 800.00 | 01/20 |

|                                                                                   |                |     |           |      |      |     |          |   |         |       |
|-----------------------------------------------------------------------------------|----------------|-----|-----------|------|------|-----|----------|---|---------|-------|
| <b>NOVVA SURFACE PANEL LIGHT-ROUND</b>                                            |                |     |           |      |      |     |          |   |         |       |
|  | 2258PL03R CGBP | 3W  | 6500K/GBP | >0.9 | 120° | >80 | Φ 103*23 | - | 550.00  | 01/50 |
|                                                                                   | 2258PL06R CGBP | 6W  | 6500K/GBP | >0.9 | 120° | >80 | Φ 147*30 | - | 800.00  | 01/40 |
|                                                                                   | 2258PL12R CGBP | 12W | 6500K/GBP | >0.9 | 120° | >80 | Φ 196*30 | - | 1125.00 | 01/20 |

**NEW**

|                                                                                    |              |     |       |      |      |     |         |          |        |       |
|------------------------------------------------------------------------------------|--------------|-----|-------|------|------|-----|---------|----------|--------|-------|
| <b>BLING PANEL LIGHT (RIMLESS)-ROUND</b>                                           |              |     |       |      |      |     |         |          |        |       |
|   | 2240PL12R WW | 12W | 3000K | >0.9 | 120° | >80 | Φ115*38 | Φ 60-105 | 640.00 | 01/40 |
|                                                                                    | 2240PL12R NW | 12W | 4000K | >0.9 | 120° | >80 | Φ115*38 | Φ 60-105 | 640.00 | 01/40 |
|                                                                                    | 2240PL12R CW | 12W | 6500K | >0.9 | 120° | >80 | Φ115*38 | Φ 60-105 | 640.00 | 01/40 |
|  | 2240PL18R WW | 18W | 3000K | >0.9 | 120° | >80 | Φ165*38 | Φ 60-150 | 895.00 | 01/20 |
|                                                                                    | 2240PL18R NW | 18W | 4000K | >0.9 | 120° | >80 | Φ165*38 | Φ 60-150 | 895.00 | 01/20 |
|                                                                                    | 2240PL18R CW | 18W | 6500K | >0.9 | 120° | >80 | Φ165*38 | Φ 60-150 | 895.00 | 01/20 |

|                                                                                     |              |     |       |      |      |     |            |          |        |       |
|-------------------------------------------------------------------------------------|--------------|-----|-------|------|------|-----|------------|----------|--------|-------|
| <b>BLING PANEL LIGHT (RIMLESS)-SQUARE</b>                                           |              |     |       |      |      |     |            |          |        |       |
|  | 2240PL12S WW | 12W | 3000K | >0.9 | 120° | >80 | 115*115*38 | Φ 60-105 | 640.00 | 01/40 |
|                                                                                     | 2240PL12S NW | 12W | 4000K | >0.9 | 120° | >80 | 115*115*38 | Φ 60-105 | 640.00 | 01/40 |
|                                                                                     | 2240PL12S CW | 12W | 6500K | >0.9 | 120° | >80 | 115*115*38 | Φ 60-105 | 640.00 | 01/40 |
|  | 2240PL18S WW | 18W | 3000K | >0.9 | 120° | >80 | 165*165*38 | Φ 60-150 | 895.00 | 01/20 |
|                                                                                     | 2240PL18S NW | 18W | 4000K | >0.9 | 120° | >80 | 165*165*38 | Φ 60-150 | 895.00 | 01/20 |
|                                                                                     | 2240PL18S CW | 18W | 6500K | >0.9 | 120° | >80 | 165*165*38 | Φ 60-150 | 895.00 | 01/20 |

|                                                                                     | Code     | Power In | Model Name     | List Price (₹) Per Unit | Pack |
|-------------------------------------------------------------------------------------|----------|----------|----------------|-------------------------|------|
| <b>NOVVA DRIVER</b>                                                                 |          |          |                |                         |      |
|  | 2258DR03 | 3W       | LED Driver 3W  |                         | 05   |
|                                                                                     | 2258DR06 | 6W       | LED Driver 6W  |                         | 05   |
|                                                                                     | 2258DR12 | 12W      | LED Driver 12W |                         | 05   |

**NEW**

|                                                                                     |          |     |                |  |    |
|-------------------------------------------------------------------------------------|----------|-----|----------------|--|----|
| <b>BLING DRIVER</b>                                                                 |          |     |                |  |    |
|  | 2240DR12 | 12W | LED Driver 12W |  | 05 |
|                                                                                     | 2240DR18 | 18W | LED Driver 18W |  | 05 |

**NEW**

All dimensions in mm





# KROWN

SLIM SURFACE PANEL LIGHT

LIGHT THAT'S  
AS DYNAMIC  
AS YOUR  
IMAGINATION.



In-built  
Driver



Superior Surge  
Protection



Voltage range  
190-250V



Minimal  
Surface Height



3-IN-1 COLOUR  
CHANGING

Experience a new level of sophistication crafted to seamlessly blend style and efficiency. With its modern design and advanced LED technology, this lighting solution redefines how you illuminate your surroundings.

Introducing

**KROWN**trio  
SLIM SURFACE PANEL LIGHT

|                                                                                   | Code           | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | List Price (₹) Per Unit | Pack  |
|-----------------------------------------------------------------------------------|----------------|-------|-------------|--------------|------------|-----|-----------|-------------------------|-------|
| <b>KROWN SLIM SURFACE PANEL LIGHT-ROUND</b>                                       |                |       |             |              |            |     |           |                         |       |
|  | 2237PL06R WW   | 6W    | 3000K       | >0.9         | 180°       | >80 | Φ 91*27   | 425.00                  | 01/40 |
|                                                                                   | 2237PL06R NW   | 6W    | 4000K       | >0.9         | 180°       | >80 | Φ 91*27   | 425.00                  | 01/40 |
|                                                                                   | 2237PL06R CW   | 6W    | 6500K       | >0.9         | 180°       | >80 | Φ 91*27   | 425.00                  | 01/40 |
|                                                                                   | 2237PL06R CRGB | 6W    | 6500K/RGB   | >0.9         | 180°       | >80 | Φ 91*27   | 475.00                  | 01/40 |
|  | 2237PL12R WW   | 12W   | 3000K       | >0.9         | 180°       | >80 | Φ 120*27  | 680.00                  | 01/40 |
|                                                                                   | 2237PL12R NW   | 12W   | 4000K       | >0.9         | 180°       | >80 | Φ 120*27  | 680.00                  | 01/40 |
|                                                                                   | 2237PL12R CW   | 12W   | 6500K       | >0.9         | 180°       | >80 | Φ 120*27  | 680.00                  | 01/40 |
|                                                                                   | 2237PL12R CRGB | 12W   | 6500K/RGB   | >0.9         | 180°       | >80 | Φ 120*27  | 745.00                  | 01/40 |
|  | 2237PL18R WW   | 18W   | 3000K       | >0.9         | 180°       | >80 | Φ 155*27  | 935.00                  | 01/20 |
|                                                                                   | 2237PL18R NW   | 18W   | 4000K       | >0.9         | 180°       | >80 | Φ 155*27  | 935.00                  | 01/20 |
|                                                                                   | 2237PL18R CW   | 18W   | 6500K       | >0.9         | 180°       | >80 | Φ 155*27  | 935.00                  | 01/20 |
|  | 2237PL24R WW   | 24W   | 3000K       | >0.9         | 180°       | >80 | Φ 192*27  | 1275.00                 | 01/20 |
|                                                                                   | 2237PL24R NW   | 24W   | 4000K       | >0.9         | 180°       | >80 | Φ 192*27  | 1275.00                 | 01/20 |
|                                                                                   | 2237PL24R CW   | 24W   | 6500K       | >0.9         | 180°       | >80 | Φ 192*27  | 1275.00                 | 01/20 |

NEW

|                                                                                     |                |     |           |      |      |     |            |         |       |
|-------------------------------------------------------------------------------------|----------------|-----|-----------|------|------|-----|------------|---------|-------|
| <b>KROWN SLIM SURFACE PANEL LIGHT-SQUARE</b>                                        |                |     |           |      |      |     |            |         |       |
|    | 2237PL06S WW   | 6W  | 3000K     | >0.9 | 180° | >80 | 91*91*27   | 425.00  | 01/40 |
|                                                                                     | 2237PL06S NW   | 6W  | 4000K     | >0.9 | 180° | >80 | 91*91*27   | 425.00  | 01/40 |
|                                                                                     | 2237PL06S CW   | 6W  | 6500K     | >0.9 | 180° | >80 | 91*91*27   | 425.00  | 01/40 |
|                                                                                     | 2237PL06S CRGB | 6W  | 6500K/RGB | >0.9 | 180° | >80 | 91*91*27   | 475.00  | 01/40 |
|   | 2237PL12S WW   | 12W | 3000K     | >0.9 | 180° | >80 | 120*120*27 | 680.00  | 01/40 |
|                                                                                     | 2237PL12S NW   | 12W | 4000K     | >0.9 | 180° | >80 | 120*120*27 | 680.00  | 01/40 |
|                                                                                     | 2237PL12S CW   | 12W | 6500K     | >0.9 | 180° | >80 | 120*120*27 | 680.00  | 01/40 |
|                                                                                     | 2237PL12S CRGB | 12W | 6500K/RGB | >0.9 | 180° | >80 | 120*120*27 | 745.00  | 01/40 |
|  | 2237PL18S WW   | 18W | 3000K     | >0.9 | 180° | >80 | 155*155*27 | 935.00  | 01/20 |
|                                                                                     | 2237PL18S NW   | 18W | 4000K     | >0.9 | 180° | >80 | 155*155*27 | 935.00  | 01/20 |
|                                                                                     | 2237PL18S CW   | 18W | 6500K     | >0.9 | 180° | >80 | 155*155*27 | 935.00  | 01/20 |
|  | 2237PL24S WW   | 24W | 3000K     | >0.9 | 180° | >80 | 192*192*27 | 1275.00 | 01/20 |
|                                                                                     | 2237PL24S NW   | 24W | 4000K     | >0.9 | 180° | >80 | 192*192*27 | 1275.00 | 01/20 |
|                                                                                     | 2237PL24S CW   | 24W | 6500K     | >0.9 | 180° | >80 | 192*192*27 | 1275.00 | 01/20 |

NEW

|                                                                                     |                  |     |                         |      |      |     |        |        |       |
|-------------------------------------------------------------------------------------|------------------|-----|-------------------------|------|------|-----|--------|--------|-------|
| <b>KROWN TRIO SLIM SURFACE PANEL LIGHT-ROUND</b>                                    |                  |     |                         |      |      |     |        |        |       |
|  | 2237PL12R RBP    | 12W | Red                     | >0.9 | 180° | >80 | 120*27 | 775.00 | 01/40 |
|                                                                                     |                  |     | Blue                    |      |      |     |        |        |       |
|                                                                                     |                  |     | Pink                    |      |      |     |        |        |       |
|  | 2237PL12R PGC    | 12W | Pink                    | >0.9 | 180° | >80 | 120*27 | 775.00 | 01/40 |
|                                                                                     |                  |     | Green<br>6500K          |      |      |     |        |        |       |
|  | 2237PL12R 3-in-1 | 12W | 3000K<br>4000K<br>6500K | >0.9 | 180° | >80 | 120*27 | 775.00 | 01/40 |

NEW

|                                                                                     |                  |     |                         |      |      |     |            |        |       |
|-------------------------------------------------------------------------------------|------------------|-----|-------------------------|------|------|-----|------------|--------|-------|
| <b>KROWN TRIO SLIM SURFACE PANEL LIGHT-SQUARE</b>                                   |                  |     |                         |      |      |     |            |        |       |
|  | 2237PL12S RBP    | 12W | Red                     | >0.9 | 180° | >80 | 120*120*27 | 775.00 | 01/40 |
|                                                                                     |                  |     | Blue<br>Pink            |      |      |     |            |        |       |
|  | 2237PL12R PGC    | 12W | Pink                    | >0.9 | 180° | >80 | 120*120*27 | 775.00 | 01/40 |
|                                                                                     |                  |     | Green<br>6500K          |      |      |     |            |        |       |
|  | 2237PL12R 3-in-1 | 12W | 3000K<br>4000K<br>6500K | >0.9 | 180° | >80 | 120*120*27 | 775.00 | 01/40 |

NEW

All dimensions in mm

ROBUST  
DESIGNGREEN  
PRODUCTSUPERIOR  
CRIENERGY  
SAVERMAINTENANCE  
FREEZERO  
MERCURY



# KROWN

SLIM SURFACE PANEL LIGHT



## ENSURING ILLUMINATION, ASSURING QUALITY.

Enhance your space with Krown Surface Panel Light, designed for uniform brightness and modern aesthetics. Its sleek surface-mounted design ensures easy installation, while energy-efficient technology delivers superior performance. Perfect for homes and commercial settings, this panel light brings a seamless blend of style and functionality.

|                                                                                   | Code             | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | List Price (₹) Per Unit | Pack  |
|-----------------------------------------------------------------------------------|------------------|-------|-------------|--------------|------------|-----|-----------|-------------------------|-------|
| <b>KROWN SLIM SURFACE PANEL LIGHT BLACK-ROUND</b>                                 |                  |       |             |              |            |     |           |                         |       |
|  | 2237PL06R B WW   | 6W    | 3000K       | >0.9         | 180°       | >80 | Φ 91*27   | 425.00                  | 01/40 |
|                                                                                   | 2237PL06R B NW   | 6W    | 4000K       | >0.9         | 180°       | >80 | Φ 91*27   | 425.00                  | 01/40 |
|                                                                                   | 2237PL06R B CW   | 6W    | 6500K       | >0.9         | 180°       | >80 | Φ 91*27   | 425.00                  | 01/40 |
|                                                                                   | 2237PL06R B CRGB | 6W    | 6500K/RGB   | >0.9         | 180°       | >80 | Φ 91*27   | 475.00                  | 01/40 |
|  | 2237PL12R B WW   | 12W   | 3000K       | >0.9         | 180°       | >80 | Φ 120*27  | 680.00                  | 01/40 |
|                                                                                   | 2237PL12R B NW   | 12W   | 4000K       | >0.9         | 180°       | >80 | Φ 120*27  | 680.00                  | 01/40 |
|                                                                                   | 2237PL12R B CW   | 12W   | 6500K       | >0.9         | 180°       | >80 | Φ 120*27  | 680.00                  | 01/40 |
|                                                                                   | 2237PL12R B CRGB | 12W   | 6500K/RGB   | >0.9         | 180°       | >80 | Φ 120*27  | 745.00                  | 01/40 |
|  | 2237PL18R B WW   | 18W   | 3000K       | >0.9         | 180°       | >80 | Φ 155*27  | 935.00                  | 01/20 |
|                                                                                   | 2237PL18R B NW   | 18W   | 4000K       | >0.9         | 180°       | >80 | Φ 155*27  | 935.00                  | 01/20 |
|                                                                                   | 2237PL18R B CW   | 18W   | 6500K       | >0.9         | 180°       | >80 | Φ 155*27  | 935.00                  | 01/20 |
|  | 2237PL24R B WW   | 24W   | 3000K       | >0.9         | 180°       | >80 | Φ 192*27  | 1275.00                 | 01/20 |
|                                                                                   | 2237PL24R B NW   | 24W   | 4000K       | >0.9         | 180°       | >80 | Φ 192*27  | 1275.00                 | 01/20 |
|                                                                                   | 2237PL24R B CW   | 24W   | 6500K       | >0.9         | 180°       | >80 | Φ 192*27  | 1275.00                 | 01/20 |

**NEW**

|                                                                                     |                  |     |           |      |      |     |            |         |       |
|-------------------------------------------------------------------------------------|------------------|-----|-----------|------|------|-----|------------|---------|-------|
| <b>KROWN SLIM SURFACE PANEL LIGHT BLACK-SQUARE</b>                                  |                  |     |           |      |      |     |            |         |       |
|    | 2237PL06S B WW   | 6W  | 3000K     | >0.9 | 180° | >80 | 91*91*27   | 425.00  | 01/40 |
|                                                                                     | 2237PL06S B NW   | 6W  | 4000K     | >0.9 | 180° | >80 | 91*91*27   | 425.00  | 01/40 |
|                                                                                     | 2237PL06S B CW   | 6W  | 6500K     | >0.9 | 180° | >80 | 91*91*27   | 425.00  | 01/40 |
|                                                                                     | 2237PL06S B CRGB | 6W  | 6500K/RGB | >0.9 | 180° | >80 | 91*91*27   | 475.00  | 01/40 |
|   | 2237PL12S B WW   | 12W | 3000K     | >0.9 | 180° | >80 | 120*120*27 | 680.00  | 01/40 |
|                                                                                     | 2237PL12S B NW   | 12W | 4000K     | >0.9 | 180° | >80 | 120*120*27 | 680.00  | 01/40 |
|                                                                                     | 2237PL12S B CW   | 12W | 6500K     | >0.9 | 180° | >80 | 120*120*27 | 680.00  | 01/40 |
|                                                                                     | 2237PL12S B CRGB | 12W | 6500K/RGB | >0.9 | 180° | >80 | 120*120*27 | 745.00  | 01/40 |
|  | 2237PL18S B WW   | 18W | 3000K     | >0.9 | 180° | >80 | 155*155*27 | 935.00  | 01/20 |
|                                                                                     | 2237PL18S B NW   | 18W | 4000K     | >0.9 | 180° | >80 | 155*155*27 | 935.00  | 01/20 |
|                                                                                     | 2237PL18S B CW   | 18W | 6500K     | >0.9 | 180° | >80 | 155*155*27 | 935.00  | 01/20 |
|  | 2237PL24S B WW   | 24W | 3000K     | >0.9 | 180° | >80 | 192*192*27 | 1275.00 | 01/20 |
|                                                                                     | 2237PL24S B NW   | 24W | 4000K     | >0.9 | 180° | >80 | 192*192*27 | 1275.00 | 01/20 |
|                                                                                     | 2237PL24S B CW   | 24W | 6500K     | >0.9 | 180° | >80 | 192*192*27 | 1275.00 | 01/20 |

**NEW**

|                                                                                     |                    |     |                         |      |      |     |        |        |       |
|-------------------------------------------------------------------------------------|--------------------|-----|-------------------------|------|------|-----|--------|--------|-------|
| <b>KROWN TRIO SLIM SURFACE PANEL LIGHT BLACK-ROUND</b>                              |                    |     |                         |      |      |     |        |        |       |
|  | 2237PL12R B RBP    | 12W | Red                     | >0.9 | 180° | >80 | 120*27 | 775.00 | 01/40 |
|                                                                                     |                    |     | Blue                    |      |      |     |        |        |       |
|                                                                                     |                    |     | Pink                    |      |      |     |        |        |       |
|  | 2237PL12R B PGC    | 12W | Pink                    | >0.9 | 180° | >80 | 120*27 | 775.00 | 01/40 |
|                                                                                     |                    |     | Green<br>6500K          |      |      |     |        |        |       |
|  | 2237PL12R B 3-in-1 | 12W | 3000K<br>4000K<br>6500K | >0.9 | 180° | >80 | 120*27 | 775.00 | 01/40 |

**NEW**

|                                                                                     |                    |     |                         |      |      |     |            |        |       |
|-------------------------------------------------------------------------------------|--------------------|-----|-------------------------|------|------|-----|------------|--------|-------|
| <b>KROWN TRIO SLIM SURFACE PANEL LIGHT BLACK-SQUARE</b>                             |                    |     |                         |      |      |     |            |        |       |
|  | 2237PL12S B RBP    | 12W | Red                     | >0.9 | 180° | >80 | 120*120*27 | 775.00 | 01/40 |
|                                                                                     |                    |     | Blue<br>Pink            |      |      |     |            |        |       |
|  | 2237PL12R B PGC    | 12W | Pink                    | >0.9 | 180° | >80 | 120*120*27 | 775.00 | 01/40 |
|                                                                                     |                    |     | Green<br>6500K          |      |      |     |            |        |       |
|  | 2237PL12R B 3-in-1 | 12W | 3000K<br>4000K<br>6500K | >0.9 | 180° | >80 | 120*120*27 | 775.00 | 01/40 |

**NEW**

All dimensions in mm


 ROBUST  
DESIGN

 GREEN  
PRODUCT

 SUPERIOR  
CRI

 ENERGY  
SAVER

 MAINTENANCE  
FREE

 ZERO  
MERCURY

# GLOWZ

PANEL LIGHT

## EFFORTLESS ELEGANCE. RADIANT SPACES.

Glowz Panel Light combines sleek design with superior illumination to transform your interiors. Its energy-efficient technology ensures consistent brightness while seamlessly blending into any space. Perfect for homes, offices, and commercial setups, Glowz Panel Light delivers sophistication with every beam.



Superior Surge  
Protection



With External  
SPD



Wide voltage  
range 180-270V



3-IN-1 COLOUR  
CHANGING

- 3000K, 4000K & 6500K
- Red, Blue, Pink
- Pink, Green, Cool White

Changes colour by clicking the switch OFF & ON

Introducing

# GLOWZ trio

PANEL LIGHT

|                                                                                     | Code         | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension      | Cutout Size | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-----|----------------|-------------|-------------------------|-------|
| <b>GLOWZ PANEL LIGHT SLIM-ROUND</b>                                                 |              |       |             |              |            |     |                |             |                         |       |
|    | 2254PL06R WW | 6W    | 3000K       | >0.9         | 120°       | >80 | Φ 96*30        | Φ 74        | 300.00                  | 01/40 |
|                                                                                     | 2254PL06R NW | 6W    | 4000K       | >0.9         | 120°       | >80 | Φ 96*30        | Φ 74        | 300.00                  | 01/40 |
|                                                                                     | 2254PL06R CW | 6W    | 6500K       | >0.9         | 120°       | >80 | Φ 96*30        | Φ 74        | 300.00                  | 01/40 |
|    | 2254PL12R WW | 12W   | 3000K       | >0.9         | 120°       | >80 | Φ 129*30       | Φ 106       | 475.00                  | 01/40 |
|                                                                                     | 2254PL12R NW | 12W   | 4000K       | >0.9         | 120°       | >80 | Φ 129*30       | Φ 106       | 475.00                  | 01/40 |
|                                                                                     | 2254PL12R CW | 12W   | 6500K       | >0.9         | 120°       | >8  | Φ 129*30       | Φ 106       | 475.00                  | 01/40 |
|    | 2254PL15R WW | 15W   | 3000K       | >0.9         | 120°       | >80 | Φ 129*30       | Φ 106       | 525.00                  | 01/40 |
|                                                                                     | 2254PL15R NW | 15W   | 4000K       | >0.9         | 120°       | >80 | Φ 129*30       | Φ 106       | 525.00                  | 01/40 |
|                                                                                     | 2254PL15R CW | 15W   | 6500K       | >0.9         | 120°       | >80 | Φ 129*30       | Φ 106       | 525.00                  | 01/40 |
|    | 2254PL18R WW | 18W   | 3000K       | >0.9         | 120°       | >80 | Φ 162*32       | Φ 137       | 725.00                  | 01/40 |
|                                                                                     | 2254PL18R NW | 18W   | 4000K       | >0.9         | 120°       | >80 | Φ 162*32       | Φ 137       | 725.00                  | 01/40 |
|                                                                                     | 2254PL18R CW | 18W   | 6500K       | >0.9         | 120°       | >80 | Φ 162*32       | Φ 137       | 725.00                  | 01/40 |
| <b>GLOWZ PANEL LIGHT SLIM-SQUARE</b>                                                |              |       |             |              |            |     |                |             |                         |       |
|    | 2254PL06S WW | 6W    | 3000K       | >0.9         | 120°       | >80 | 96*96*30       | 74*74       | 300.00                  | 01/40 |
|                                                                                     | 2254PL06S NW | 6W    | 4000K       | >0.9         | 120°       | >80 | 96*96*30       | 74*74       | 300.00                  | 01/40 |
|                                                                                     | 2254PL06S CW | 6W    | 6500K       | >0.9         | 120°       | >80 | 96*96*30       | 74*74       | 300.00                  | 01/40 |
|    | 2254PL12S WW | 12W   | 3000K       | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 475.00                  | 01/40 |
|                                                                                     | 2254PL12S NW | 12W   | 4000K       | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 475.00                  | 01/40 |
|                                                                                     | 2254PL12S CW | 12W   | 6500K       | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 475.00                  | 01/40 |
|   | 2254PL15S WW | 15W   | 3000K       | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 525.00                  | 01/40 |
|                                                                                     | 2254PL15S NW | 15W   | 4000K       | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 525.00                  | 01/40 |
|                                                                                     | 2254PL15S CW | 15W   | 6500K       | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 525.00                  | 01/40 |
|  | 2254PL18S WW | 18W   | 3000K       | >0.9         | 120°       | >80 | 162*162*32     | 137*137     | 725.00                  | 01/40 |
|                                                                                     | 2254PL18S NW | 18W   | 4000K       | >0.9         | 120°       | >80 | 162*162*32     | 137*137     | 725.00                  | 01/40 |
|                                                                                     | 2254PL18S CW | 18W   | 6500K       | >0.9         | 120°       | >80 | 162*162*32     | 137*137     | 725.00                  | 01/40 |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY

|                                                                                     | Code             | Power | Colour Temp             | Power Factor | Beam Angle | CRI | Dimension      | Cutout Size | List Price (₹) Per Unit | Pack  |     |
|-------------------------------------------------------------------------------------|------------------|-------|-------------------------|--------------|------------|-----|----------------|-------------|-------------------------|-------|-----|
| GLOWZ TRIO PANEL LIGHT SLIM-ROUND                                                   |                  |       |                         |              |            |     |                |             |                         |       | NEW |
|    | 2254PL12R RBP    | 12W   | Red<br>Blue<br>Pink     | >0.9         | 120°       | >80 | Φ 129*30       | Φ 106       | 535.00                  | 01/40 |     |
|    | 2254PL12R PGC    | 12W   | Pink<br>Green<br>6500K  | >0.9         | 120°       | >80 | Φ 129*30       | Φ 106       | 535.00                  | 01/40 |     |
|    | 2254PL12R 3-in-1 | 12W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | Φ 129*30       | Φ 106       | 535.00                  | 01/40 |     |
|    | 2254PL15R RBP    | 15W   | Red<br>Blue<br>Pink     | >0.9         | 120°       | >80 | Φ 129*30       | Φ 106       | 625.00                  | 01/40 |     |
|    | 2254PL15R PGC    | 15W   | Pink<br>Green<br>6500K  | >0.9         | 120°       | >80 | Φ 129*30       | Φ 106       | 625.00                  | 01/40 |     |
|    | 2254PL15R 3-in-1 | 15W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | Φ 129*30       | Φ 106       | 625.00                  | 01/40 |     |
| GLOWZ TRIO PANEL LIGHT SLIM-SQUARE                                                  |                  |       |                         |              |            |     |                |             |                         |       | NEW |
|   | 2254PL12S RBP    | 12W   | Red<br>Blue<br>Pink     | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 535.00                  | 01/40 |     |
|  | 2254PL12S PGC    | 12W   | Pink<br>Green<br>6500K  | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 535.00                  | 01/40 |     |
|  | 2254PL12S 3-in-1 | 12W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 535.00                  | 01/40 |     |
|  | 2254PL15S RBP    | 15W   | Red<br>Blue<br>Pink     | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 625.00                  | 01/40 |     |
|  | 2254PL15S PGC    | 15W   | Pink<br>Green<br>6500K  | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 625.00                  | 01/40 |     |
|  | 2254PL15S 3-in-1 | 15W   | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | 131.5*131.5*30 | 106*106     | 625.00                  | 01/40 |     |

All dimensions in mm



A GLOW THAT FILLS  
YOUR HOME WITH LOVE  
AND WARMTH.





# KARIS

DOWN LIGHT

INNOVATION THAT  
COMPLEMENTS  
YOUR TASTE.



This innovatively designed variant of Karis Downlight offers enhanced voltage range and comes with 4KV surge protection. A step ahead in its aesthetics and functions, these lights suit every interior style. Karis Downlight products are perfected with unsurpassed excellence to reflect your fine choice.



|                                                                                     | Code             | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension  | Cutout Size | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|------------------|-------|-------------|--------------|------------|-----|------------|-------------|-------------------------|-------|
| <b>KARIS DOWNLIGHT-ROUND</b>                                                        |                  |       |             |              |            |     |            |             |                         |       |
|    | 2402DL03R WW     | 3W    | 3000K       | >0.5         | 120°       | >80 | Φ 102*51.5 | Φ 55-65     | 320.00                  | 01/60 |
|                                                                                     | 2402DL03R NW     | 3W    | 4000K       | >0.5         | 120°       | >80 | Φ 102*51.5 | Φ 55-65     | 320.00                  | 01/60 |
|                                                                                     | 2402DL03R CW     | 3W    | 6500K       | >0.5         | 120°       | >80 | Φ 102*51.5 | Φ 55-65     | 320.00                  | 01/60 |
|    | 2402DL03R RD     | 3W    | Red         | >0.5         | 120°       | >80 | Φ 102*51.5 | Φ 55-65     | 320.00                  | 01/60 |
|                                                                                     | 2402DL03R GN     | 3W    | Green       | >0.5         | 120°       | >80 | Φ 102*51.5 | Φ 55-65     | 320.00                  | 01/60 |
|                                                                                     | 2402DL03R BE     | 3W    | Blue        | >0.5         | 120°       | >80 | Φ 102*51.5 | Φ 55-65     | 320.00                  | 01/60 |
|                                                                                     | 2402DL03R PK     | 3W    | Pink        | >0.5         | 120°       | >80 | Φ 102*51.5 | Φ 55-65     | 320.00                  | 01/60 |
|    | 2402DL05R WW     | 5W    | 3000K       | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 495.00                  | 01/40 |
|                                                                                     | 2402DL05R NW     | 5W    | 4000K       | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 495.00                  | 01/40 |
|                                                                                     | 2402DL05R CW     | 5W    | 6500K       | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 495.00                  | 01/40 |
|    | 2402DL05R RD     | 5W    | Red         | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 495.00                  | 01/40 |
|                                                                                     | 2402DL05R GN     | 5W    | Green       | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 495.00                  | 01/40 |
|                                                                                     | 2402DL05R BE     | 5W    | Blue        | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 495.00                  | 01/40 |
|                                                                                     | 2402DL05R PK     | 5W    | Pink        | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 495.00                  | 01/40 |
|    | 2402DL09R WW     | 9W    | 3000K       | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 595.00                  | 01/40 |
|                                                                                     | 2402DL09R NW     | 9W    | 4000K       | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 595.00                  | 01/40 |
|                                                                                     | 2402DL09R CW     | 9W    | 6500K       | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 595.00                  | 01/40 |
|    | 2402DL09R RD     | 9W    | Red         | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 595.00                  | 01/40 |
|                                                                                     | 2402DL09R GN     | 9W    | Green       | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 595.00                  | 01/40 |
|                                                                                     | 2402DL09R BE     | 9W    | Blue        | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 595.00                  | 01/40 |
|                                                                                     | 2402DL09R PK     | 9W    | Pink        | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 595.00                  | 01/40 |
| <b>KARIS TRIO DOWNLIGHT-ROUND</b>                                                   |                  |       |             |              |            |     |            |             |                         |       |
|  | 2402DL05R 3-in-1 | 5W    | 3000K       | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 510.00                  | 01/40 |
|                                                                                     |                  |       | 4000K       |              |            |     |            |             |                         |       |
|                                                                                     |                  |       | 6500K       |              |            |     |            |             |                         |       |
|  | 2402DL05R RBP    | 5W    | Red         | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 525.00                  | 01/40 |
|                                                                                     |                  |       | Blue        |              |            |     |            |             |                         |       |
|                                                                                     |                  |       | Pink        |              |            |     |            |             |                         |       |
|  | 2402DL05R GCP    | 5W    | Green       | >0.9         | 120°       | >80 | Φ 110*42   | Φ 75        | 525.00                  | 01/40 |
|                                                                                     |                  |       | 6500K       |              |            |     |            |             |                         |       |
|                                                                                     |                  |       | Pink        |              |            |     |            |             |                         |       |

All dimensions in mm


 ROBUST  
DESIGN

 GREEN  
PRODUCT

 SUPERIOR  
CRI

 ENERGY  
SAVER

 MAINTENANCE  
FREE


 ZERO  
MERCURY




Kutē  
SURFACE LIGHT

## ELEVATE YOUR SPACE WITH LED SURFACE DOWNLIGHTS.

Enhance the appearance and ambience of your spaces with our LED surface downlights. These downlights are slim, sleek, and maintenance-free, offering you a stunning and hassle-free lighting experience. These are also eco-friendly, mercury-free, and energy-efficient, saving you money and the environment.



KLAY  
JUNCTION BOX  
DOWN LIGHT




|                                                                                     | Code           | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack   |
|-------------------------------------------------------------------------------------|----------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|--------|
| <b>KUTE SURFACE LIGHT</b>                                                           |                |       |             |              |            |     |           |             |                         |        |
|    | 2408PL03R WW   | 3W    | 3000K       | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 175.00                  | 20/200 |
|                                                                                     | 2408PL03R NW   | 3W    | 4000K       | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 175.00                  | 20/200 |
|                                                                                     | 2408PL03R CW   | 3W    | 6500K       | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 175.00                  | 20/200 |
|    | 2408PL03R RD   | 3W    | Red         | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 175.00                  | 20/200 |
|                                                                                     | 2408PL03R GN   | 3W    | Green       | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 175.00                  | 20/200 |
|                                                                                     | 2408PL03R BE   | 3W    | Blue        | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 175.00                  | 20/200 |
|                                                                                     | 2408PL03R PK   | 3W    | Pink        | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 175.00                  | 20/200 |
| <b>KUTE SURFACE LIGHT BLACK</b>                                                     |                |       |             |              |            |     |           |             |                         |        |
|    | 2408PL03R B WW | 3W    | 3000K       | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 215.00                  | 20/200 |
|                                                                                     | 2408PL03R B NW | 3W    | 4000K       | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 215.00                  | 20/200 |
|                                                                                     | 2408PL03R B CW | 3W    | 6500K       | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 215.00                  | 20/200 |
|    | 2408PL03R B RD | 3W    | Red         | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 215.00                  | 20/200 |
|                                                                                     | 2408PL03R B GN | 3W    | Green       | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 215.00                  | 20/200 |
|                                                                                     | 2408PL03R B BE | 3W    | Blue        | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 215.00                  | 20/200 |
|                                                                                     | 2408PL03R B PK | 3W    | Pink        | >0.9         | 120°       | >80 | Φ 68.5*13 | -           | 215.00                  | 20/200 |
| <b>KLAY JUNCTION BOX DOWNLIGHT WHITE-ROUND</b>                                      |                |       |             |              |            |     |           |             |                         |        |
|    | 2424DL03R WW   | 3W    | 3000K       | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 220.00                  | 01/90  |
|                                                                                     | 2424DL03R NW   | 3W    | 4000K       | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 220.00                  | 01/90  |
|                                                                                     | 2424DL03R CW   | 3W    | 6500K       | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 220.00                  | 01/90  |
|   | 2424DL03R RD   | 3W    | Red         | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 220.00                  | 01/90  |
|                                                                                     | 2424DL03R GN   | 3W    | Green       | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 220.00                  | 01/90  |
|                                                                                     | 2424DL03R BE   | 3W    | Blue        | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 220.00                  | 01/90  |
|                                                                                     | 2424DL03R PK   | 3W    | Pink        | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 220.00                  | 01/90  |
| <b>KLAY JUNCTION BOX DOWNLIGHT BLACK-ROUND</b>                                      |                |       |             |              |            |     |           |             |                         |        |
|  | 2424DL03R B WW | 3W    | 3000K       | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 255.00                  | 01/90  |
|                                                                                     | 2424DL03R B NW | 3W    | 4000K       | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 255.00                  | 01/90  |
|                                                                                     | 2424DL03R B CW | 3W    | 6500K       | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 255.00                  | 01/90  |
|  | 2424DL03R B RD | 3W    | Red         | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 255.00                  | 01/90  |
|                                                                                     | 2424DL03R B GN | 3W    | Green       | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 255.00                  | 01/90  |
|                                                                                     | 2424DL03R B BE | 3W    | Blue        | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 255.00                  | 01/90  |
|                                                                                     | 2424DL03R B PK | 3W    | Pink        | >0.9         | 180°       | >80 | Φ 74*27   | Φ 52        | 255.00                  | 01/90  |

**NEW**

All dimensions in mm







# Klair

DOWN LIGHT

ENRICHING  
LIVES WITH  
STUNNING  
SPACES.



Savour sophistication of the slim and sleek designs of our maintenance-free lights. With zero mercury, this green product has in-built drivers. Now redefine the looks of your spaces be it homes, offices, hotels or even kitchens for a modern appearance.



|                                                                                   | Code             | Power | Colour Temp             | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |            |
|-----------------------------------------------------------------------------------|------------------|-------|-------------------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|------------|
| <b>KLAIR DOWNLIGHT-ROUND</b>                                                      |                  |       |                         |              |            |     |           |             |                         |       | <b>NEW</b> |
|  | 2403DL03R WW     | 3W    | 3000K                   | >0.9         | 120°       | >80 | Φ 80*33   | Φ 52        | 245.00                  | 01/80 |            |
|                                                                                   | 2403DL03R NW     | 3W    | 4000K                   | >0.9         | 120°       | >80 | Φ 80*33   | Φ 52        | 245.00                  | 01/80 |            |
|                                                                                   | 2403DL03R CW     | 3W    | 6500K                   | >0.9         | 120°       | >80 | Φ 80*33   | Φ 52        | 245.00                  | 01/80 |            |
|  | 2403DL03R RD     | 3W    | Red                     | >0.9         | 120°       | >80 | Φ 80*33   | Φ 52        | 245.00                  | 01/80 | <b>NEW</b> |
|                                                                                   | 2403DL03R GN     | 3W    | Green                   | >0.9         | 120°       | >80 | Φ 80*33   | Φ 52        | 245.00                  | 01/80 |            |
|                                                                                   | 2403DL03R BE     | 3W    | Blue                    | >0.9         | 120°       | >80 | Φ 80*33   | Φ 52        | 245.00                  | 01/80 |            |
|                                                                                   | 2403DL03R PK     | 3W    | Pink                    | >0.9         | 120°       | >80 | Φ 80*33   | Φ 52        | 245.00                  | 01/80 |            |
| <b>KLAIR TRIO DOWNLIGHT-ROUND</b>                                                 |                  |       |                         |              |            |     |           |             |                         |       | <b>NEW</b> |
|  | 2403DL03R 3-in-1 | 3W    | 3000K<br>4000K<br>6500K | >0.9         | 120°       | >80 | Φ 80*33   | Φ 52        | 325.00                  | 01/80 |            |
|  | 2403DL03R RPB    | 3W    | Red<br>Pink<br>Blue     | >0.9         | 120°       | >80 | Φ 80*33   | Φ 52        | 325.00                  | 01/80 |            |

All dimensions in mm


 ROBUST  
DESIGN

 GREEN  
PRODUCT

 SUPERIOR  
CRI

 ENERGY  
SAVER

 MAINTENANCE  
FREE

 ZERO  
MERCURY



# KLIFF

ALUMINIUM  
DOWN LIGHT


## SUPERIOR PERFORMANCE MEETS REFINED DESIGN.



With Kliff downlight, experience the perfect synergy of functionality and aesthetics, ensuring your space is brilliantly lit with a touch of sophistication. Illuminate with confidence, choose Kliff for a lighting solution that surpasses expectations.



Suitable for  
low depth ceiling



Finned Heat Sink\*



Aluminium  
Die-cast Body



Detachable  
Driver



Superior Surge  
Protection



Wide voltage  
range 100-300V

\*For Better Heat dissipation which results in long life & better results of LED Lights.



Introducing

# KLIFF

ALUMINIUM  
DOWN LIGHT

EXPERIENCE  
NEW-AGE  
RADIANCE.



These modern day LEDs are a fine blend of functionality and world-class quality. Designed to transform each space with elegance and lasting impressions, these are the perfect choice to enhance the beauty of your spaces.

|                                                                                     | Code           | Power    | Colour Temp    | Power Factor | Beam Angle | CRI                     | Dimension  | Cutout Size | List Price (₹) Per Unit | Pack  |     |
|-------------------------------------------------------------------------------------|----------------|----------|----------------|--------------|------------|-------------------------|------------|-------------|-------------------------|-------|-----|
| KLIFF DEEP RECESSED ALUMINIUM DOWN LIGHT WHITE-ROUND                                |                |          |                |              |            |                         |            |             |                         |       | NEW |
|    | 2244DL12R WW   | 12W      | 3000K          | >0.9         | 120°       | >80                     | Φ 120*52   | Φ 116       | 990.00                  | 01/20 |     |
|                                                                                     | 2244DL12R NW   | 12W      | 4000K          | >0.9         | 120°       | >80                     | Φ 120*52   | Φ 116       | 990.00                  | 01/20 |     |
|                                                                                     | 2244DL12R CW   | 12W      | 6500K          | >0.9         | 120°       | >80                     | Φ 120*52   | Φ 116       | 990.00                  | 01/20 |     |
|    | 2244DL18R WW   | 18W      | 3000K          | >0.9         | 120°       | >80                     | Φ 155*52   | Φ 148       | 1240.00                 | 01/20 |     |
|                                                                                     | 2244DL18R NW   | 18W      | 4000K          | >0.9         | 120°       | >80                     | Φ 155*52   | Φ 148       | 1240.00                 | 01/20 |     |
|                                                                                     | 2244DL18R CW   | 18W      | 6500K          | >0.9         | 120°       | >80                     | Φ 155*52   | Φ 148       | 1240.00                 | 01/20 |     |
|    | 2244DL24R WW   | 24W      | 3000K          | >0.9         | 120°       | >80                     | Φ 175*55   | Φ 170       | 1575.00                 | 01/20 |     |
|                                                                                     | 2244DL24R NW   | 24W      | 4000K          | >0.9         | 120°       | >80                     | Φ 175*55   | Φ 170       | 1575.00                 | 01/20 |     |
|                                                                                     | 2244DL24R CW   | 24W      | 6500K          | >0.9         | 120°       | >80                     | Φ 175*55   | Φ 170       | 1575.00                 | 01/20 |     |
| KLIFF DEEP RECESSED ALUMINIUM DOWN LIGHT WHITE-SQUARE                               |                |          |                |              |            |                         |            |             |                         |       | NEW |
|    | 2244DL12S WW   | 12W      | 3000K          | >0.9         | 120°       | >80                     | 110*110*52 | 105*105     | 990.00                  | 01/20 |     |
|                                                                                     | 2244DL12S NW   | 12W      | 4000K          | >0.9         | 120°       | >80                     | 110*110*52 | 105*105     | 990.00                  | 01/20 |     |
|                                                                                     | 2244DL12S CW   | 12W      | 6500K          | >0.9         | 120°       | >80                     | 110*110*52 | 105*105     | 990.00                  | 01/20 |     |
|    | 2244DL18S WW   | 18W      | 3000K          | >0.9         | 120°       | >80                     | 145*145*52 | 136*136     | 1240.00                 | 01/20 |     |
|                                                                                     | 2244DL18S NW   | 18W      | 4000K          | >0.9         | 120°       | >80                     | 145*145*52 | 136*136     | 1240.00                 | 01/20 |     |
|                                                                                     | 2244DL18S CW   | 18W      | 6500K          | >0.9         | 120°       | >80                     | 145*145*52 | 136*136     | 1240.00                 | 01/20 |     |
|    | 2244DL24S WW   | 24W      | 3000K          | >0.9         | 120°       | >80                     | 171*171*55 | 158*158     | 1575.00                 | 01/20 |     |
|                                                                                     | 2244DL24S NW   | 24W      | 4000K          | >0.9         | 120°       | >80                     | 171*171*55 | 158*158     | 1575.00                 | 01/20 |     |
|                                                                                     | 2244DL24S CW   | 24W      | 6500K          | >0.9         | 120°       | >80                     | 171*171*55 | 158*158     | 1575.00                 | 01/20 |     |
| KLIFF DEEP RECESSED ALUMINIUM DOWN LIGHT BLACK-ROUND                                |                |          |                |              |            |                         |            |             |                         |       | NEW |
|   | 2244DL12R B NW | 12W      | 3000K          | >0.9         | 120°       | >80                     | Φ 120*52   | Φ 116       | 990.00                  | 01/20 |     |
|                                                                                     | 2244DL12R B WW | 12W      | 4000K          | >0.9         | 120°       | >80                     | Φ 120*52   | Φ 116       | 990.00                  | 01/20 |     |
|                                                                                     | 2244DL12R B CW | 12W      | 6500K          | >0.9         | 120°       | >80                     | Φ 120*52   | Φ 116       | 990.00                  | 01/20 |     |
|  | 2244DL18R B WW | 18W      | 3000K          | >0.9         | 120°       | >80                     | Φ 155*52   | Φ 148       | 1240.00                 | 01/20 |     |
|                                                                                     | 2244DL18R B NW | 18W      | 4000K          | >0.9         | 120°       | >80                     | Φ 155*52   | Φ 148       | 1240.00                 | 01/20 |     |
|                                                                                     | 2244DL18R B CW | 18W      | 6500K          | >0.9         | 120°       | >80                     | Φ 155*52   | Φ 148       | 1240.00                 | 01/20 |     |
|  | 2244DL24R B WW | 24W      | 3000K          | >0.9         | 120°       | >80                     | Φ 175*55   | Φ 170       | 1575.00                 | 01/20 |     |
|                                                                                     | 2244DL24R B NW | 24W      | 4000K          | >0.9         | 120°       | >80                     | Φ 175*55   | Φ 170       | 1575.00                 | 01/20 |     |
|                                                                                     | 2244DL24R B CW | 24W      | 6500K          | >0.9         | 120°       | >80                     | Φ 175*55   | Φ 170       | 1575.00                 | 01/20 |     |
| KLIFF DEEP RECESSED ALUMINIUM DOWN LIGHT BLACK-SQUARE                               |                |          |                |              |            |                         |            |             |                         |       | NEW |
|  | 2244DL12S B WW | 12W      | 3000K          | >0.9         | 120°       | >80                     | 110*110*52 | 105*105     | 990.00                  | 01/20 |     |
|                                                                                     | 2244DL12S B NW | 12W      | 4000K          | >0.9         | 120°       | >80                     | 110*110*52 | 105*105     | 990.00                  | 01/20 |     |
|                                                                                     | 2244DL12S B CW | 12W      | 6500K          | >0.9         | 120°       | >80                     | 110*110*52 | 105*105     | 990.00                  | 01/20 |     |
|  | 2244DL18S B WW | 18W      | 3000K          | >0.9         | 120°       | >80                     | 145*145*52 | 136*136     | 1240.00                 | 01/20 |     |
|                                                                                     | 2244DL18S B NW | 18W      | 4000K          | >0.9         | 120°       | >80                     | 145*145*52 | 136*136     | 1240.00                 | 01/20 |     |
|                                                                                     | 2244DL18S B CW | 18W      | 6500K          | >0.9         | 120°       | >80                     | 145*145*52 | 136*136     | 1240.00                 | 01/20 |     |
|  | 2244DL24S B WW | 24W      | 3000K          | >0.9         | 120°       | >80                     | 171*171*55 | 158*158     | 1575.00                 | 01/20 |     |
|                                                                                     | 2244DL24S B NW | 24W      | 4000K          | >0.9         | 120°       | >80                     | 171*171*55 | 158*158     | 1575.00                 | 01/20 |     |
|                                                                                     | 2244DL24S B CW | 24W      | 6500K          | >0.9         | 120°       | >80                     | 171*171*55 | 158*158     | 1575.00                 | 01/20 |     |
|                                                                                     | Code           | Power in | Model Name     |              |            | List Price (₹) Per Unit |            | Pack        |                         |       |     |
| KLIFF DRIVER                                                                        |                |          |                |              |            |                         |            |             |                         |       | NEW |
|  | 2244DR12       | 12W      | LED Driver 12W |              |            | 285.00                  |            | 05          |                         |       |     |
|                                                                                     | 2244DR18       | 18W      | LED Driver 18W |              |            | 350.00                  |            | 05          |                         |       |     |
|                                                                                     | 2244DR24       | 24W      | LED Driver 24W |              |            | 410.00                  |            | 05          |                         |       |     |

All dimensions in mm


 ROBUST  
DESIGN

 GREEN  
PRODUCT

 SUPERIOR  
CRI

 ENERGY  
SAVER

 MAINTENANCE  
FREE

 ZERO  
MERCURY



# KANDID

SURFACE DOWN LIGHT



THE PERKS OF  
DIFFERENT  
MOODS IN ONE  
SOLUTION.

To be fitted on the  
surface of the slab.



## 3-IN-1 Colour Changing Light

- 3000K, 4000K & 6500K
- Red, Blue, Pink
- Pink, Green, Cool White

Changes colour by clicking  
the switch OFF & ON



3-IN-1 COLOUR  
CHANGING



In-built  
Driver



Superior Surge  
Protection



Wide voltage  
range 190-270V

Introducing

KANDID **trio**  
SURFACE DOWN LIGHT

|                                                                                              | Code             | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | List Price (₹) Per Unit | Pack  |            |
|----------------------------------------------------------------------------------------------|------------------|-------|-------------|--------------|------------|-----|-----------|-------------------------|-------|------------|
| <b>KANDID SURFACE DOWN LIGHT</b>                                                             |                  |       |             |              |            |     |           |                         |       | <b>NEW</b> |
|             | 2238DL07R WW     | 7W    | 3000K       | >0.9         | 120°       | >80 | Φ 85*45   | 595.00                  | 01/60 |            |
|                                                                                              | 2238DL07R NW     | 7W    | 4000K       | >0.9         | 120°       | >80 | Φ 85*45   | 595.00                  | 01/60 |            |
|                                                                                              | 2238DL07R CW     | 7W    | 6500K       | >0.9         | 120°       | >80 | Φ 85*45   | 595.00                  | 01/60 |            |
|             | 2238DL10R WW     | 10W   | 3000K       | >0.9         | 120°       | >80 | Φ 110*45  | 725.00                  | 01/40 |            |
|                                                                                              | 2238DL10R NW     | 10W   | 4000K       | >0.9         | 120°       | >80 | Φ 110*45  | 725.00                  | 01/40 |            |
|                                                                                              | 2238DL10R CW     | 10W   | 6500K       | >0.9         | 120°       | >80 | Φ 110*45  | 725.00                  | 01/40 |            |
|             | 2238DL15R WW     | 15W   | 3000K       | >0.9         | 120°       | >80 | Φ 155*45  | 935.00                  | 01/40 |            |
|                                                                                              | 2238DL15R NW     | 15W   | 4000K       | >0.9         | 120°       | >80 | Φ 155*45  | 935.00                  | 01/40 |            |
|                                                                                              | 2238DL15R CW     | 15W   | 6500K       | >0.9         | 120°       | >80 | Φ 155*45  | 935.00                  | 01/40 |            |
|  <b>NEW</b> | 2238DL20R WW     | 20W   | 3000K       | >0.9         | 120°       | >80 | Φ 185*50  | 1275.00                 | 01/40 |            |
|                                                                                              | 2238DL20R NW     | 20W   | 4000K       | >0.9         | 120°       | >80 | Φ 185*50  | 1275.00                 | 01/40 |            |
|                                                                                              | 2238DL20R CW     | 20W   | 6500K       | >0.9         | 120°       | >80 | Φ 185*50  | 1275.00                 | 01/40 |            |
| <b>KANDID TRIO SURFACE DOWN LIGHT</b>                                                        |                  |       |             |              |            |     |           |                         |       | <b>NEW</b> |
|             | 2238DL10R 3-in-1 | 10W   | 3000K       | >0.9         | 120°       | >80 | Φ 110*45  | 800.00                  | 01/40 |            |
|                                                                                              |                  |       | 4000K       |              |            |     |           |                         |       |            |
|                                                                                              |                  |       | 6500K       |              |            |     |           |                         |       |            |
|             | 2238DL10R RBP    | 10W   | Red         | >0.9         | 120°       | >80 | Φ 110*45  | 800.00                  | 01/40 |            |
|                                                                                              |                  |       | Blue        |              |            |     |           |                         |       |            |
|                                                                                              |                  |       | Pink        |              |            |     |           |                         |       |            |
|            | 2238DL10R PGC    | 10W   | Pink        | >0.9         | 120°       | >80 | Φ 110*45  | 800.00                  | 01/40 |            |
|                                                                                              |                  |       | Green       |              |            |     |           |                         |       |            |
|                                                                                              |                  |       | 6500K       |              |            |     |           |                         |       |            |
|           | 2238DL15R 3-in-1 | 15W   | 3000K       | >0.9         | 120°       | >80 | Φ 155*45  | 1200.00                 | 01/40 |            |
|                                                                                              |                  |       | 4000K       |              |            |     |           |                         |       |            |
|                                                                                              |                  |       | 6500K       |              |            |     |           |                         |       |            |
|           | 2238DL15R RBP    | 15W   | Red         | >0.9         | 120°       | >80 | Φ 155*45  | 1200.00                 | 01/40 |            |
|                                                                                              |                  |       | Blue        |              |            |     |           |                         |       |            |
|                                                                                              |                  |       | Pink        |              |            |     |           |                         |       |            |
|           | 2238DL15R PGC    | 15W   | Pink        | >0.9         | 120°       | >80 | Φ 155*45  | 1200.00                 | 01/40 |            |
|                                                                                              |                  |       | Green       |              |            |     |           |                         |       |            |
|                                                                                              |                  |       | 6500K       |              |            |     |           |                         |       |            |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY



# Kutē 2.0 trio

JUNCTION BOX LED LIGHT

## INNOVATING TO ELEVATE CONVENIENCE.

Now, no more hassles of changing bulbs and holders,  
easy replacement of both with just one product on your  
existing junction box.

3-IN-1 Colour Changing Light  
(3000K, 4000K & 6500K)

Available in 7W

Changes colour by clicking  
the switch OFF & ON



3-IN-1 COLOUR  
CHANGING

|                                                                                    | Code                     | Power | Colour Temp         | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack   |
|------------------------------------------------------------------------------------|--------------------------|-------|---------------------|--------------|------------|-----|-----------|-------------|-------------------------|--------|
| <b>KUTE 2.0 JUNCTION BOX LED LIGHT</b>                                             |                          |       |                     |              |            |     |           |             |                         |        |
|   | 2413PL03R WW             | 3W    | 3000K               | >0.9         | 180°       | >80 | Φ 80*28   | -           | 190.00                  | 10/200 |
|                                                                                    | 2413PL03R NW             | 3W    | 4000K               | >0.9         | 180°       | >80 | Φ 80*28   | -           | 190.00                  | 10/200 |
|                                                                                    | 2413PL03R CW             | 3W    | 6500K               | >0.9         | 180°       | >80 | Φ 80*28   | -           | 190.00                  | 10/200 |
|   | 2413PL03R RD             | 3W    | Red                 | >0.9         | 180°       | >80 | Φ 80*28   | -           | 190.00                  | 10/200 |
|                                                                                    | 2413PL03R GN             | 3W    | Green               | >0.9         | 180°       | >80 | Φ 80*28   | -           | 190.00                  | 10/200 |
|                                                                                    | 2413PL03R BE             | 3W    | Blue                | >0.9         | 180°       | >80 | Φ 80*28   | -           | 190.00                  | 10/200 |
|                                                                                    | 2413PL03R PK             | 3W    | Pink                | >0.9         | 180°       | >80 | Φ 80*28   | -           | 190.00                  | 10/200 |
|   | 2413PL07R WW             | 7W    | 3000K               | >0.9         | 180°       | >80 | Φ 80*28   | -           | 250.00                  | 10/200 |
|                                                                                    | 2413PL07R NW             | 7W    | 4000K               | >0.9         | 180°       | >80 | Φ 80*28   | -           | 250.00                  | 10/200 |
|                                                                                    | 2413PL07R CW             | 7W    | 6500K               | >0.9         | 180°       | >80 | Φ 80*28   | -           | 250.00                  | 10/200 |
|   | 2413PL07R RD             | 7W    | Red                 | >0.9         | 180°       | >80 | Φ 80*28   | -           | 250.00                  | 10/200 |
|                                                                                    | 2413PL07R GN             | 7W    | Green               | >0.9         | 180°       | >80 | Φ 80*28   | -           | 250.00                  | 10/200 |
|                                                                                    | 2413PL07R BE             | 7W    | Blue                | >0.9         | 180°       | >80 | Φ 80*28   | -           | 250.00                  | 10/200 |
|                                                                                    | 2413PL07R PK             | 7W    | Pink                | >0.9         | 180°       | >80 | Φ 80*28   | -           | 250.00                  | 10/200 |
| <b>KUTE 2.0 TRIO 3-IN-1 COLOUR CHANGING JUNCTION BOX LED LIGHT</b>                 |                          |       |                     |              |            |     |           |             |                         |        |
|   | 2413JB07R 3-in-1         | 7W    | 3000K               | >0.9         | 180°       | >80 | Φ 80*28   | -           | 280.00                  | 10/200 |
|                                                                                    |                          |       | 4000K               |              |            |     |           |             |                         |        |
|                                                                                    |                          |       | 6500K               |              |            |     |           |             |                         |        |
|  | <b>NEW</b> 2413PL07R RBP | 7W    | Red<br>Blue<br>Pink | >0.9         | 180°       | >80 | Φ 80*28   | -           | 305.00                  | 10/200 |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY

IGLOO  
Kenzo  
BOAT

IGLOO ◀  
*Bulkhead Light*

◀ KENZO  
*Down Light*

BOAT  
*IP65 Bulkhead  
Light for Outdoor*  
▼

## ILLUMINATING SPACES, INSPIRING MINDS.

The beauty of any place lies in its ambience and its lighting. These stunning LED lights are designed to suit various requirements while offering uniform lighting and unmatched style. An epitome of superior innovation and impeccable finesse, these are an ideal choice when it comes to bright, durable LED lights.

|                                                                                              | Code             | Power | Colour Temp       | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |
|----------------------------------------------------------------------------------------------|------------------|-------|-------------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|
| <b>KENZO MULTI-COLOUR CONCEALED DOWN LIGHT-ROUND</b>                                         |                  |       |                   |              |            |     |           |             |                         |       |
|             | 2423CB07R CR     | 7W    | 6500K/Red         | >0.9         | 180°       | >80 | Φ 100*36  | Φ 75        | 300.00                  | 01/60 |
|                                                                                              | 2423CB07R CG     | 7W    | 6500K/Green       | >0.9         | 180°       | >80 | Φ 100*36  | Φ 75        | 300.00                  | 01/60 |
|                                                                                              | 2423CB07R CB     | 7W    | 6500K/Blue        | >0.9         | 180°       | >80 | Φ 100*36  | Φ 75        | 300.00                  | 01/60 |
|                                                                                              | 2423CB07R CP     | 7W    | 6500K/Pink        | >0.9         | 180°       | >80 | Φ 100*36  | Φ 75        | 300.00                  | 01/60 |
|                                                                                              | 2423CB07R CRGB   | 7W    | 6500K/RGB         | >0.9         | 180°       | >80 | Φ 100*36  | Φ 75        | 300.00                  | 01/60 |
|                                                                                              | 2423CB07R CWW    | 7W    | 6500K/3000K       | >0.9         | 180°       | >80 | Φ 100*36  | Φ 75        | 300.00                  | 01/60 |
|             | 2423CB09R WW     | 9W    | 3000K             | >0.9         | 180°       | >80 | Φ 100*36  | Φ 75        | 325.00                  | 01/60 |
|                                                                                              | 2423CB09R NW     | 9W    | 4000K             | >0.9         | 180°       | >80 | Φ 100*36  | Φ 75        | 325.00                  | 01/60 |
|                                                                                              | 2423CD09R CW     | 9W    | 6500K             | >0.9         | 180°       | >80 | Φ 100*36  | Φ 75        | 325.00                  | 01/60 |
|                                                                                              | 2423CB09R 3-in-1 | 9W    | 3000K/4000K/6500K | >0.9         | 180°       | >80 | Φ 100*36  | Φ 75        | 370.00                  | 01/60 |
|  <b>NEW</b> | 2423CB12R CRGB   | 12W   | 6500K/RGB         | >0.9         | 180°       | >80 | Φ 115*42  | Φ 75        | 540.00                  | 01/60 |

|                                                                                    | Code             | Power | Colour Temp       | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |
|------------------------------------------------------------------------------------|------------------|-------|-------------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|
| <b>KENZO MULTI-COLOUR JUNCTION BOX DOWN LIGHT-ROUND</b>                            |                  |       |                   |              |            |     |           |             |                         |       |
|   | 2423JB07R CR     | 7W    | 6500K/Red         | >0.9         | 180°       | >80 | Φ 100*42  | Φ 52        | 290.00                  | 01/40 |
|                                                                                    | 2423JB07R CG     | 7W    | 6500K/Green       | >0.9         | 180°       | >80 | Φ 100*42  | Φ 52        | 290.00                  | 01/40 |
|                                                                                    | 2423JB07R CB     | 7W    | 6500K/Blue        | >0.9         | 180°       | >80 | Φ 100*42  | Φ 52        | 290.00                  | 01/40 |
|                                                                                    | 2423JB07R CP     | 7W    | 6500K/Pink        | >0.9         | 180°       | >80 | Φ 100*42  | Φ 52        | 290.00                  | 01/40 |
|                                                                                    | 2423JB07R CRGB   | 7W    | 6500K/RGB         | >0.9         | 180°       | >80 | Φ 100*42  | Φ 52        | 290.00                  | 01/40 |
|  | 2423JB09R WW     | 9W    | 3000K             | >0.9         | 180°       | >80 | Φ 100*42  | Φ 52        | 310.00                  | 01/40 |
|                                                                                    | 2423JB09R NW     | 9W    | 4000K             | >0.9         | 180°       | >80 | Φ 100*42  | Φ 52        | 310.00                  | 01/40 |
|                                                                                    | 2423JB09R CW     | 9W    | 6500K             | >0.9         | 180°       | >80 | Φ 100*42  | Φ 52        | 310.00                  | 01/40 |
|                                                                                    | 2423JB09R 3-in-1 | 9W    | 3000K/4000K/6500K | >0.9         | 180°       | >80 | Φ 100*42  | Φ 52        | 360.00                  | 01/40 |

|                                                                                     | Code        | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|-------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|
| <b>IGLOO BULK HEAD</b>                                                              |             |       |             |              |            |     |           |             |                         |       |
|  | 2426BH10 WW | 10W   | 3000K       | >0.9         | 180°       | >80 | 166*80*63 | -           | 510.00                  | 01/30 |
|                                                                                     | 2426BH10 NW | 10W   | 4000K       | >0.9         | 180°       | >80 | 166*80*63 | -           | 510.00                  | 01/30 |
|                                                                                     | 2426BH10 CW | 10W   | 6500K       | >0.9         | 180°       | >80 | 166*80*63 | -           | 510.00                  | 01/30 |
| <b>BOAT BULK HEAD</b>                                                               |             |       |             |              |            |     |           |             |                         |       |
|  | 2429BH10 WW | 10W   | 3000K       | >0.9         | 180°       | >80 | 117*71*61 | -           | 425.00                  | 01/54 |
|                                                                                     | 2429BH10 NW | 10W   | 4000K       | >0.9         | 180°       | >80 | 117*71*61 | -           | 425.00                  | 01/54 |
|                                                                                     | 2429BH10 CW | 10W   | 6500K       | >0.9         | 180°       | >80 | 117*71*61 | -           | 425.00                  | 01/54 |
|  | 2429BH18 WW | 18W   | 3000K       | >0.9         | 180°       | >80 | 166*84*67 | -           | 575.00                  | 01/30 |
|                                                                                     | 2429BH18 NW | 18W   | 4000K       | >0.9         | 180°       | >80 | 166*84*67 | -           | 575.00                  | 01/30 |
|                                                                                     | 2429BH18 CW | 18W   | 6500K       | >0.9         | 180°       | >80 | 166*84*67 | -           | 575.00                  | 01/30 |

All dimensions in mm


 ROBUST  
DESIGN

 GREEN  
PRODUCT

 SUPERIOR  
CRI

 ENERGY  
SAVER

 MAINTENANCE  
FREE

 ZERO  
MERCURY



Energy-efficient products  
that minimise energy wastage.

## HIGH- GRADE HEAT SINKS

Manages heat efficiently and  
enhances longer life.





Greater  
than  
**80**  **CRI**

Shows the natural  
colours of the objects.

  
Intelligent  
Engineered

The high-surge protection  
reflects the good electrical design  
and quality components.



Introducing

**PRIMUS**

SPOT LIGHT

IMMERSE YOURSELF  
IN THE PERFECT  
BALANCE OF  
AESTHETICS AND  
FUNCTIONALITY.



Discover the allure of precision lighting with Primus Spotlights. From highlighting design features to creating dramatic visual effects, these lights empower you to curate your environment's character.

**PRIMUS**

SPOT LIGHT

|                                                                                     | Code             | Power | Colour Temp         | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|------------------|-------|---------------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|
| <b>PRIMUS SPOT LIGHT WHITE</b>                                                      |                  |       |                     |              |            |     |           |             |                         |       |
|    | 2233SL03R WW     | 3W    | 3000K               | >0.9         | 45°        | >80 | Φ 75*43   | Φ 60        | 340.00                  | 01/60 |
|                                                                                     | 2233SL03R NW     | 3W    | 4000K               | >0.9         | 45°        | >80 | Φ 75*43   | Φ 60        | 340.00                  | 01/60 |
|                                                                                     | 2233SL03R CW     | 3W    | 6500K               | >0.9         | 45°        | >80 | Φ 75*43   | Φ 60        | 340.00                  | 01/60 |
|    | 2233SL06R WW     | 6W    | 3000K               | >0.9         | 60°        | >80 | Φ 105*47  | Φ 75        | 420.00                  | 01/40 |
|                                                                                     | 2233SL06R NW     | 6W    | 4000K               | >0.9         | 60°        | >80 | Φ 105*47  | Φ 75        | 420.00                  | 01/40 |
|                                                                                     | 2233SL06R CW     | 6W    | 6500K               | >0.9         | 60°        | >80 | Φ 105*47  | Φ 75        | 420.00                  | 01/40 |
|    | 2233SL09R WW     | 9W    | 3000K               | >0.9         | 60°        | >80 | Φ 116*52  | Φ 100       | 640.00                  | 01/40 |
|                                                                                     | 2233SL09R NW     | 9W    | 4000K               | >0.9         | 60°        | >80 | Φ 116*52  | Φ 100       | 640.00                  | 01/40 |
|                                                                                     | 2233SL09R CW     | 9W    | 6500K               | >0.9         | 60°        | >80 | Φ 116*52  | Φ 100       | 640.00                  | 01/40 |
|    | 2233SL12R WW     | 12W   | 3000K               | >0.9         | 60°        | >80 | Φ 139*55  | Φ 125       | 800.00                  | 01/40 |
|                                                                                     | 2233SL12R NW     | 12W   | 4000K               | >0.9         | 60°        | >80 | Φ 139*55  | Φ 125       | 800.00                  | 01/40 |
|                                                                                     | 2233SL12R CW     | 12W   | 6500K               | >0.9         | 60°        | >80 | Φ 139*55  | Φ 125       | 800.00                  | 01/40 |
| <b>PRIMUS SPOT LIGHT BLACK</b>                                                      |                  |       |                     |              |            |     |           |             |                         |       |
|    | 2233SL03R B WW   | 3W    | 3000K               | >0.9         | 45°        | >80 | Φ 75*43   | Φ 60        | 415.00                  | 01/60 |
|                                                                                     | 2233SL03R B NW   | 3W    | 4000K               | >0.9         | 45°        | >80 | Φ 75*43   | Φ 60        | 415.00                  | 01/60 |
|                                                                                     | 2233SL03R B CW   | 3W    | 6500K               | >0.9         | 45°        | >80 | Φ 75*43   | Φ 60        | 415.00                  | 01/60 |
|    | 2233SL06R B WW   | 6W    | 3000K               | >0.9         | 60°        | >80 | Φ 105*47  | Φ 75        | 525.00                  | 01/40 |
|                                                                                     | 2233SL06R B NW   | 6W    | 4000K               | >0.9         | 60°        | >80 | Φ 105*47  | Φ 75        | 525.00                  | 01/40 |
|                                                                                     | 2233SL06R B CW   | 6W    | 6500K               | >0.9         | 60°        | >80 | Φ 105*47  | Φ 75        | 525.00                  | 01/40 |
| <b>PRIMUS 2.0 SPOT LIGHT WHITE</b>                                                  |                  |       |                     |              |            |     |           |             |                         |       |
|  | 2257SL03R WW     | 3W    | 3000K               | >0.9         | 45°        | >80 | Φ 75*35   | Φ 55        | 340.00                  | 01/50 |
|                                                                                     | 2257SL03R NW     | 3W    | 4000K               | >0.9         | 45°        | >80 | Φ 75*35   | Φ 55        | 340.00                  | 01/50 |
|                                                                                     | 2257SL03R CW     | 3W    | 6500K               | >0.9         | 45°        | >80 | Φ 75*35   | Φ 55        | 340.00                  | 01/50 |
|  | 2257SL03R RD     | 3W    | Red                 | >0.9         | 60°        | >80 | Φ 75*35   | Φ 55        | 340.00                  | 01/50 |
|                                                                                     | 2257SL03R GN     | 3W    | Green               | >0.9         | 60°        | >80 | Φ 75*35   | Φ 55        | 340.00                  | 01/50 |
|                                                                                     | 2257SL03R BE     | 3W    | Blue                | >0.9         | 60°        | >80 | Φ 75*35   | Φ 55        | 340.00                  | 01/50 |
|                                                                                     | 2257SL03R PK     | 3W    | Pink                | >0.9         | 60°        | >80 | Φ 75*35   | Φ 55        | 340.00                  | 01/50 |
| <b>PRIMUS 2.0 TRIO SPOT LIGHT WHITE</b>                                             |                  |       |                     |              |            |     |           |             |                         |       |
|  | 2257SL03R 3-in-1 | 3W    | 3000K               | >0.9         | 60°        | >80 | Φ 75*35   | Φ 55        | 400.00                  | 01/50 |
|                                                                                     |                  |       | 4000K               |              |            |     |           |             |                         |       |
|                                                                                     |                  |       | 6500K               |              |            |     |           |             |                         |       |
|  | 2257SL03R RBP    | 3W    | Red<br>Blue<br>Pink | >0.9         | 60°        | >80 | Φ 75*35   | Φ 55        | 400.00                  | 01/50 |

NEW

NEW

NEW

All dimensions in mm

ROBUST  
DESIGNGREEN  
PRODUCTSUPERIOR  
CRIENERGY  
SAVERMAINTENANCE  
FREEZERO  
MERCURY



# KORNET

DEEP COB SPOT LIGHT

## PRECISION LIGHTING. ELEVATED STYLE.

Kornet Deep COB Spot Light delivers exceptional brightness and unparalleled focus. Designed with a robust aluminium die-cast body and wide voltage compatibility, Kornet offers durability and performance you can rely on. Perfect for accentuating spaces with finesse, Kornet redefines modern lighting standards.



Aluminium  
Die-cast Body



Detachable  
Driver



Wide voltage  
range 110-300V



Superior Surge  
Protection



IP20



|                                                                                                | Code            | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |
|------------------------------------------------------------------------------------------------|-----------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|
| <b>KORNET DEEP COB SPOT LIGHT BLACK-ROUND [STEEL CHROME] (ALUMINIUM DIE-CAST HOUSING)</b>      |                 |       |             |              |            |     |           |             |                         |       |
|               | 2221SL07R WW SL | 7W    | 3000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R NW SL | 7W    | 4000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R CW SL | 7W    | 6500K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|               | 2221SL12R WW SL | 12W   | 3000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R NW SL | 12W   | 4000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R CW SL | 12W   | 6500K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|  <b>NEW</b>   | 2221SL18R WW SL | 18W   | 3000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R NW SL | 18W   | 4000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R CW SL | 18W   | 6500K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
| <b>KORNET DEEP COB SPOT LIGHT BLACK-ROUND [ROSE GOLD CHROME] (ALUMINIUM DIE-CAST HOUSING)</b>  |                 |       |             |              |            |     |           |             |                         |       |
|               | 2221SL07R WW RG | 7W    | 3000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R NW RG | 7W    | 4000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R CW RG | 7W    | 6500K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|               | 2221SL12R WW RG | 12W   | 3000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R NW RG | 12W   | 4000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R CW RG | 12W   | 6500K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|  <b>NEW</b>   | 2221SL18R WW RG | 18W   | 3000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R NW RG | 18W   | 4000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R CW RG | 18W   | 6500K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
| <b>KORNET DEEP COB SPOT LIGHT BLACK-ROUND [BLACK CHROME] (ALUMINIUM DIE-CAST HOUSING)</b>      |                 |       |             |              |            |     |           |             |                         |       |
|             | 2221SL07R WW BK | 7W    | 3000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R NW BK | 7W    | 4000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R CW BK | 7W    | 6500K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|             | 2221SL12R WW BK | 12W   | 3000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R NW BK | 12W   | 4000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R CW BK | 12W   | 6500K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|  <b>NEW</b> | 2221SL18R WW BK | 18W   | 3000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R NW BK | 18W   | 4000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R CW BK | 18W   | 6500K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |

|                                                                                     | Code     | Power In | Model Name     | List Price (₹) Per Unit | Pack |
|-------------------------------------------------------------------------------------|----------|----------|----------------|-------------------------|------|
| <b>KORNET DRIVER</b>                                                                |          |          |                |                         |      |
|  | 2221DR07 | 7W       | LED Driver 7W  | 325.00                  | 05   |
|                                                                                     | 2221DR12 | 12W      | LED Driver 12W | 395.00                  | 05   |
|                                                                                     | 2221DR18 | 18W      | LED Driver 18W |                         | 05   |

**NEW**

All dimensions in mm


ROBUST  
DESIGN


GREEN  
PRODUCT

SUPERIOR  
CRI

ENERGY  
SAVER

MAINTENANCE  
FREE

ZERO  
MERCURY



**KORNET**  
DEEP COB SPOT LIGHT

ILLUMINATION  
THAT REFLECTS  
PERFECTION.



Enhance every corner of your space with Kornet's Deep COB Spot Light. Its sophisticated design makes it a versatile choice for any interior. Built for longevity and precision, Kornet is the lighting solution that balances aesthetics with innovation.



|                                                                                                | Code              | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |
|------------------------------------------------------------------------------------------------|-------------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|
| <b>KORNET DEEP COB SPOT LIGHT WHITE-ROUND [STEEL CHROME] (ALUMINIUM DIE-CAST HOUSING)</b>      |                   |       |             |              |            |     |           |             |                         |       |
|               | 2221SL07R W WW SL | 7W    | 3000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R W NW SL | 7W    | 4000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R W CW SL | 7W    | 6500K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|               | 2221SL12R W WW SL | 12W   | 3000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R W NW SL | 12W   | 4000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R W CW SL | 12W   | 6500K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|  <b>NEW</b>   | 2221SL18R W WW SL | 18W   | 3000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R W NW SL | 18W   | 4000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R W CW SL | 18W   | 6500K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
| <b>KORNET DEEP COB SPOT LIGHT WHITE-ROUND [ROSE GOLD CHROME] (ALUMINIUM DIE-CAST HOUSING)</b>  |                   |       |             |              |            |     |           |             |                         |       |
|  <b>NEW</b>   | 2221SL07R W WW RG | 7W    | 3000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R W NW RG | 7W    | 4000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R W CW RG | 7W    | 6500K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|               | 2221SL12R W WW RG | 12W   | 3000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R W NW RG | 12W   | 4000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R W CW RG | 12W   | 6500K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|  <b>NEW</b>   | 2221SL18R W WW RG | 18W   | 3000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R W NW RG | 18W   | 4000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R W CW RG | 18W   | 6500K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
| <b>KORNET DEEP COB SPOT LIGHT WHITE-ROUND [BLACK CHROME] (ALUMINIUM DIE-CAST HOUSING)</b>      |                   |       |             |              |            |     |           |             |                         |       |
|             | 2221SL07R W WW BK | 7W    | 3000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R W NW BK | 7W    | 4000K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|                                                                                                | 2221SL07R W CW BK | 7W    | 6500K       | >0.5         | 24°        | >80 | Φ 65*65   | Φ 60        | 1170.00                 | 01/20 |
|             | 2221SL12R W WW BK | 12W   | 3000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R W NW BK | 12W   | 4000K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                                | 2221SL12R W CW BK | 12W   | 6500K       | >0.9         | 24°        | >80 | Φ 80*80   | Φ 75        | 1620.00                 | 01/20 |
|  <b>NEW</b> | 2221SL18R W WW BK | 18W   | 3000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R W NW BK | 18W   | 4000K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |
|                                                                                                | 2221SL18R W CW BK | 18W   | 6500K       | >0.9         | 24°        | >80 | Φ 96*97   | Φ 87        | 2200.00                 | 01/20 |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY



# KORNET 2.0

DEEP COB SPOT LIGHT



## RADIANCE ENGINEERED TO PERFECTION.

Designed to augment the beauty of your spaces, Kornet LED lights are built to last. These sturdy and efficient pieces of impeccable radiance light up your spaces with innovative excellence and are bound to leave lasting impressions. Adorn your spaces with these radiant beauties now.



Aluminium  
Die-cast Body



Detachable  
Driver



Wide voltage  
range 110-300V



Superior Surge  
Protection



IP20



|                                                                                              | Code         | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |
|----------------------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|
| <b>KORNET 2.0 DEEP COB SPOT LIGHT WHITE-ROUND (ALUMINIUM DIE-CAST HOUSING)</b>               |              |       |             |              |            |     |           |             |                         |       |
|             | 2222SL05R WW | 5W    | 3000K       | >0.9         | 24°        | >80 | Φ 50*50   | Φ 43        | 720.00                  | 01/20 |
|                                                                                              | 2222SL05R NW | 5W    | 4000K       | >0.9         | 24°        | >80 | Φ 50*50   | Φ 43        | 720.00                  | 01/20 |
|                                                                                              | 2222SL05R CW | 5W    | 6500K       | >0.9         | 24°        | >80 | Φ 50*50   | Φ 43        | 720.00                  | 01/20 |
|             | 2222SL10R WW | 10W   | 3000K       | >0.9         | 24°        | >80 | Φ 69*65   | Φ 62        | 1260.00                 | 01/20 |
|                                                                                              | 2222SL10R NW | 10W   | 4000K       | >0.9         | 24°        | >80 | Φ 69*65   | Φ 62        | 1260.00                 | 01/20 |
|                                                                                              | 2222SL10R CW | 10W   | 6500K       | >0.9         | 24°        | >80 | Φ 69*65   | Φ 62        | 1260.00                 | 01/20 |
|             | 2222SL15R WW | 15W   | 3000K       | >0.9         | 24°        | >80 | Φ 85*75   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                              | 2222SL15R NW | 15W   | 4000K       | >0.9         | 24°        | >80 | Φ 85*75   | Φ 75        | 1620.00                 | 01/20 |
|                                                                                              | 2222SL15R CW | 15W   | 6500K       | >0.9         | 24°        | >80 | Φ 85*75   | Φ 75        | 1620.00                 | 01/20 |
|  <b>NEW</b> | 2222SL20R WW | 20W   | 3000K       | >0.9         | 24°        | >80 | Φ 95*92   | Φ 85        | 1850.00                 | 01/20 |
|                                                                                              | 2222SL20R NW | 20W   | 4000K       | >0.9         | 24°        | >80 | Φ 95*92   | Φ 85        | 1850.00                 | 01/20 |
|                                                                                              | 2222SL20R CW | 20W   | 6500K       | >0.9         | 24°        | >80 | Φ 95*92   | Φ 85        | 1850.00                 | 01/20 |
|  <b>NEW</b> | 2222SL30R WW | 30W   | 3000K       | >0.9         | 24°        | >80 | Φ 120*110 | Φ 110       | 2400.00                 | 01/20 |
|                                                                                              | 2222SL30R NW | 30W   | 4000K       | >0.9         | 24°        | >80 | Φ 120*110 | Φ 110       | 2400.00                 | 01/20 |
|                                                                                              | 2222SL30R CW | 30W   | 6500K       | >0.9         | 24°        | >80 | Φ 120*110 | Φ 110       | 2400.00                 | 01/20 |

|                                                                                                |                |     |       |      |     |     |           |       |         |       |
|------------------------------------------------------------------------------------------------|----------------|-----|-------|------|-----|-----|-----------|-------|---------|-------|
| <b>KORNET 2.0 DEEP COB SPOT LIGHT BLACK-ROUND (ALUMINIUM DIE-CAST HOUSING)</b>                 |                |     |       |      |     |     |           |       |         |       |
|               | 2222SL05R B WW | 5W  | 3000K | >0.9 | 24° | >80 | Φ 50*50   | Φ 43  | 765.00  | 01/20 |
|                                                                                                | 2222SL05R B NW | 5W  | 4000K | >0.9 | 24° | >80 | Φ 50*50   | Φ 43  | 765.00  | 01/20 |
|                                                                                                | 2222SL05R B CW | 5W  | 6500K | >0.9 | 24° | >80 | Φ 50*50   | Φ 43  | 765.00  | 01/20 |
|              | 2222SL10R B WW | 10W | 3000K | >0.9 | 24° | >80 | Φ 69*65   | Φ 62  | 1350.00 | 01/20 |
|                                                                                                | 2222SL10R B NW | 10W | 4000K | >0.9 | 24° | >80 | Φ 69*65   | Φ 62  | 1350.00 | 01/20 |
|                                                                                                | 2222SL10R B CW | 10W | 6500K | >0.9 | 24° | >80 | Φ 69*65   | Φ 62  | 1350.00 | 01/20 |
|             | 2222SL15R B WW | 15W | 3000K | >0.9 | 24° | >80 | Φ 85*75   | Φ 75  | 1755.00 | 01/20 |
|                                                                                                | 2222SL15R B NW | 15W | 4000K | >0.9 | 24° | >80 | Φ 85*75   | Φ 75  | 1755.00 | 01/20 |
|                                                                                                | 2222SL15R B CW | 15W | 6500K | >0.9 | 24° | >80 | Φ 85*75   | Φ 75  | 1755.00 | 01/20 |
|  <b>NEW</b> | 2222SL20R B WW | 20W | 3000K | >0.9 | 24° | >80 | Φ 95*92   | Φ 85  | 1900.00 | 01/20 |
|                                                                                                | 2222SL20R B NW | 20W | 4000K | >0.9 | 24° | >80 | Φ 95*92   | Φ 85  | 1900.00 | 01/20 |
|                                                                                                | 2222SL20R B CW | 20W | 6500K | >0.9 | 24° | >80 | Φ 95*92   | Φ 85  | 1900.00 | 01/20 |
|  <b>NEW</b> | 2222SL30R B WW | 30W | 3000K | >0.9 | 24° | >80 | Φ 120*110 | Φ 110 | 2600.00 | 01/20 |
|                                                                                                | 2222SL30R B NW | 30W | 4000K | >0.9 | 24° | >80 | Φ 120*110 | Φ 110 | 2600.00 | 01/20 |
|                                                                                                | 2222SL30R B CW | 30W | 6500K | >0.9 | 24° | >80 | Φ 120*110 | Φ 110 | 2600.00 | 01/20 |

|                                                                                                | Code            | Power In | Model Name          | List Price (₹) Per Unit | Pack |
|------------------------------------------------------------------------------------------------|-----------------|----------|---------------------|-------------------------|------|
| <b>KORNET 2.0 DRIVER</b>                                                                       |                 |          |                     |                         |      |
|  <b>NEW</b> | 2214DR05        | 5W       | LED Driver 5W       | 250.00                  | 05   |
|                                                                                                | 2214DR05 3-in-1 | 5W       | LED Driver 5W 3CCT  |                         | 05   |
|                                                                                                | 2214DR10        | 10W      | LED Driver 10W      | 335.00                  | 05   |
|                                                                                                | 2214DR10 3-in-1 | 10W      | LED Driver 10W 3CCT |                         | 05   |
|                                                                                                | 2214DR15        | 15W      | LED Driver 15W      | 390.00                  | 05   |
|                                                                                                | 2214DR15 3-in-1 | 15W      | LED Driver 15W 3CCT |                         | 05   |
|                                                                                                | 2214DR20        | 20W      | LED Driver 20W      |                         | 05   |
|                                                                                                | 2214DR30        | 30W      | LED Driver 30W      |                         | 05   |

All dimensions in mm





# KORNET 2.0 trio

DEEP COB SPOT LIGHT

## EXCEPTIONAL RADIANCE FOR MODERN SPACES.

As the innovative technology used in our Kornet 2.0 Trio COB Lights with aluminium die-cast housing with heat sink make your spaces exceptionally bright.



Detachable  
Driver



Wide voltage  
range 110-300V



Superior Surge  
Protection



IP20



Aluminium  
Die-cast Body



3-IN-1 COLOUR  
CHANGING

|                                                                                     | Code               | Power | Colour Temp             | Power Factor | Beam Angle | CRI | Dimension   | Cutout Size | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|--------------------|-------|-------------------------|--------------|------------|-----|-------------|-------------|-------------------------|-------|
| <b>KORNET 2.0 TRIO DEEP COB SPOT LIGHT WHITE-ROUND (ALUMINIUM DIE-CAST HOUSING)</b> |                    |       |                         |              |            |     |             |             |                         |       |
|    | 2222SL05R 3-in-1   | 5W    | 3000K<br>4000K<br>6500K | >0.5         | 24°        | >80 | Φ 49.5*50   | Φ 43        | 850.00                  | 01/20 |
|    | 2222SL10R 3-in-1   | 10W   | 3000K<br>4000K<br>6500K | >0.9         | 24°        | >80 | Φ 68.5*64.5 | Φ 62        | 1400.00                 | 01/20 |
|    | 2222SL15R 3-in-1   | 15W   | 3000K<br>4000K<br>6500K | >0.9         | 24°        | >80 | Φ 85*75     | Φ 76        | 1825.00                 | 01/20 |
| <b>KORNET 2.0 TRIO DEEP COB SPOT LIGHT BLACK-ROUND (ALUMINIUM DIE-CAST HOUSING)</b> |                    |       |                         |              |            |     |             |             |                         |       |
|    | 2222SL05R B 3-in-1 | 5W    | 3000K<br>4000K<br>6500K | >0.5         | 24°        | >80 | Φ 49.5*50   | Φ 43        | 910.00                  | 01/20 |
|    | 2222SL10R B 3-in-1 | 10W   | 3000K<br>4000K<br>6500K | >0.9         | 24°        | >80 | Φ 68.5*64.5 | Φ 62        | 1475.00                 | 01/20 |
|    | 2222SL15R B 3-in-1 | 15W   | 3000K<br>4000K<br>6500K | >0.9         | 24°        | >80 | Φ 85*75     | Φ 76        | 1925.00                 | 01/20 |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE




ZERO  
MERCURY


## A DASH OF VERVE IN EVERY CORNER.



Faceted high gloss reflectors for perfect beam angle




Swivel Angle 25°



Superior fin design for thermal management in heat sink

Now, experience extreme brightness from a compact device. As the innovative technology used in our tiltable Karat COB Lights with aluminium die-cast housing makes your spaces exceptionally bright. What's more, you can benefit from extra efficiency, save energy, long lamp life and high lumen output.



Aluminium Die-cast Body



Detachable Driver



Superior Surge Protection



Wide voltage range 110-270V



IP20

|                                                                                     | Code                        | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension   | Cutout Size | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|-----------------------------|-------|-------------|--------------|------------|-----|-------------|-------------|-------------------------|-------|
| <b>KARAT COB SPOT LIGHT-ROUND (ALUMINIUM DIE-CAST HOUSING)</b>                      |                             |       |             |              |            |     |             |             |                         |       |
|    | <b>NEW</b> 2214SL03R WW N   | 3W    | 3000K       | >0.5         | 60°        | >80 | Φ 52*24     | Φ 40        | 575.00                  | 01/50 |
|                                                                                     | 2214SL03R NW N              | 3W    | 4000K       | >0.5         | 60°        | >80 | Φ 52*24     | Φ 40        | 575.00                  | 01/50 |
|                                                                                     | 2214SL03R CW N              | 3W    | 6500K       | >0.5         | 60°        | >80 | Φ 52*24     | Φ 40        | 575.00                  | 01/50 |
|    | 2214SL03R WW                | 3W    | 3000K       | >0.5         | 60°        | >80 | Φ 70*45     | Φ 50        | 610.00                  | 01/50 |
|                                                                                     | 2214SL03R NW                | 3W    | 4000K       | >0.5         | 60°        | >80 | Φ 70*45     | Φ 50        | 610.00                  | 01/50 |
|                                                                                     | 2214SL03R CW                | 3W    | 6500K       | >0.5         | 60°        | >80 | Φ 70*45     | Φ 50        | 610.00                  | 01/50 |
|    | 2214SL05R WW                | 5W    | 3000K       | >0.9         | 60°        | >80 | Φ 70*45     | Φ 50        | 630.00                  | 01/50 |
|                                                                                     | 2214SL05R NW                | 5W    | 4000K       | >0.9         | 60°        | >80 | Φ 70*45     | Φ 50        | 630.00                  | 01/50 |
|                                                                                     | 2214SL05R CW                | 5W    | 6500K       | >0.9         | 60°        | >80 | Φ 70*45     | Φ 50        | 630.00                  | 01/50 |
|    | 2214SL10R WW                | 10W   | 3000K       | >0.9         | 60°        | >80 | Φ 85*60     | Φ 65        | 1035.00                 | 01/50 |
|                                                                                     | 2214SL10R NW                | 10W   | 4000K       | >0.9         | 60°        | >80 | Φ 85*60     | Φ 65        | 1035.00                 | 01/50 |
|                                                                                     | 2214SL10R CW                | 10W   | 6500K       | >0.9         | 60°        | >80 | Φ 85*60     | Φ 65        | 1035.00                 | 01/50 |
|    | <b>NEW</b> 2214SL12R WW     | 12W   | 3000K       | >0.9         | 60°        | >80 | Φ 85*70     | Φ 68        | 1225.00                 | 01/20 |
|                                                                                     | 2214SL12R NW                | 12W   | 4000K       | >0.9         | 60°        | >80 | Φ 85*70     | Φ 68        | 1225.00                 | 01/20 |
|                                                                                     | 2214SL12R CW                | 12W   | 6500K       | >0.9         | 60°        | >80 | Φ 85*70     | Φ 68        | 1225.00                 | 01/20 |
|    | 2214SL15R WW                | 15W   | 3000K       | >0.9         | 60°        | >80 | Φ 110*70    | Φ 80        | 1350.00                 | 01/20 |
|                                                                                     | 2214SL15R NW                | 15W   | 4000K       | >0.9         | 60°        | >80 | Φ 110*70    | Φ 80        | 1350.00                 | 01/20 |
|                                                                                     | 2214SL15R CW                | 15W   | 6500K       | >0.9         | 60°        | >80 | Φ 110*70    | Φ 80        | 1350.00                 | 01/20 |
|    | 2214SL25R WW                | 25W   | 3000K       | >0.9         | 60°        | >80 | Φ 136*80    | Φ 115       | 1845.00                 | 01/20 |
|                                                                                     | 2214SL25R NW                | 25W   | 4000K       | >0.9         | 60°        | >80 | Φ 136*80    | Φ 115       | 1845.00                 | 01/20 |
|                                                                                     | 2214SL25R CW                | 25W   | 6500K       | >0.9         | 60°        | >80 | Φ 136*80    | Φ 115       | 1845.00                 | 01/20 |
|  | 2214SL35R WW                | 35W   | 3000K       | >0.9         | 60°        | >80 | Φ 160*85    | Φ 135       | 2250.00                 | 01/20 |
|                                                                                     | 2214SL35R NW                | 35W   | 4000K       | >0.9         | 60°        | >80 | Φ 160*85    | Φ 135       | 2250.00                 | 01/20 |
|                                                                                     | 2214SL35R CW                | 35W   | 6500K       | >0.9         | 60°        | >80 | Φ 160*85    | Φ 135       | 2250.00                 | 01/20 |
|  | <b>NEW</b> 2214SL50R WW     | 50W   | 3000K       | >0.9         | 60°        | >80 | Φ 169.5*111 | Φ 146       | 2725.00                 | 01/20 |
|                                                                                     | 2214SL50R NW                | 50W   | 4000K       | >0.9         | 60°        | >80 | Φ 169.5*111 | Φ 146       | 2725.00                 | 01/20 |
|                                                                                     | 2214SL50R CW                | 50W   | 6500K       | >0.9         | 60°        | >80 | Φ 169.5*111 | Φ 146       | 2725.00                 | 01/20 |
| <b>KARAT COB SPOT LIGHT BLACK-ROUND (ALUMINIUM DIE-CAST HOUSING)</b>                |                             |       |             |              |            |     |             |             |                         |       |
|  | <b>NEW</b> 2214SL03R B WW N | 3W    | 3000K       | >0.5         | 60°        | >80 | Φ 52*24     | Φ 40        | 595.00                  | 01/50 |
|                                                                                     | 2214SL03R B NW N            | 3W    | 4000K       | >0.5         | 60°        | >80 | Φ 52*24     | Φ 40        | 595.00                  | 01/50 |
|                                                                                     | 2214SL03R B CW N            | 3W    | 6500K       | >0.5         | 60°        | >80 | Φ 52*24     | Φ 40        | 595.00                  | 01/50 |
|  | 2214SL03R B WW              | 3W    | 3000K       | >0.5         | 60°        | >80 | Φ 70*45     | Φ 50        | 630.00                  | 01/50 |
|                                                                                     | 2214SL03R B NW              | 3W    | 4000K       | >0.5         | 60°        | >80 | Φ 70*45     | Φ 50        | 630.00                  | 01/50 |
|                                                                                     | 2214SL03R B CW              | 3W    | 6500K       | >0.5         | 60°        | >80 | Φ 70*45     | Φ 50        | 630.00                  | 01/50 |
|  | 2214SL05R B WW              | 5W    | 3000K       | >0.9         | 60°        | >80 | Φ 70*45     | Φ 50        | 655.00                  | 01/50 |
|                                                                                     | 2214SL05R B NW              | 5W    | 4000K       | >0.9         | 60°        | >80 | Φ 70*45     | Φ 50        | 655.00                  | 01/50 |
|                                                                                     | 2214SL05R B CW              | 5W    | 6500K       | >0.9         | 60°        | >80 | Φ 70*45     | Φ 50        | 655.00                  | 01/50 |
|  | 2214SL10R B WW              | 10W   | 3000K       | >0.9         | 60°        | >80 | Φ 85*60     | Φ 65        | 1080.00                 | 01/50 |
|                                                                                     | 2214SL10R B NW              | 10W   | 4000K       | >0.9         | 60°        | >80 | Φ 85*60     | Φ 65        | 1080.00                 | 01/50 |
|                                                                                     | 2214SL10R B CW              | 10W   | 6500K       | >0.9         | 60°        | >80 | Φ 85*60     | Φ 65        | 1080.00                 | 01/50 |
|  | <b>NEW</b> 2214SL12R B WW   | 12W   | 3000K       | >0.9         | 60°        | >80 | Φ 85*70     | Φ 68        | 1300.00                 | 01/20 |
|                                                                                     | 2214SL12R B NW              | 12W   | 4000K       | >0.9         | 60°        | >80 | Φ 85*70     | Φ 68        | 1300.00                 | 01/20 |
|                                                                                     | 2214SL12R B CW              | 12W   | 6500K       | >0.9         | 60°        | >80 | Φ 85*70     | Φ 68        | 1300.00                 | 01/20 |
|  | 2214SL15R B WW              | 15W   | 3000K       | >0.9         | 60°        | >80 | Φ 110*70    | Φ 80        | 1420.00                 | 01/20 |
|                                                                                     | 2214SL15R B NW              | 15W   | 4000K       | >0.9         | 60°        | >80 | Φ 110*70    | Φ 80        | 1420.00                 | 01/20 |
|                                                                                     | 2214SL15R B CW              | 15W   | 6500K       | >0.9         | 60°        | >80 | Φ 110*70    | Φ 80        | 1420.00                 | 01/20 |
|  | 2214SL25R B WW              | 25W   | 3000K       | >0.9         | 60°        | >80 | Φ 136*80    | Φ 115       | 1935.00                 | 01/20 |
|                                                                                     | 2214SL25R B NW              | 25W   | 4000K       | >0.9         | 60°        | >80 | Φ 136*80    | Φ 115       | 1935.00                 | 01/20 |
|                                                                                     | 2214SL25R B CW              | 25W   | 6500K       | >0.9         | 60°        | >80 | Φ 136*80    | Φ 115       | 1935.00                 | 01/20 |
|  | 2214SL35R B WW              | 35W   | 3000K       | >0.9         | 60°        | >80 | Φ 160*85    | Φ 135       | 2365.00                 | 01/20 |
|                                                                                     | 2214SL35R B NW              | 35W   | 4000K       | >0.9         | 60°        | >80 | Φ 160*85    | Φ 135       | 2365.00                 | 01/20 |
|                                                                                     | 2214SL35R B CW              | 35W   | 6500K       | >0.9         | 60°        | >80 | Φ 160*85    | Φ 135       | 2365.00                 | 01/20 |
|  | <b>NEW</b> 2214SL50R B WW   | 50W   | 3000K       | >0.9         | 60°        | >80 | Φ 169.5*111 | Φ 146       | 2875.00                 | 01/20 |
|                                                                                     | 2214SL50R B NW              | 50W   | 4000K       | >0.9         | 60°        | >80 | Φ 169.5*111 | Φ 146       | 2875.00                 | 01/20 |
|                                                                                     | 2214SL50R B CW              | 50W   | 6500K       | >0.9         | 60°        | >80 | Φ 169.5*111 | Φ 146       | 2875.00                 | 01/20 |

Introducing

# karat trio

COB SPOT LIGHT

## PRECISION LIGHTING WITH A SPLASH OF COLOURS.

3-IN-1 Colour Changing Light  
(3000K, 4000K & 6500K)  
Available in 5W, 10W & 15W

Changes colour by clicking  
the switch OFF & ON



Aluminium  
Die-cast Body



Detachable  
Driver



Superior Surge  
Protection



Wide voltage  
range 110-270V



IP20



3-IN-1 COLOUR  
CHANGING

| Code                                                           | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack |
|----------------------------------------------------------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|------|
| <b>KARAT TRIO 3-IN-1 COLOUR CHANGING COB SPOTLIGHT - ROUND</b> |       |             |              |            |     |           |             |                         |      |

**NEW**

|                                                                                   |                    |     |                         |      |     |     |          |      |         |       |
|-----------------------------------------------------------------------------------|--------------------|-----|-------------------------|------|-----|-----|----------|------|---------|-------|
|  | 2214SL05R (3-IN-1) | 5W  | 3000K<br>4000K<br>6500K | >0.9 | 60° | >80 | Φ 70*45  | Φ 54 | 750.00  | 01/50 |
|  | 2214SL10R (3-IN-1) | 10W | 3000K<br>4000K<br>6500K | >0.9 | 60° | >80 | Φ 85*60  | Φ 68 | 1250.00 | 01/50 |
|  | 2214SL15R (3-IN-1) | 15W | 3000K<br>4000K<br>6500K | >0.9 | 60° | >80 | Φ 110*70 | Φ 89 | 1575.00 | 01/20 |

|                                                                      |  |  |  |  |  |  |  |  |  |
|----------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| <b>KARAT TRIO 3-IN-1 COLOUR CHANGING COB SPOTLIGHT - BLACK ROUND</b> |  |  |  |  |  |  |  |  |  |
|----------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|

**NEW**

|                                                                                   |                        |     |                         |      |     |     |          |      |         |       |
|-----------------------------------------------------------------------------------|------------------------|-----|-------------------------|------|-----|-----|----------|------|---------|-------|
|  | 2214SL05R (B) (3-IN-1) | 5W  | 3000K<br>4000K<br>6500K | >0.9 | 60° | >80 | Φ 70*45  | Φ 54 | 800.00  | 01/50 |
|  | 2214SL10R (B) (3-IN-1) | 10W | 3000K<br>4000K<br>6500K | >0.9 | 60° | >80 | Φ 85*60  | Φ 68 | 1325.00 | 01/50 |
|  | 2214SL15R (B) (3-IN-1) | 15W | 3000K<br>4000K<br>6500K | >0.9 | 60° | >80 | Φ 110*70 | Φ 89 | 1675.00 | 01/20 |

| Code                | Power In | Model Name | List Price (₹) Per Unit | Pack |
|---------------------|----------|------------|-------------------------|------|
| <b>KARAT DRIVER</b> |          |            |                         |      |

**NEW**

|                                                                                     |                 |     |                     |        |    |
|-------------------------------------------------------------------------------------|-----------------|-----|---------------------|--------|----|
|  | 2214DR03        | 3W  | LED Driver 3W       | 250.00 | 05 |
|  | 2214DR05        | 5W  | LED Driver 5W       | 250.00 | 05 |
|  | 2214DR05 3-in-1 | 5W  | LED Driver 5W 3CCT  |        | 05 |
|  | 2214DR10        | 10W | LED Driver 10W      | 335.00 | 05 |
|  | 2214DR10 3-in-1 | 10W | LED Driver 10W 3CCT |        | 05 |
|  | 2214DR15        | 15W | LED Driver 15W      | 390.00 | 05 |
|  | 2214DR15 3-in-1 | 15W | LED Driver 15W 3CCT |        | 05 |
|  | 2214DR25        | 25W | LED Driver 25W      | 475.00 | 05 |
|  | 2214DR35        | 35W | LED Driver 35W      | 550.00 | 05 |
|  | 2214DR50        | 50W | LED Driver 50W      |        | 05 |

All dimensions in mm


**ROBUST  
DESIGN**

**GREEN  
PRODUCT**

**SUPERIOR  
CRI**

**ENERGY  
SAVER**

**MAINTENANCE  
FREE**

**ZERO  
MERCURY**



## SWITCH ON BRILLIANCE.

Whether you need focused illumination for highlighting artwork or creating a cozy reading nook, these LED spotlights offer versatility and precision. Upgrade your lighting experience with Deko today.



Finned Heat Sink\*



Aluminium  
Die-cast Body



Detachable  
Driver



Superior Surge  
Protection



Wide voltage  
range 100-300V

\*For Better Heat dissipation which results in long life & better results of LED Lights.

|                                                                                     | Code            | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |
|-------------------------------------------------------------------------------------|-----------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|
| <b>DEKO COB SPOT LIGHT-ROUND [STEEL CHROME]</b>                                     |                 |       |             |              |            |     |           |             |                         |       |
|    | 2245SL07R WW SL | 7W    | 3000K       | >0.5         | 38°        | >80 | Φ 70*50   | Φ 64        | 945.00                  | 01/20 |
|                                                                                     | 2245SL07R NW SL | 7W    | 4000K       | >0.5         | 38°        | >80 | Φ 70*50   | Φ 64        | 945.00                  | 01/20 |
|                                                                                     | 2245SL07R CW SL | 7W    | 6500K       | >0.5         | 38°        | >80 | Φ 70*50   | Φ 64        | 945.00                  | 01/20 |
|    | 2245SL12R WW SL | 12W   | 3000K       | >0.9         | 38°        | >80 | Φ 85*65   | Φ 78        | 1350.00                 | 01/20 |
|                                                                                     | 2245SL12R NW SL | 12W   | 4000K       | >0.9         | 38°        | >80 | Φ 85*65   | Φ 78        | 1350.00                 | 01/20 |
|                                                                                     | 2245SL12R CW SL | 12W   | 6500K       | >0.9         | 38°        | >80 | Φ 85*65   | Φ 78        | 1350.00                 | 01/20 |
|    | 2245SL18R WW SL | 18W   | 3000K       | >0.9         | 38°        | >80 | Φ 95*75   | Φ 87        | 1575.00                 | 01/20 |
|                                                                                     | 2245SL18R NW SL | 18W   | 4000K       | >0.9         | 38°        | >80 | Φ 95*75   | Φ 87        | 1575.00                 | 01/20 |
|                                                                                     | 2245SL18R CW SL | 18W   | 6500K       | >0.9         | 38°        | >80 | Φ 95*75   | Φ 87        | 1575.00                 | 01/20 |
| <b>DEKO COB SPOT LIGHT-ROUND [ROSE GOLD CHROME]</b>                                 |                 |       |             |              |            |     |           |             |                         |       |
|    | 2245SL07R WW RG | 7W    | 3000K       | >0.5         | 38°        | >80 | Φ 70*50   | Φ 64        | 945.00                  | 01/20 |
|                                                                                     | 2245SL07R NW RG | 7W    | 4000K       | >0.5         | 38°        | >80 | Φ 70*50   | Φ 64        | 945.00                  | 01/20 |
|                                                                                     | 2245SL07R CW RG | 7W    | 6500K       | >0.5         | 38°        | >80 | Φ 70*50   | Φ 64        | 945.00                  | 01/20 |
|    | 2245SL12R WW RG | 12W   | 3000K       | >0.9         | 38°        | >80 | Φ 85*65   | Φ 78        | 1350.00                 | 01/20 |
|                                                                                     | 2245SL12R NW RG | 12W   | 4000K       | >0.9         | 38°        | >80 | Φ 85*65   | Φ 78        | 1350.00                 | 01/20 |
|                                                                                     | 2245SL12R CW RG | 12W   | 6500K       | >0.9         | 38°        | >80 | Φ 85*65   | Φ 78        | 1350.00                 | 01/20 |
|    | 2245SL18R WW RG | 18W   | 3000K       | >0.9         | 38°        | >80 | Φ 95*75   | Φ 87        | 1575.00                 | 01/20 |
|                                                                                     | 2245SL18R NW RG | 18W   | 4000K       | >0.9         | 38°        | >80 | Φ 95*75   | Φ 87        | 1575.00                 | 01/20 |
|                                                                                     | 2245SL18R CW RG | 18W   | 6500K       | >0.9         | 38°        | >80 | Φ 95*75   | Φ 87        | 1575.00                 | 01/20 |
| <b>DEKO COB SPOT LIGHT-ROUND [BLACK CHROME]</b>                                     |                 |       |             |              |            |     |           |             |                         |       |
|   | 2245SL07R WW BK | 7W    | 3000K       | >0.5         | 38°        | >80 | Φ 70*50   | Φ 64        | 945.00                  | 01/20 |
|                                                                                     | 2245SL07R NW BK | 7W    | 4000K       | >0.5         | 38°        | >80 | Φ 70*50   | Φ 64        | 945.00                  | 01/20 |
|                                                                                     | 2245SL07R CW BK | 7W    | 6500K       | >0.5         | 38°        | >80 | Φ 70*50   | Φ 64        | 945.00                  | 01/20 |
|  | 2245SL12R WW BK | 12W   | 3000K       | >0.9         | 38°        | >80 | Φ 85*65   | Φ 78        | 1350.00                 | 01/20 |
|                                                                                     | 2245SL12R NW BK | 12W   | 4000K       | >0.9         | 38°        | >80 | Φ 85*65   | Φ 78        | 1350.00                 | 01/20 |
|                                                                                     | 2245SL12R CW BK | 12W   | 6500K       | >0.9         | 38°        | >80 | Φ 85*65   | Φ 78        | 1350.00                 | 01/20 |
|  | 2245SL18R WW BK | 18W   | 3000K       | >0.9         | 38°        | >80 | Φ 95*75   | Φ 87        | 1575.00                 | 01/20 |
|                                                                                     | 2245SL18R NW BK | 18W   | 4000K       | >0.9         | 38°        | >80 | Φ 95*75   | Φ 87        | 1575.00                 | 01/20 |
|                                                                                     | 2245SL18R CW BK | 18W   | 6500K       | >0.9         | 38°        | >80 | Φ 95*75   | Φ 87        | 1575.00                 | 01/20 |

|                                                                                     | Code     | Power In | Model Name     | List Price (₹) Per Unit | Pack |
|-------------------------------------------------------------------------------------|----------|----------|----------------|-------------------------|------|
| <b>DEKO DRIVER</b>                                                                  |          |          |                |                         |      |
|  | 2245DR07 | 7W       | LED Driver 7W  |                         | 05   |
|  | 2245DR12 | 12W      | LED Driver 12W |                         | 05   |
|  | 2245DR18 | 18W      | LED Driver 18W |                         | 05   |

**NEW**

All dimensions in mm


 ROBUST  
DESIGN

 GREEN  
PRODUCT

 SUPERIOR  
CRI

 ENERGY  
SAVER

 MAINTENANCE  
FREE

 ZERO  
MERCURY

Introducing

# KRESENT

SURFACE CYLINDER  
COB LIGHT

## PRECISION LIGHTING FOR ELEVATED AESTHETICS.

Enhance your interiors with Kresent Surface Cylinder COB and Tik Tak Twin Spot Lights, designed for superior brightness and energy efficiency. Their sleek, modern designs seamlessly integrate into contemporary spaces, making them the perfect choice for both residential and commercial settings.



Introducing

**TIK TAK**  
TWIN SPOT LIGHT

|                                                                                                | Code             | Power | Colour Temp   | Power Factor | Beam Angle | CRI | Dimension  | Cutout Size | List Price (₹) Per Unit | Pack       |
|------------------------------------------------------------------------------------------------|------------------|-------|---------------|--------------|------------|-----|------------|-------------|-------------------------|------------|
| <b>KRESENT SURFACE CYLINDER COB SPOTLIGHT WHITE</b>                                            |                  |       |               |              |            |     |            |             |                         |            |
|               | 2259SL07R WW     | 7W    | 3000K         | >0.9         | 45°        | >80 | Φ 54*75    | -           | 950.00                  | 01/60      |
|                                                                                                | 2259SL07R NW     | 7W    | 4000K         | >0.9         | 45°        | >80 | Φ 54*75    | -           | 950.00                  | 01/60      |
|                                                                                                | 2259SL07R CW     | 7W    | 6500K         | >0.9         | 45°        | >80 | Φ 54*75    | -           | 950.00                  | 01/60      |
|               | 2259SL12R WW     | 12W   | 3000K         | >0.9         | 45°        | >80 | Φ 74*100.5 | -           | 1375.00                 | 01/20      |
|                                                                                                | 2259SL12R NW     | 12W   | 4000K         | >0.9         | 45°        | >80 | Φ 74*100.5 | -           | 1375.00                 | 01/20      |
|                                                                                                | 2259SL12R CW     | 12W   | 6500K         | >0.9         | 45°        | >80 | Φ 74*100.5 | -           | 1375.00                 | 01/20      |
|               | 2259SL20R WW     | 20W   | 3000K         | >0.9         | 45°        | >80 | Φ 94.5*120 | -           | 1750.00                 | 01/20      |
|                                                                                                | 2259SL20R NW     | 20W   | 4000K         | >0.9         | 45°        | >80 | Φ 94.5*120 | -           | 1750.00                 | 01/20      |
|                                                                                                | 2259SL20R CW     | 20W   | 6500K         | >0.9         | 45°        | >80 | Φ 94.5*120 | -           | 1750.00                 | 01/20      |
|  <b>NEW</b>   | 2259SL30R WW     | 30W   | 3000K         | >0.9         | 45°        | >80 | Φ 114*130  | -           | 3550.00                 | 01/20      |
|                                                                                                | 2259SL30R NW     | 30W   | 4000K         | >0.9         | 45°        | >80 | Φ 114*130  | -           | 3550.00                 | 01/20      |
|                                                                                                | 2259SL30R CW     | 30W   | 6500K         | >0.9         | 45°        | >80 | Φ 114*130  | -           | 3550.00                 | 01/20      |
| <b>KRESENT SURFACE CYLINDER COB SPOTLIGHT BLACK</b>                                            |                  |       |               |              |            |     |            |             |                         |            |
|               | 2259SL07R B WW   | 7W    | 3000K         | >0.9         | 45°        | >80 | Φ 54*75    | -           | 1025.00                 | 01/60      |
|                                                                                                | 2259SL07R B NW   | 7W    | 4000K         | >0.9         | 45°        | >80 | Φ 54*75    | -           | 1025.00                 | 01/60      |
|                                                                                                | 2259SL07R B CW   | 7W    | 6500K         | >0.9         | 45°        | >80 | Φ 54*75    | -           | 1025.00                 | 01/60      |
|               | 2259SL12R B WW   | 12W   | 3000K         | >0.9         | 45°        | >80 | Φ 74*100.5 | -           | 1475.00                 | 01/20      |
|                                                                                                | 2259SL12R B NW   | 12W   | 4000K         | >0.9         | 45°        | >80 | Φ 74*100.5 | -           | 1475.00                 | 01/20      |
|                                                                                                | 2259SL12R B CW   | 12W   | 6500K         | >0.9         | 45°        | >80 | Φ 74*100.5 | -           | 1475.00                 | 01/20      |
|              | 2259SL20R B WW   | 20W   | 3000K         | >0.9         | 45°        | >80 | Φ 94.5*120 | -           | 1875.00                 | 01/20      |
|                                                                                                | 2259SL20R B NW   | 20W   | 4000K         | >0.9         | 45°        | >80 | Φ 94.5*120 | -           | 1875.00                 | 01/20      |
|                                                                                                | 2259SL20R B CW   | 20W   | 6500K         | >0.9         | 45°        | >80 | Φ 94.5*120 | -           | 1875.00                 | 01/20      |
|  <b>NEW</b> | 2259SL30R B WW   | 30W   | 3000K         | >0.9         | 45°        | >80 | Φ 114*130  | -           | 3775.00                 | 01/20      |
|                                                                                                | 2259SL30R B NW   | 30W   | 4000K         | >0.9         | 45°        | >80 | Φ 114*130  | -           | 3775.00                 | 01/20      |
|                                                                                                | 2259SL30R B CW   | 30W   | 6500K         | >0.9         | 45°        | >80 | Φ 114*130  | -           | 3775.00                 | 01/20      |
| <b>TIK TAK TWIN SPOT LIGHT</b>                                                                 |                  |       |               |              |            |     |            |             |                         |            |
|             | 2266SL07R CW WW  | 7W    | 6500K / 4000K | >0.5         | 60°        | >80 | Φ 67*52    | Φ 55        | 1125.00                 | <b>NEW</b> |
|                                                                                                | 2267SK07R CW RGB | 7W    | 6500K / RGB   | >0.5         | 60°        | >80 | Φ 67*52    | Φ 55        | 1125.00                 |            |
|             | 2266SL15R CW WW  | 15W   | 6500K / 4000K | >0.5         | 60°        | >80 | Φ 93*65    | Φ 75        | 1825.00                 |            |
|                                                                                                | 2266SL15R CW RGB | 15W   | 6500K / RGB   | >0.5         | 60°        | >80 | Φ 93*65    | Φ 75        | 1825.00                 |            |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI




ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY



# KANDY 2.0

SPOT LIGHT

SHINE AN  
INNOVATIVE  
LIGHT ON  
YOUR SPACES



Inbuilt Driver

Redefining minimalistic design with innovative styles, Kandy 2.0 spot lights with in-built driver are suitable to draw attention to certain corners of your spaces and make them stand out.



|                                                                                     | Code           | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack   |
|-------------------------------------------------------------------------------------|----------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|--------|
| <b>KANDY 2.0 SPOTLIGHT-ROUND</b>                                                    |                |       |             |              |            |     |           |             |                         |        |
|    | 2427SL02R WW   | 2W    | 3000K       | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 170.00                  | 20/200 |
|                                                                                     | 2427SL02R NW   | 2W    | 4000K       | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 170.00                  | 20/200 |
|                                                                                     | 2427SL02R CW   | 2W    | 6500K       | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 170.00                  | 20/200 |
|    | 2427SL02R RD   | 2W    | Red         | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 170.00                  | 20/200 |
|                                                                                     | 2427SL02R GN   | 2W    | Green       | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 170.00                  | 20/200 |
|                                                                                     | 2427SL02R BE   | 2W    | Blue        | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 170.00                  | 20/200 |
|                                                                                     | 2427SL02R PK   | 2W    | Pink        | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 170.00                  | 20/200 |
| <b>KANDY 2.0 SPOTLIGHT-SQUARE</b>                                                   |                |       |             |              |            |     |           |             |                         |        |
|    | 2427SL02S WW   | 2W    | 3000K       | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 170.00                  | 20/200 |
|                                                                                     | 2427SL02S NW   | 2W    | 4000K       | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 170.00                  | 20/200 |
|                                                                                     | 2427SL02S CW   | 2W    | 6500K       | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 170.00                  | 20/200 |
|    | 2427SL02S RD   | 2W    | Red         | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 170.00                  | 20/200 |
|                                                                                     | 2427SL02S GN   | 2W    | Green       | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 170.00                  | 20/200 |
|                                                                                     | 2427SL02S BE   | 2W    | Blue        | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 170.00                  | 20/200 |
|                                                                                     | 2427SL02S PK   | 2W    | Pink        | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 170.00                  | 20/200 |
| <b>KANDY 2.0 SPOTLIGHT BLACK-ROUND</b>                                              |                |       |             |              |            |     |           |             |                         |        |
|    | 2427SL02R B WW | 2W    | 3000K       | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 210.00                  | 20/200 |
|                                                                                     | 2427SL02R B NW | 2W    | 4000K       | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 210.00                  | 20/200 |
|                                                                                     | 2427SL02R B CW | 2W    | 6500K       | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 210.00                  | 20/200 |
|   | 2427SL02R B RD | 2W    | Red         | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 210.00                  | 20/200 |
|                                                                                     | 2427SL02R B GN | 2W    | Green       | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 210.00                  | 20/200 |
|                                                                                     | 2427SL02R B BE | 2W    | Blue        | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 210.00                  | 20/200 |
|                                                                                     | 2427SL02R B PK | 2W    | Pink        | >0.9         | 30°        | >80 | Φ 42*16   | Φ 32        | 210.00                  | 20/200 |
| <b>KANDY 2.0 SPOTLIGHT BLACK-SQUARE</b>                                             |                |       |             |              |            |     |           |             |                         |        |
|  | 2427SL02S B WW | 2W    | 3000K       | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 210.00                  | 20/200 |
|                                                                                     | 2427SL02S B NW | 2W    | 4000K       | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 210.00                  | 20/200 |
|                                                                                     | 2427SL02S B CW | 2W    | 6500K       | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 210.00                  | 20/200 |
|  | 2427SL02S B RD | 2W    | Red         | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 210.00                  | 20/200 |
|                                                                                     | 2427SL02S B GN | 2W    | Green       | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 210.00                  | 20/200 |
|                                                                                     | 2427SL02S B BE | 2W    | Blue        | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 210.00                  | 20/200 |
|                                                                                     | 2427SL02S B PK | 2W    | Pink        | >0.9         | 30°        | >80 | 42*42*16  | Φ 32        | 210.00                  | 20/200 |

All dimensions in mm



Introducing

## PRISM 01

SPOT LIGHT

CHOOSE UNMATCHED  
RADIANCE FOR YOUR  
INTERIORS.



Introducing

## PRISM 02

SPOT LIGHT



Introducing

## PRISM 03

SPOT LIGHT

Prism 03 spotlight offers precision illumination, giving you full control over your lighting experience. From soft ambience to direct focus, it's designed to adapt to your needs effortlessly.



|                                                                                     | Code           | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |            |
|-------------------------------------------------------------------------------------|----------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|------------|
| <b>PRISM 01 SPOTLIGHT WHITE-ROUND (ALUMINIUM DIE-CAST HOUSING)</b>                  |                |       |             |              |            |     |           |             |                         |       | <b>NEW</b> |
|    | 2260SL03R WW   | 3W    | 3000K       | >0.5         | 38°        | >80 | Φ 42*33   | Φ 35        | 535.00                  | 01/60 |            |
|                                                                                     | 2260SL03R NW   | 3W    | 4000K       | >0.5         | 38°        | >80 | Φ 42*33   | Φ 35        | 535.00                  | 01/60 |            |
|                                                                                     | 2260SL03R CW   | 3W    | 6500K       | >0.5         | 38°        | >80 | Φ 42*33   | Φ 35        | 535.00                  | 01/60 |            |
| <b>PRISM 01 SPOTLIGHT BLACK-ROUND (ALUMINIUM DIE-CAST HOUSING)</b>                  |                |       |             |              |            |     |           |             |                         |       | <b>NEW</b> |
|    | 2260SL03R B WW | 3W    | 3000K       | >0.5         | 38°        | >80 | Φ 42*33   | Φ 35        | 550.00                  | 01/60 |            |
|                                                                                     | 2260SL03R B NW | 3W    | 4000K       | >0.5         | 38°        | >80 | Φ 42*33   | Φ 35        | 550.00                  | 01/60 |            |
|                                                                                     | 2260SL03R B CW | 3W    | 6500K       | >0.5         | 38°        | >80 | Φ 42*33   | Φ 35        | 550.00                  | 01/60 |            |
| <b>PRISM 02 SPOTLIGHT WHITE-ROUND (ALUMINIUM DIE-CAST HOUSING)</b>                  |                |       |             |              |            |     |           |             |                         |       | <b>NEW</b> |
|    | 2261SL05R WW   | 5W    | 3000K       | >0.5         | 3°         | >80 | Φ 60*36   | Φ 52        | 975.00                  | 01/60 |            |
|                                                                                     | 2261SL05R NW   | 5W    | 4000K       | >0.5         | 3°         | >80 | Φ 60*36   | Φ 52        | 975.00                  | 01/60 |            |
|                                                                                     | 2261SL05R CW   | 5W    | 6500K       | >0.5         | 3°         | >80 | Φ 60*36   | Φ 52        | 975.00                  | 01/60 |            |
| <b>PRISM 02 SPOTLIGHT BLACK-ROUND (ALUMINIUM DIE-CAST HOUSING)</b>                  |                |       |             |              |            |     |           |             |                         |       | <b>NEW</b> |
|    | 2261SL05R B WW | 5W    | 3000K       | >0.5         | 3°         | >80 | Φ 60*36   | Φ 52        | 1075.00                 | 01/60 |            |
|                                                                                     | 2261SL05R B NW | 5W    | 4000K       | >0.5         | 3°         | >80 | Φ 60*36   | Φ 52        | 1075.00                 | 01/60 |            |
|                                                                                     | 2261SL05R B CW | 5W    | 6500K       | >0.5         | 3°         | >80 | Φ 60*36   | Φ 52        | 1075.00                 | 01/60 |            |
| <b>PRISM 03 SPOTLIGHT-ROUND (ALUMINIUM DIE-CAST HOUSING)</b>                        |                |       |             |              |            |     |           |             |                         |       | <b>NEW</b> |
|   | 2262SL05R WW   | 5W    | 3000K       | >0.9         | 38°        | >80 | Φ 60*36   | Φ 52        | 875.00                  | 01/60 |            |
|                                                                                     | 2262SL05R NW   | 5W    | 4000K       | >0.9         | 38°        | >80 | Φ 60*36   | Φ 52        | 875.00                  | 01/60 |            |
|                                                                                     | 2262SL05R CW   | 5W    | 6500K       | >0.9         | 38°        | >80 | Φ 60*36   | Φ 52        | 875.00                  | 01/60 |            |
| <b>PRISM 03 SPOTLIGHT BLACK-ROUND (ALUMINIUM DIE-CAST HOUSING)</b>                  |                |       |             |              |            |     |           |             |                         |       | <b>NEW</b> |
|  | 2262SL05R B WW | 5W    | 3000K       | >0.9         | 38°        | >80 | Φ 60*36   | Φ 52        | 900.00                  | 01/60 |            |
|                                                                                     | 2262SL05R B NW | 5W    | 4000K       | >0.9         | 38°        | >80 | Φ 60*36   | Φ 52        | 900.00                  | 01/60 |            |
|                                                                                     | 2262SL05R B CW | 5W    | 6500K       | >0.9         | 38°        | >80 | Φ 60*36   | Φ 52        | 900.00                  | 01/60 |            |

|                                                                                     | Code     | Power In | Model Name             | List Price (₹) Per Unit | Pack |            |
|-------------------------------------------------------------------------------------|----------|----------|------------------------|-------------------------|------|------------|
| <b>PRISM DRIVER</b>                                                                 |          |          |                        |                         |      | <b>NEW</b> |
|  | 2260DR03 | 3W       | Prism 01 LED Driver 3W |                         | 05   |            |
|                                                                                     | 2261DR05 | 5W       | Prism 02 LED Driver 5W |                         | 05   |            |
|                                                                                     | 2262DR05 | 5W       | Prism 03 LED Driver 5W |                         | 05   |            |

All dimensions in mm



A man and a woman are dancing in a modern, brightly lit kitchen. The woman is wearing a white t-shirt and a long, flowing grey skirt, and the man is wearing a light blue t-shirt and khaki pants. They are both smiling and looking at each other. The kitchen features white cabinets, a white countertop, and a white range hood. A window in the background shows greenery outside. The floor is light-colored wood. The overall atmosphere is warm and intimate.

MAKING EVERY  
MOMENT PRECIOUS.

Introducing

# MATRIX

TRACK LIGHT

LIGHT UP  
YOUR SPACES  
WITH MODERN  
-DESIGNS.



Faceted  
Reflector

Elevate the style statement of your spaces with Matrix Track LED Lights. These versatile and energy-efficient fixtures offer a customizable lighting solution for any room. Whether you want to create a vibrant, modern ambience or a warm, cozy atmosphere, these are your go-to choice.



Aluminium  
Die-cast Body



Superior Surge  
Protection



Wide voltage  
range 100-300V

|                                                                                   | Code          | Power | Colour Temp | Power Factor | Beam Angle | CRI | List Price (₹) Per Unit | Pack  |     |
|-----------------------------------------------------------------------------------|---------------|-------|-------------|--------------|------------|-----|-------------------------|-------|-----|
| MATRIX TRACK LIGHT WHITE                                                          |               |       |             |              |            |     |                         |       | NEW |
|  | 2247TL10 WW   | 10W   | 3000K       | >0.9         | 38°        | >80 | 1065.00                 | 01/20 |     |
|                                                                                   | 2247TL10 NW   | 10W   | 4000K       | >0.9         | 38°        | >80 | 1065.00                 | 01/20 |     |
|                                                                                   | 2247TL10 CW   | 10W   | 6500K       | >0.9         | 38°        | >80 | 1065.00                 | 01/20 |     |
|  | 2247TL20 WW   | 20W   | 3000K       | >0.9         | 38°        | >80 | 1445.00                 | 01/20 |     |
|                                                                                   | 2247TL20 NW   | 20W   | 4000K       | >0.9         | 38°        | >80 | 1445.00                 | 01/20 |     |
|                                                                                   | 2247TL20 CW   | 20W   | 6500K       | >0.9         | 38°        | >80 | 1445.00                 | 01/20 |     |
|  | 2247TL30 WW   | 30W   | 3000K       | >0.9         | 38°        | >80 | 1870.00                 | 01/20 |     |
|                                                                                   | 2247TL30 NW   | 30W   | 4000K       | >0.9         | 38°        | >80 | 1870.00                 | 01/20 |     |
|                                                                                   | 2247TL30 CW   | 30W   | 6500K       | >0.9         | 38°        | >80 | 1870.00                 | 01/20 |     |
| MATRIX TRACK LIGHT BLACK                                                          |               |       |             |              |            |     |                         |       | NEW |
|  | 2247TL10 B WW | 10W   | 3000K       | >0.9         | 38°        | >80 | 1065.00                 | 01/20 |     |
|                                                                                   | 2247TL10 B NW | 10W   | 4000K       | >0.9         | 38°        | >80 | 1065.00                 | 01/20 |     |
|                                                                                   | 2247TL10 B CW | 10W   | 6500K       | >0.9         | 38°        | >80 | 1065.00                 | 01/20 |     |
|  | 2247TL20 B WW | 20W   | 3000K       | >0.9         | 38°        | >80 | 1445.00                 | 01/20 |     |
|                                                                                   | 2247TL20 B NW | 20W   | 4000K       | >0.9         | 38°        | >80 | 1445.00                 | 01/20 |     |
|                                                                                   | 2247TL20 B CW | 20W   | 6500K       | >0.9         | 38°        | >80 | 1445.00                 | 01/20 |     |
|  | 2247TL30 B WW | 30W   | 3000K       | >0.9         | 38°        | >80 | 1870.00                 | 01/20 |     |
|                                                                                   | 2247TL30 B NW | 30W   | 4000K       | >0.9         | 38°        | >80 | 1870.00                 | 01/20 |     |
|                                                                                   | 2247TL30 B CW | 30W   | 6500K       | >0.9         | 38°        | >80 | 1870.00                 | 01/20 |     |

|                                                                                     | Code       | Product                                    | List Price (₹)<br>Per Unit | Pack   |     |
|-------------------------------------------------------------------------------------|------------|--------------------------------------------|----------------------------|--------|-----|
| MATRIX TRACK WHITE                                                                  |            |                                            |                            |        |     |
|  | 2247TS01   | 1 Meter Track For Single Phase Track Light | 700.00                     | 01/20  | NEW |
| MATRIX TRACK BLACK                                                                  |            |                                            |                            |        |     |
|  | 2247TS01 B | 1 Meter Track For Single Phase Track Light | 700.00                     | 01/20  | NEW |
| MATRIX TRACK CONNECTOR WHITE                                                        |            |                                            |                            |        |     |
|  | 2247C001   | Track Straight Connector                   | 190.00                     | 06/240 | NEW |
| MATRIX TRACK CONNECTOR BLACK                                                        |            |                                            |                            |        |     |
|  | 2247C001 B | Track Straight Connector                   | 190.00                     | 06/240 | NEW |



Introducing

# STREAK

WALL LIGHT

RADIANCE FOR  
YOUR SPACES,  
COMPLIMENTS  
FOR YOU.



Faceted Reflector



Crafted with cutting-edge LED technology, it offers energy-efficient illumination. Its minimalist design effortlessly blends with any decor, while its adjustable focus caters to various lighting needs.



Aluminium  
Die-cast Body



Superior Surge  
Protection



Wide voltage  
range 100-300V

|                                                                                   | Code          | Power | Colour Temp | Power Factor | Beam Angle | CRI | List Price (₹) Per Unit | Pack  |            |
|-----------------------------------------------------------------------------------|---------------|-------|-------------|--------------|------------|-----|-------------------------|-------|------------|
| <b>STREAK WALL LIGHT WHITE</b>                                                    |               |       |             |              |            |     |                         |       | <b>NEW</b> |
|  | 2255WL10 WW   | 10W   | 3000K       | >0.9         | 38°        | >80 | 1035.00                 | 01/20 |            |
|                                                                                   | 2255WL10 NW   | 10W   | 4000K       | >0.9         | 38°        | >80 | 1035.00                 | 01/20 |            |
|                                                                                   | 2255WL10 CW   | 10W   | 6500K       | >0.9         | 38°        | >80 | 1035.00                 | 01/20 |            |
|  | 2255WL20 WW   | 20W   | 3000K       | >0.9         | 38°        | >80 | 1400.00                 | 01/20 |            |
|                                                                                   | 2255WL20 NW   | 20W   | 4000K       | >0.9         | 38°        | >80 | 1400.00                 | 01/20 |            |
|                                                                                   | 2255WL20 CW   | 20W   | 6500K       | >0.9         | 38°        | >80 | 1400.00                 | 01/20 |            |
|  | 2255WL30 WW   | 30W   | 3000K       | >0.9         | 38°        | >80 | 1800.00                 | 01/20 |            |
|                                                                                   | 2255WL30 NW   | 30W   | 4000K       | >0.9         | 38°        | >80 | 1800.00                 | 01/20 |            |
|                                                                                   | 2255WL30 CW   | 30W   | 6500K       | >0.9         | 38°        | >80 | 1800.00                 | 01/20 |            |
| <b>STREAK WALL LIGHT BLACK</b>                                                    |               |       |             |              |            |     |                         |       | <b>NEW</b> |
|  | 2255WL10 B WW | 10W   | 3000K       | >0.9         | 38°        | >80 | 1035.00                 | 01/20 |            |
|                                                                                   | 2255WL10 B NW | 10W   | 4000K       | >0.9         | 38°        | >80 | 1035.00                 | 01/20 |            |
|                                                                                   | 2255WL10 B CW | 10W   | 6500K       | >0.9         | 38°        | >80 | 1035.00                 | 01/20 |            |
|  | 2255WL20 B WW | 20W   | 3000K       | >0.9         | 38°        | >80 | 1400.00                 | 01/20 |            |
|                                                                                   | 2255WL20 B NW | 20W   | 4000K       | >0.9         | 38°        | >80 | 1400.00                 | 01/20 |            |
|                                                                                   | 2255WL20 B CW | 20W   | 6500K       | >0.9         | 38°        | >80 | 1400.00                 | 01/20 |            |
|  | 2255WL30 B WW | 30W   | 3000K       | >0.9         | 38°        | >80 | 1800.00                 | 01/20 |            |
|                                                                                   | 2255WL30 B NW | 30W   | 4000K       | >0.9         | 38°        | >80 | 1800.00                 | 01/20 |            |
|                                                                                   | 2255WL30 B CW | 30W   | 6500K       | >0.9         | 38°        | >80 | 1800.00                 | 01/20 |            |



Introducing

SIGMA

RECESSED LINEAR LIGHT

## STYLE THAT LEAVES YOU SPELLBOUND.

Experience the perfect blend of performance and sustainability with Sigma Linear LED Lights. Designed to brighten up any environment while minimising energy consumption, these cutting-edge innovations offer an unparalleled lighting experience.



Aluminium  
Die-cast Body



Detachable  
Driver



Superior Surge  
Protection of 4KV



Wide voltage  
range 100-300V

|                                                                                   | Code           | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | List Price (₹) Per Unit | Pack  |
|-----------------------------------------------------------------------------------|----------------|-------|-------------|--------------|------------|-----|-----------|-------------|-------------------------|-------|
| <b>SIGMA RECESSED LINEAR LIGHT WHITE</b>                                          |                |       |             |              |            |     |           |             |                         |       |
|  | 2253LL06A WW   | 6W    | 3000K       | >0.9         | 38°        | >80 | 148*46*38 | 144*34      | 900.00                  | 01/20 |
|                                                                                   | 2253LL06A NW   | 6W    | 4000K       | >0.9         | 38°        | >80 | 148*46*38 | 144*34      | 900.00                  | 01/20 |
|                                                                                   | 2253LL06A CW   | 6W    | 6500K       | >0.9         | 38°        | >80 | 148*46*38 | 144*34      | 900.00                  | 01/20 |
|  | 2253LL12A WW   | 12W   | 3000K       | >0.9         | 38°        | >80 | 282*46*38 | 277*34      | 1400.00                 | 01/20 |
|                                                                                   | 2253LL12A NW   | 12W   | 4000K       | >0.9         | 38°        | >80 | 282*46*38 | 277*34      | 1400.00                 | 01/20 |
|                                                                                   | 2253LL12A CW   | 12W   | 6500K       | >0.9         | 38°        | >80 | 282*46*38 | 277*34      | 1400.00                 | 01/20 |
| <b>SIGMA RECESSED LINEAR LIGHT BLACK</b>                                          |                |       |             |              |            |     |           |             |                         |       |
|  | 2253LL06A B WW | 6W    | 3000K       | >0.9         | 38°        | >80 | 148*46*38 | 144*34      | 900.00                  | 01/20 |
|                                                                                   | 2253LL06A B NW | 6W    | 4000K       | >0.9         | 38°        | >80 | 148*46*38 | 144*34      | 900.00                  | 01/20 |
|                                                                                   | 2253LL06A B CW | 6W    | 6500K       | >0.9         | 38°        | >80 | 148*46*38 | 144*34      | 900.00                  | 01/20 |
|  | 2253LL12A B WW | 12W   | 3000K       | >0.9         | 38°        | >80 | 282*46*38 | 277*34      | 1400.00                 | 01/20 |
|                                                                                   | 2253LL12A B NW | 12W   | 4000K       | >0.9         | 38°        | >80 | 282*46*38 | 277*34      | 1400.00                 | 01/20 |
|                                                                                   | 2253LL12A B CW | 12W   | 6500K       | >0.9         | 38°        | >80 | 282*46*38 | 277*34      | 1400.00                 | 01/20 |

|                                                                                   | Code     | Power In | Model Name     | List Price (₹) Per Unit | Pack |
|-----------------------------------------------------------------------------------|----------|----------|----------------|-------------------------|------|
| <b>SIGMA DRIVER</b>                                                               |          |          |                |                         |      |
|  | 2253DR06 | 6W       | LED Driver 6W  |                         |      |
|                                                                                   | 2253DR12 | 12W      | LED Driver 12W |                         |      |

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY

ELEGANCE PAINTED BRIGHT.

**KOVE**

STRIP LIGHT

**GROOVE**

ROPE LIGHT

Light up every corner of your space with these incredible LED strip lights that lend superior brightness and the perfect touch of elegance to your interiors. Specifically designed to add to the style quotient of your spaces, these strips come with adhesive at the backside for easy application and are best used for background lighting or decorative lighting.



High  
Lumens



Beam  
Angle



5 Meters



IP20

INDEX 90

The KOVE logo is displayed in a stylized, orange, dotted font. To the left of the logo, there are several vertical white lines of varying heights, resembling a staircase or a modern architectural element.

STRIP LIGHT

## A SYMPHONY OF VIVID COLOURS.

Delight each part of your space with a world-class quality LED strip light that sets the mood right for every occasion. An ultimate piece of jewel for your interiors that offers efficient lighting while adding to the vibe of your décor.

AVAILABLE IN  
COOL WHITE, NATURAL WHITE,  
WARM WHITE, RED, GREEN,  
BLUE, PINK, ICE BLUE &  
3-IN-1 TUNABLE

|                                                                                    | Code                         | Power<br>5 Mtr | No. of LED<br>Per Mtr | Colour<br>Temp | Lumens<br>Per LED | Input<br>Voltage | CRI | List Price (₹)<br>Per Unit | Length<br>In Mtr | Pack  |
|------------------------------------------------------------------------------------|------------------------------|----------------|-----------------------|----------------|-------------------|------------------|-----|----------------------------|------------------|-------|
| <b>KOVE STRIP LIGHT IP20 SMD 2835</b>                                              |                              |                |                       |                |                   |                  |     |                            |                  |       |
|    | 2218SP30 WW                  | 30W            | 60                    | 3000K          | 23                | 12V              | >80 | 565.00                     | 5                | 01/40 |
|                                                                                    | 2218SP30 NW                  | 30W            | 60                    | 4000K          | 23                | 12V              | >80 | 565.00                     | 5                | 01/40 |
|                                                                                    | 2218SP30 CW                  | 30W            | 60                    | 6500K          | 23                | 12V              | >80 | 565.00                     | 5                | 01/40 |
|    | 2218SP30 RD                  | 30W            | 60                    | Red            | 23                | 12V              | >80 | 600.00                     | 5                | 01/40 |
|                                                                                    | 2218SP30 GN                  | 30W            | 60                    | Green          | 23                | 12V              | >80 | 600.00                     | 5                | 01/40 |
|                                                                                    | 2218SP30 BE                  | 30W            | 60                    | Blue           | 23                | 12V              | >80 | 600.00                     | 5                | 01/40 |
|                                                                                    | 2218SP30 PK                  | 30W            | 60                    | Pink           | 23                | 12V              | >80 | 620.00                     | 5                | 01/40 |
|                                                                                    | 2218SP30 IE                  | 30W            | 60                    | Ice Blue       | 23                | 12V              | >80 | 620.00                     | 5                | 01/40 |
|    | 2218SP60 WW                  | 60W            | 120                   | 3000K          | 23                | 12V              | >80 | 800.00                     | 5                | 01/40 |
|                                                                                    | 2218SP60 NW                  | 60W            | 120                   | 4000K          | 23                | 12V              | >80 | 800.00                     | 5                | 01/40 |
|                                                                                    | 2218SP60 CW                  | 60W            | 120                   | 6500K          | 23                | 12V              | >80 | 800.00                     | 5                | 01/40 |
|    | 2218SP60 RD                  | 60W            | 120                   | Red            | 23                | 12V              | >80 | 860.00                     | 5                | 01/40 |
|                                                                                    | 2218SP60 GN                  | 60W            | 120                   | Green          | 23                | 12V              | >80 | 860.00                     | 5                | 01/40 |
|                                                                                    | 2218SP60 BE                  | 60W            | 120                   | Blue           | 23                | 12V              | >80 | 860.00                     | 5                | 01/40 |
|                                                                                    | 2218SP60 PK                  | 60W            | 120                   | Pink           | 23                | 12V              | >80 | 900.00                     | 5                | 01/40 |
|                                                                                    | 2218SP60 WW                  | 60W            | 240                   | 3000K          | 23                | 12V              | >80 | 1150.00                    | 5                | 01/40 |
|    | 2218SP60 NW                  | 60W            | 240                   | 4000K          | 23                | 12V              | >80 | 1150.00                    | 5                | 01/40 |
|                                                                                    | 2218SP60 CW                  | 60W            | 240                   | 6500K          | 23                | 12V              | >80 | 1150.00                    | 5                | 01/40 |
| <b>KOVE DELUXE STRIP LIGHT IP20 SMD 2835</b>                                       |                              |                |                       |                |                   |                  |     |                            |                  |       |
|   | 2242SP60 WW                  | 60W            | 120                   | 3000K          | 26                | 12V              | >80 | 935.00                     | 5                | 01/40 |
|                                                                                    | 2242SP60 NW                  | 60W            | 120                   | 4000K          | 26                | 12V              | >80 | 935.00                     | 5                | 01/40 |
|                                                                                    | 2242SP60 CW                  | 60W            | 120                   | 6500K          | 26                | 12V              | >80 | 935.00                     | 5                | 01/40 |
|  | 2242SP85 WW                  | 85W            | 168                   | 3000K          | 26                | 12V              | >80 | 1235.00                    | 5                | 01/40 |
|                                                                                    | 2242SP85 NW                  | 85W            | 168                   | 4000K          | 26                | 12V              | >80 | 1235.00                    | 5                | 01/40 |
|                                                                                    | 2242SP85 CW                  | 85W            | 168                   | 6500K          | 26                | 12V              | >80 | 1235.00                    | 5                | 01/40 |
| <b>KOVE ULTRA STRIP LIGHT IP20 SMD 2835</b>                                        |                              |                |                       |                |                   |                  |     |                            |                  |       |
|  | 2219SP60 3-in-1<br>(Tunable) | 60W            | 120                   | 3000K          | 26                | 12V              | >80 | 960.00                     | 5                | 01/40 |
|                                                                                    |                              |                |                       | 4000K          |                   |                  |     |                            |                  |       |
|                                                                                    |                              |                |                       | 6500K          |                   |                  |     |                            |                  |       |
|  | 2219SP90 WW                  | 90W            | 180                   | 3000K          | 26                | 12V              | >80 | 1315.00                    | 5                | 01/40 |
|                                                                                    | 2219SP90 NW                  | 90W            | 180                   | 4000K          | 26                | 12V              | >80 | 1315.00                    | 5                | 01/40 |
|                                                                                    | 2219SP90 CW                  | 90W            | 180                   | 6500K          | 26                | 12V              | >80 | 1315.00                    | 5                | 01/40 |
|  | 2219SP105 WW                 | 105W           | 240                   | 3000K          | 26                | 12V              | >80 | 1540.00                    | 5                | 01/40 |
|                                                                                    | 2219SP105 NW                 | 105W           | 240                   | 4000K          | 26                | 12V              | >80 | 1540.00                    | 5                | 01/40 |
|                                                                                    | 2219SP105 CW                 | 105W           | 240                   | 6500K          | 26                | 12V              | >80 | 1540.00                    | 5                | 01/40 |

| Code | Power In | Model Name | List Price (₹)<br>Per Unit | Pack |
|------|----------|------------|----------------------------|------|
|------|----------|------------|----------------------------|------|

### KOVE STRIP LIGHT DRIVER

|                                                                                     |          |     |                |        |       |
|-------------------------------------------------------------------------------------|----------|-----|----------------|--------|-------|
|  | 2219DR24 | 24W | LED Driver 24W | 420.00 | 01/72 |
|-------------------------------------------------------------------------------------|----------|-----|----------------|--------|-------|

### KOVE STRIP LIGHT DRIVER (ALUMINIUM)

|                                                                                     |           |      |                 |         |       |
|-------------------------------------------------------------------------------------|-----------|------|-----------------|---------|-------|
|  | 2218DR60  | 60W  | LED Driver 60W  | 880.00  | 01/48 |
|  | 2218DR120 | 120W | LED Driver 120W | 1640.00 | 01/24 |

| Code | Model Name | List Price (₹)<br>Per Unit | Pack |
|------|------------|----------------------------|------|
|------|------------|----------------------------|------|

### RF REMOTE CONTROLLER

|                                                                                     |               |                                    |         |    |
|-------------------------------------------------------------------------------------|---------------|------------------------------------|---------|----|
|  | 2219RE 3-in-1 | Kove RF Remote Controller & Remote | 2640.00 | 01 |
|-------------------------------------------------------------------------------------|---------------|------------------------------------|---------|----|

## LIGHT UP YOUR LIFE WITH GROOVE.

Introducing GROOVE the LED Rope Light that  
will brighten up any space. Get ready to shine.



### AVAILABLE IN DIFFERENT COLOURS



Cool  
White



Natural  
White



Warm  
White



Red



Green



Blue



Pink



Ice Blue



Orange

|                                                                                   | Code         | Power<br>1 Mtr | No. of LED<br>Per Mtr | Colour<br>Temp           | Input<br>Voltage | CRI | List Price (₹)<br>Per Unit | Length<br>In Mtr | Pack  |
|-----------------------------------------------------------------------------------|--------------|----------------|-----------------------|--------------------------|------------------|-----|----------------------------|------------------|-------|
| <b>GROOVE ROPE LIGHT IP65 SMD 2835</b>                                            |              |                |                       |                          |                  |     |                            |                  |       |
|  | 2250RL08 WW  | 8W             | 120                   | 3000K                    | 220V~            | >80 | 9500.00                    | 50               | 01/02 |
|                                                                                   | 2250RL08 NW  | 8W             | 120                   | 4000K                    | 220V~            | >80 | 9500.00                    | 50               | 01/02 |
|                                                                                   | 2250RL08 CW  | 8W             | 120                   | 6500K                    | 220V~            | >80 | 9500.00                    | 50               | 01/02 |
|  | 2250RL08 RD  | 8W             | 120                   | Red                      | 220V~            | >80 | 9950.00                    | 50               | 01/02 |
|                                                                                   | 2250RL08 GN  | 8W             | 120                   | Green                    | 220V~            | >80 | 9950.00                    | 50               | 01/02 |
|                                                                                   | 2250RL08 BE  | 8W             | 120                   | Blue                     | 220V~            | >80 | 9950.00                    | 50               | 01/02 |
|                                                                                   | 2250RL08 PK  | 8W             | 120                   | Pink                     | 220V~            | >80 | 9950.00                    | 50               | 01/02 |
|                                                                                   | 2250RL08 OE  | 8W             | 120                   | Orange                   | 220V~            | >80 | 9950.00                    | 50               | 01/02 |
|                                                                                   | 2250RL08 IE  | 8W             | 120                   | Ice Blue                 | 220V~            | >80 | 9950.00                    | 50               | 01/02 |
| <b>GROOVE TIRANGA ROPE LIGHT IP65 SMD 2835</b>                                    |              |                |                       |                          |                  |     |                            |                  |       |
|  | 2250RL08 TRI | 8W             | 120                   | Orange<br>White<br>Green | 220V~            | >80 | 3600.00                    | 18               | 01/02 |

|                                                                                    | Code     | Product     | Input Voltage | List Price (₹)<br>Per Unit | Pack  |
|------------------------------------------------------------------------------------|----------|-------------|---------------|----------------------------|-------|
| <b>GROOVE ROPE LIGHT ADAPTOR KIT</b>                                               |          |             |               |                            |       |
|  | 2250C001 | Adaptor Kit | 220 - 240V~   | 280.00                     | 01/20 |

|                                                                                     |          |           |             |  |  |
|-------------------------------------------------------------------------------------|----------|-----------|-------------|--|--|
| <b>GROOVE ROPE LIGHT CONNECTOR</b>                                                  |          |           |             |  |  |
|  | 2250C002 | Connector | 220 - 240V~ |  |  |





WHERE LIGHT  
MEETS LIMITLESS  
POSSIBILITIES.

---



KEETO  
INVERTER BULB

## CRAFTING MOODS WITH A GLOW.

A one-of-a-kind offering from the house of Kolors, these inverter bulbs with turbocharger are a piece of accessory that every space must have. Designed to uniformly light up your spaces with unmatched radiance, these bulbs are sturdy and offer world-class quality.



**RATED LIFE**  
**30000 HOURS\***



**Turb**charge

Charging Time: 4-6 Hours



**10W**



Superior Surge  
Protection of 4KV



Wide voltage  
range 100-300V

|                                                                                     | Code                   | Power                | Colour Temp | Power Factor | Beam Angle              | CRI | List Price (₹) Per Unit | Pack   |
|-------------------------------------------------------------------------------------|------------------------|----------------------|-------------|--------------|-------------------------|-----|-------------------------|--------|
| KEETO BULB - B22                                                                    |                        |                      |             |              |                         |     |                         |        |
|    | 2204BU03 WW            | 3W                   | 3000K       | >0.9         | 180°                    | >80 | 170.00                  | 10/90  |
|                                                                                     | 2204BU03 NW            | 3W                   | 4000K       | >0.9         | 180°                    | >80 | 170.00                  | 10/90  |
|                                                                                     | 2204BU03 CW            | 3W                   | 6500K       | >0.9         | 180°                    | >80 | 170.00                  | 10/90  |
|    | 2204BU05 WW            | 5W                   | 3000K       | >0.9         | 180°                    | >80 | 170.00                  | 50/200 |
|                                                                                     | 2204BU05 CW            | 5W                   | 6500K       | >0.9         | 180°                    | >80 | 170.00                  | 50/200 |
|    | 2204BU07 WW            | 7W                   | 3000K       | >0.9         | 180°                    | >80 | 175.00                  | 50/200 |
|                                                                                     | 2204BU07 CW            | 7W                   | 6500K       | >0.9         | 180°                    | >80 | 175.00                  | 50/200 |
|    | 2204BU09 WW            | 9W                   | 3000K       | >0.9         | 180°                    | >80 | 185.00                  | 50/200 |
|                                                                                     | 2204BU09 NW            | 9W                   | 4000K       | >0.9         | 180°                    | >80 | 185.00                  | 50/200 |
|                                                                                     | 2204BU09 CW            | 9W                   | 6500K       | >0.9         | 180°                    | >80 | 185.00                  | 50/200 |
|    | 2204BU12 WW            | 12W                  | 3000K       | >0.9         | 180°                    | >80 | 325.00                  | 10/60  |
|                                                                                     | 2204BU12 CW            | 12W                  | 6500K       | >0.9         | 180°                    | >80 | 325.00                  | 10/60  |
|    | 2204BU15 WW            | 15W                  | 3000K       | >0.9         | 180°                    | >80 | 390.00                  | 10/60  |
|                                                                                     | 2204BU15 CW            | 15W                  | 6500K       | >0.9         | 180°                    | >80 | 390.00                  | 10/60  |
|    | 2204BU18 WW            | 18W                  | 3000K       | >0.9         | 180°                    | >80 | 475.00                  | 10/60  |
|                                                                                     | 2204BU18 CW            | 18W                  | 6500K       | >0.9         | 180°                    | >80 | 475.00                  | 10/60  |
|    | 2204BU20 WW            | 20W                  | 3000K       | >0.9         | 180°                    | >80 | 575.00                  | 10/60  |
|                                                                                     | 2204BU20 CW            | 20W                  | 6500K       | >0.9         | 180°                    | >80 | 575.00                  | 10/60  |
|    | 2204BU23 WW            | 23W                  | 3000K       | >0.9         | 180°                    | >80 | 650.00                  | 10/30  |
|                                                                                     | 2204BU23 CW            | 23W                  | 6500K       | >0.9         | 180°                    | >80 | 650.00                  | 10/30  |
|   | 2204BU30 WW            | 30W                  | 3000K       | >0.9         | 180°                    | >80 | 900.00                  | 01/20  |
|                                                                                     | 2204BU30 CW            | 30W                  | 6500K       | >0.9         | 180°                    | >80 | 900.00                  | 01/20  |
|  | 2204BU40 WW            | 40W                  | 3000K       | >0.9         | 180°                    | >80 | 1125.00                 | 01/12  |
|                                                                                     | 2204BU40 CW            | 40W                  | 6500K       | >0.9         | 180°                    | >80 | 1125.00                 | 01/12  |
|  | 2204BU50 WW            | 50W                  | 3000K       | >0.9         | 180°                    | >80 | 1325.00                 | 01/12  |
|                                                                                     | 2204BU50 CW            | 50W                  | 6500K       | >0.9         | 180°                    | >80 | 1325.00                 | 01/12  |
| NANO NIGHT LAMP - B22                                                               |                        |                      |             |              |                         |     |                         |        |
|  | 2204BU00 WE            | 0.5W                 | White       | >0.9         | 180°                    | >80 | 70.00                   | 06/60  |
|                                                                                     | 2204BU00 YW            | 0.5W                 | Yellow      | >0.9         | 180°                    | >80 | 70.00                   | 06/60  |
|                                                                                     | 2204BU00 RD            | 0.5W                 | Red         | >0.9         | 180°                    | >80 | 70.00                   | 06/60  |
|                                                                                     | 2204BU00 PK            | 0.5W                 | Pink        | >0.9         | 180°                    | >80 | 70.00                   | 06/60  |
|                                                                                     | 2204BU00 GN            | 0.5W                 | Green       | >0.9         | 180°                    | >80 | 70.00                   | 06/60  |
|                                                                                     | 2204BU00 OE            | 0.5W                 | Orange      | >0.9         | 180°                    | >80 | 70.00                   | 06/60  |
|                                                                                     | 2204BU00 BE            | 0.5W                 | Blue        | >0.9         | 180°                    | >80 | 70.00                   | 06/60  |
|                                                                                     | 2204BU00 WW            | 0.5W                 | 3000K       | >0.9         | 180°                    | >80 | 70.00                   | 06/60  |
| TEENY 2 PIN BULB                                                                    |                        |                      |             |              |                         |     |                         |        |
|  | 2249PB00 WE            | 0.5W                 | White       | >0.9         | 180°                    | >80 | 90.00                   | 06/60  |
|                                                                                     | 2249PB00 YW            | 0.5W                 | Yellow      | >0.9         | 180°                    | >80 | 90.00                   | 06/60  |
|                                                                                     | 2249PB00 RD            | 0.5W                 | Red         | >0.9         | 180°                    | >80 | 90.00                   | 06/60  |
|                                                                                     | 2249PB00 PK            | 0.5W                 | Pink        | >0.9         | 180°                    | >80 | 90.00                   | 06/60  |
|                                                                                     | 2249PB00 GN            | 0.5W                 | Green       | >0.9         | 180°                    | >80 | 90.00                   | 06/60  |
|                                                                                     | 2249PB00 OE            | 0.5W                 | Orange      | >0.9         | 180°                    | >80 | 90.00                   | 06/60  |
|                                                                                     | 2249PB00 BE            | 0.5W                 | Blue        | >0.9         | 180°                    | >80 | 90.00                   | 06/60  |
|                                                                                     | 2249PB00 WW            | 0.5W                 | 3000K       | >0.9         | 180°                    | >80 | 90.00                   | 06/60  |
| KEETO INVERTER BULB - B22                                                           |                        |                      |             |              |                         |     |                         |        |
|  | 2204IB09 CW            | 9W                   | 6500K       | >0.9         | 180°                    | >80 | 750.00                  | 01/50  |
|  | <b>NEW</b> 2204IB10 CW | 10W                  | 6500K       | >0.9         | 180°                    | >80 | 800.00                  | 01/50  |
|  | <b>NEW</b> 2204IB15 CW | 15W                  | 6500K       | >0.9         | 180°                    | >80 | 1150.00                 | 01/40  |
|                                                                                     | Code                   | Product              |             |              | List Price (₹) Per Unit |     |                         | Pack   |
| INVERTER BULB HOLDER                                                                |                        |                      |             |              |                         |     |                         |        |
|  | 2204LH                 | Inverter Bulb Holder |             |              |                         |     | 22.00                   |        |

\*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.  
 Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).



# KEETO

E-27 BULB

## FUSING ARTISTRY WITH A TOUCH OF TECHNOLOGY.

A revolutionary lighting solution designed to illuminate your life with eco-friendly brilliance. This advanced LED bulb not only provides bright and energy-efficient lighting but also ensures uniform lighting, making it the perfect addition to your spaces.



|                                                                                    | Code        | Power | Colour Temp | Power Factor | Beam Angle | CRI | List Price (₹) Per Unit | Pack  |
|------------------------------------------------------------------------------------|-------------|-------|-------------|--------------|------------|-----|-------------------------|-------|
| <b>KEETO BULB - E27 (SCREW TYPE)</b>                                               |             |       |             |              |            |     |                         |       |
|   | 2204BS03 WW | 3W    | 3000K       | >0.9         | 180°       | >80 | 180.00                  | 10/90 |
|                                                                                    | 2204BS03 NW | 3W    | 4000K       | >0.9         | 180°       | >80 | 180.00                  | 10/90 |
|                                                                                    | 2204BS03 CW | 3W    | 6500K       | >0.9         | 180°       | >80 | 180.00                  | 10/90 |
|   | 2204BS05 WW | 5W    | 3000K       | >0.9         | 180°       | >80 | 180.00                  | 10/90 |
|                                                                                    | 2204BS05 NW | 5W    | 4000K       | >0.9         | 180°       | >80 | 180.00                  | 10/90 |
|                                                                                    | 2204BS05 CW | 5W    | 6500K       | >0.9         | 180°       | >80 | 180.00                  | 10/90 |
|   | 2204BS07 WW | 7W    | 3000K       | >0.9         | 180°       | >80 | 185.00                  | 10/90 |
|                                                                                    | 2204BS07 CW | 7W    | 6500K       | >0.9         | 180°       | >80 | 185.00                  | 10/90 |
|   | 2204BS09 WW | 9W    | 3000K       | >0.9         | 180°       | >80 | 195.00                  | 10/90 |
|                                                                                    | 2204BS09 NW | 9W    | 4000K       | >0.9         | 180°       | >80 | 195.00                  | 10/90 |
|                                                                                    | 2204BS09 CW | 9W    | 6500K       | >0.9         | 180°       | >80 | 195.00                  | 10/90 |
|   | 2204BS12 WW | 12W   | 3000K       | >0.9         | 180°       | >80 | 350.00                  | 10/60 |
|                                                                                    | 2204BS12 NW | 12W   | 4000K       | >0.9         | 180°       | >80 | 350.00                  | 10/60 |
|                                                                                    | 2204BS12 CW | 12W   | 6500K       | >0.9         | 180°       | >80 | 350.00                  | 10/60 |
|   | 2204BS30 WW | 30W   | 3000K       | >0.9         | 180°       | >80 | 950.00                  | 01/20 |
|                                                                                    | 2204BS30 NW | 30W   | 4000K       | >0.9         | 180°       | >80 | 950.00                  | 01/20 |
|                                                                                    | 2204BS30 CW | 30W   | 6500K       | >0.9         | 180°       | >80 | 950.00                  | 01/20 |
|   | 2204BS40 WW | 40W   | 3000K       | >0.9         | 180°       | >80 | 1200.00                 | 01/12 |
|                                                                                    | 2204BS40 NW | 40W   | 4000K       | >0.9         | 180°       | >80 | 1200.00                 | 01/12 |
|                                                                                    | 2204BS40 CW | 40W   | 6500K       | >0.9         | 180°       | >80 | 1200.00                 | 01/12 |
|  | 2204BS50 WW | 50W   | 3000K       | >0.9         | 180°       | >80 | 1425.00                 | 01/12 |
|                                                                                    | 2204BS50 NW | 50W   | 4000K       | >0.9         | 180°       | >80 | 1425.00                 | 01/12 |
|                                                                                    | 2204BS50 CW | 50W   | 6500K       | >0.9         | 180°       | >80 | 1425.00                 | 01/12 |

\*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.  
 Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY



KATE  
T-BULB

TRANSFORM  
YOUR SPACE  
WITH LED BULBS.



ka<sup>o</sup>dle  
BULB


Transform your space with LED bulbs that are high on radiance and functionality. Our LED bulbs are modern, elegant, and comfortable, offering you brightness and eye-friendliness. Our LED bulbs are also durable, energy-efficient, and adjustable, giving you the freedom to turn them in any direction.



|                                                                                     | Code        | Power | Colour Temp | Power Factor | Beam Angle | CRI | List Price (₹) Per Unit | Pack   |            |
|-------------------------------------------------------------------------------------|-------------|-------|-------------|--------------|------------|-----|-------------------------|--------|------------|
| <b>KANDLE BULB - E27 (SCREW TYPE)</b>                                               |             |       |             |              |            |     |                         |        | <b>NEW</b> |
|    | 2228BS03 WW | 3W    | 3000K       | >0.9         | 180°       | >80 | 195.00                  | 10/200 |            |
|                                                                                     | 2228BS03 NW | 3W    | 4000K       | >0.9         | 180°       | >80 | 195.00                  | 10/200 |            |
|                                                                                     | 2228BS03 CW | 3W    | 6500K       | >0.9         | 180°       | >80 | 195.00                  | 10/200 |            |
|    | 2228BS03 RD | 3W    | Red         | >0.9         | 180°       | >80 | 225.00                  | 10/200 | <b>NEW</b> |
|                                                                                     | 2228BS03 GN | 3W    | Green       | >0.9         | 180°       | >80 | 225.00                  | 10/200 |            |
|                                                                                     | 2228BS03 BE | 3W    | Blue        | >0.9         | 180°       | >80 | 225.00                  | 10/200 |            |
|                                                                                     | 2228BS03 PK | 3W    | Pink        | >0.9         | 180°       | >80 | 225.00                  | 10/200 |            |
|    | 2228BS05 WW | 5W    | 3000K       | >0.9         | 180°       | >80 | 200.00                  | 10/200 |            |
|                                                                                     | 2228BS05 NW | 5W    | 4000K       | >0.9         | 180°       | >80 | 200.00                  | 10/200 |            |
|                                                                                     | 2228BS05 CW | 5W    | 6500K       | >0.9         | 180°       | >80 | 200.00                  | 10/200 |            |
| <b>KANDLE BULB - E14 (SCREW TYPE)</b>                                               |             |       |             |              |            |     |                         |        | <b>NEW</b> |
|    | 2225BS03 WW | 3W    | 3000K       | >0.9         | 180°       | >80 | 220.00                  | 10/200 |            |
|                                                                                     | 2225BS03 NW | 3W    | 4000K       | >0.9         | 180°       | >80 | 220.00                  | 10/200 |            |
|                                                                                     | 2225BS03 CW | 3W    | 6500K       | >0.9         | 180°       | >80 | 220.00                  | 10/200 |            |
|    | 2225BS03 RD | 3W    | Red         | >0.9         | 180°       | >80 | 230.00                  | 10/200 | <b>NEW</b> |
|                                                                                     | 2225BS03 GN | 3W    | Green       | >0.9         | 180°       | >80 | 230.00                  | 10/200 |            |
|                                                                                     | 2225BS03 BE | 3W    | Blue        | >0.9         | 180°       | >80 | 230.00                  | 10/200 |            |
|                                                                                     | 2225BS03 PK | 3W    | Pink        | >0.9         | 180°       | >80 | 230.00                  | 10/200 |            |
|    | 2225BS05 WW | 5W    | 3000K       | >0.9         | 180°       | >80 | 225.00                  | 10/200 |            |
|                                                                                     | 2225BS05 NW | 5W    | 4000K       | >0.9         | 180°       | >80 | 225.00                  | 10/200 |            |
|                                                                                     | 2225BS05 CW | 5W    | 6500K       | >0.9         | 180°       | >80 | 225.00                  | 10/200 |            |
| <b>KANDLE BULB - B22</b>                                                            |             |       |             |              |            |     |                         |        | <b>NEW</b> |
|  | 2228BU03 WW | 3W    | 3000K       | >0.9         | 180°       | >80 | 210.00                  | 10/200 |            |
|                                                                                     | 2228BU03 NW | 3W    | 4000K       | >0.9         | 180°       | >80 | 210.00                  | 10/200 |            |
|                                                                                     | 2228BU03 CW | 3W    | 6500K       | >0.9         | 180°       | >80 | 210.00                  | 10/200 |            |
|  | 2228BU03 RD | 3W    | Red         | >0.9         | 180°       | >80 | 220.00                  | 10/200 | <b>NEW</b> |
|                                                                                     | 2228BU03 GN | 3W    | Green       | >0.9         | 180°       | >80 | 220.00                  | 10/200 |            |
|                                                                                     | 2228BU03 BE | 3W    | Blue        | >0.9         | 180°       | >80 | 220.00                  | 10/200 |            |
|                                                                                     | 2228BU03 PK | 3W    | Pink        | >0.9         | 180°       | >80 | 220.00                  | 10/200 |            |
|  | 2228BU05 WW | 5W    | 3000K       | >0.9         | 180°       | >80 | 215.00                  | 10/200 |            |
|                                                                                     | 2228BU05 NW | 5W    | 4000K       | >0.9         | 180°       | >80 | 215.00                  | 10/200 |            |
|                                                                                     | 2228BU05 CW | 5W    | 6500K       | >0.9         | 180°       | >80 | 215.00                  | 10/200 |            |
|  | 2228BU05 RD | 5W    | Red         | >0.9         | 180°       | >80 | 225.00                  | 10/200 |            |
|                                                                                     | 2228BU05 GN | 5W    | Green       | >0.9         | 180°       | >80 | 225.00                  | 10/200 |            |
|                                                                                     | 2228BU05 BE | 5W    | Blue        | >0.9         | 180°       | >80 | 225.00                  | 10/200 |            |
|                                                                                     | 2228BU05 PK | 5W    | Pink        | >0.9         | 180°       | >80 | 225.00                  | 10/200 |            |
| <b>KATE T-BULB - B22</b>                                                            |             |       |             |              |            |     |                         |        |            |
|  | 2417TB10 WW | 10W   | 3000K       | >0.9         | 120°       | >80 | 375.00                  | 10/200 |            |
|                                                                                     | 2417TB10 CW | 10W   | 6500K       | >0.9         | 120°       | >80 | 375.00                  | 10/200 |            |

\*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.  
 Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).





**KBALL**  
FULL DOME BULB

LIGHTING THE  
WAY FORWARD  
WITH LED  
INNOVATION.



Delight your spaces with radiance that's uniform, bright and long-lasting. A reflection of finesse and impeccable style, these bulbs are brought to life to complement your stunning interiors and your exceptional taste.

**KGLOW**  
FULL DOME BULB



|                                                                                     | Code                   | Power | Colour Temp | Power Factor | Beam Angle | CRI | List Price (₹) Per Unit | Pack   |
|-------------------------------------------------------------------------------------|------------------------|-------|-------------|--------------|------------|-----|-------------------------|--------|
| <b>KBALL FULL DOME BULB - B22</b>                                                   |                        |       |             |              |            |     |                         |        |
|    | 2230BU05 WW            | 5W    | 3000K       | >0.9         | 240°       | >80 | 160.00                  | 01/200 |
|                                                                                     | 2230BU05 NW            | 5W    | 4000K       | >0.9         | 240°       | >80 | 160.00                  | 01/200 |
|                                                                                     | 2230BU05 CW            | 5W    | 6500K       | >0.9         | 240°       | >80 | 160.00                  | 01/200 |
|    | 2230BU07 WW            | 7W    | 3000K       | >0.9         | 240°       | >80 | 165.00                  | 01/200 |
|                                                                                     | 2230BU07 CW            | 7W    | 6500K       | >0.9         | 240°       | >80 | 165.00                  | 01/200 |
|    | 2230BU09 WW            | 9W    | 3000K       | >0.9         | 240°       | >80 | 175.00                  | 01/200 |
|                                                                                     | 2230BU09 NW            | 9W    | 4000K       | >0.9         | 240°       | >80 | 175.00                  | 01/200 |
|                                                                                     | 2230BU09 CW            | 9W    | 6500K       | >0.9         | 240°       | >80 | 175.00                  | 01/200 |
|    | 2230BU09 RD            | 9W    | Red         | >0.9         | 240°       | >80 | 190.00                  | 01/200 |
|                                                                                     | 2230BU09 GN            | 9W    | Green       | >0.9         | 240°       | >80 | 190.00                  | 01/200 |
|                                                                                     | 2230BU09 BE            | 9W    | Blue        | >0.9         | 240°       | >80 | 190.00                  | 01/200 |
|                                                                                     | 2230BU09 PK            | 9W    | Pink        | >0.9         | 240°       | >80 | 190.00                  | 01/200 |
|                                                                                     | 2230BU09 OE            | 9W    | Orange      | >0.9         | 240°       | >80 | 190.00                  | 01/200 |
|    | 2230BU12 WW            | 12W   | 3000K       | >0.9         | 240°       | >80 | 295.00                  | 01/90  |
|                                                                                     | 2230BU12 NW            | 12W   | 4000K       | >0.9         | 240°       | >80 | 295.00                  | 01/90  |
|                                                                                     | 2230BU12 CW            | 12W   | 6500K       | >0.9         | 240°       | >80 | 295.00                  | 01/90  |
|    | 2230BU15 WW            | 15W   | 3000K       | >0.9         | 240°       | >80 | 350.00                  | 01/90  |
|                                                                                     | 2230BU15 CW            | 15W   | 6500K       | >0.9         | 240°       | >80 | 350.00                  | 01/90  |
|    | 2230BU18 WW            | 18W   | 3000K       | >0.9         | 240°       | >80 | 450.00                  | 01/60  |
|                                                                                     | 2230BU18 CW            | 18W   | 6500K       | >0.9         | 240°       | >80 | 450.00                  | 01/60  |
|   | 2230BU20 WW            | 20W   | 3000K       | >0.9         | 240°       | >80 | 540.00                  | 01/60  |
|                                                                                     | 2230BU20 CW            | 20W   | 6500K       | >0.9         | 240°       | >80 | 540.00                  | 01/60  |
|  | 2230BU25 WW            | 25W   | 3000K       | >0.9         | 240°       | >80 | 650.00                  | 01/30  |
|                                                                                     | 2230BU25 CW            | 25W   | 6500K       | >0.9         | 240°       | >80 | 650.00                  | 01/30  |
|  | 2230BU30 WW            | 30W   | 3000K       | >0.9         | 240°       | >80 | 850.00                  | 01/20  |
|                                                                                     | 2230BU30 CW            | 30W   | 6500K       | >0.9         | 240°       | >80 | 850.00                  | 01/20  |
|  | 2230BU40 WW            | 40W   | 3000K       | >0.9         | 240°       | >80 | 1075.00                 | 01/12  |
|                                                                                     | 2230BU40 CW            | 40W   | 6500K       | >0.9         | 240°       | >80 | 1075.00                 | 01/12  |
|  | 2230BU50 WW            | 50W   | 3000K       | >0.9         | 240°       | >80 | 1250.00                 | 01/12  |
|                                                                                     | 2230BU50 CW            | 50W   | 6500K       | >0.9         | 240°       | >80 | 1250.00                 | 01/12  |
|  | 2230BU60 WW            | 60W   | 3000K       | >0.9         | 240°       | >80 | 1500.00                 | 01/12  |
|                                                                                     | 2230BU60 CW            | 60W   | 6500K       | >0.9         | 240°       | >80 | 1500.00                 | 01/12  |
| <b>KGLOW FULL DOME BULB - B22</b>                                                   |                        |       |             |              |            |     |                         |        |
|  | <b>NEW</b> 2246BU03 WW | 3W    | 3000K       | >0.9         | 240°       | >80 | 160.00                  | 01/200 |
|                                                                                     | 2246BU03 CW            | 3W    | 6500K       | >0.9         | 240°       | >80 | 160.00                  | 01/200 |
|  | 2246BU05 WW            | 5W    | 3000K       | >0.9         | 240°       | >80 | 160.00                  | 01/200 |
|                                                                                     | 2246BU05 CW            | 5W    | 6500K       | >0.9         | 240°       | >80 | 160.00                  | 01/200 |
|  | 2246BU07 WW            | 7W    | 3000K       | >0.9         | 240°       | >80 | 165.00                  | 01/200 |
|                                                                                     | 2246BU07 CW            | 7W    | 6500K       | >0.9         | 240°       | >80 | 165.00                  | 01/200 |
|  | 2246BU09 RD            | 9W    | Red         | >0.9         | 240°       | >80 | 185.00                  | 01/200 |
|                                                                                     | 2246BU09 GN            | 9W    | Green       | >0.9         | 240°       | >80 | 185.00                  | 01/200 |
|                                                                                     | 2246BU09 BE            | 9W    | Blue        | >0.9         | 240°       | >80 | 185.00                  | 01/200 |
|                                                                                     | 2246BU09 PK            | 9W    | Pink        | >0.9         | 240°       | >80 | 185.00                  | 01/200 |
|                                                                                     | 2246BU09 OE            | 9W    | Orange      | >0.9         | 240°       | >80 | 185.00                  | 01/200 |


\*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.  
 Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).





BRING ALIVE THE  
MAGIC OF MODERN  
AESTHETICS.

KARIS  
NYX  
MAJESTY  
VIVID  
KOMET



Oval Shape

## REDEFINING SMART LIGHTING.

Enjoy unvarying illumination across spaces and save on your energy bills too.

In addition, being lightweight, you don't need much manpower or accessories to fix these lights. Komet batten made with aluminium material is crafted to enrich your decor, these lights celebrate the very joy of life. The unique oval shape of Kosmik batten is sleek and easy to install.



Aluminium Body

|                                                                                     | Code           | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | List Price (₹) Per Unit | Pack  |            |
|-------------------------------------------------------------------------------------|----------------|-------|-------------|--------------|------------|-----|-----------|-------------------------|-------|------------|
| <b>KARIS BATTEN LIGHT</b>                                                           |                |       |             |              |            |     |           |                         |       | <b>NEW</b> |
|    | 2402BA36 WW    | 36W   | 3000K       | >0.9         | 120°       | >80 | 1130      | 650.00                  | 01/20 |            |
|                                                                                     | 2402BA36 NW    | 36W   | 4000K       | >0.9         | 120°       | >80 | 1130      | 650.00                  | 01/20 |            |
|                                                                                     | 2402BA36 CW    | 36W   | 6500K       | >0.9         | 120°       | >80 | 1130      | 650.00                  | 01/20 |            |
| <b>NYX BATTEN LIGHT</b>                                                             |                |       |             |              |            |     |           |                         |       | <b>NEW</b> |
|    | 2431BA24 WW    | 24W   | 3000K       | >0.9         | 120°       | >80 | 1120      | 550.00                  | 01/25 |            |
|                                                                                     | 2431BA24 NW    | 24W   | 4000K       | >0.9         | 120°       | >80 | 1120      | 550.00                  | 01/25 |            |
|                                                                                     | 2431BA24 CW    | 24W   | 6500K       | >0.9         | 120°       | >80 | 1120      | 550.00                  | 01/25 |            |
| <b>MAJESTY BATTEN LIGHT</b>                                                         |                |       |             |              |            |     |           |                         |       | <b>NEW</b> |
|    | 2251BA05 WW    | 5W    | 3000K       | >0.9         | 120°       | >80 | 280       | 375.00                  | 01/25 |            |
|                                                                                     | 2251BA05 NW    | 5W    | 4000K       | >0.9         | 120°       | >80 | 280       | 375.00                  | 01/25 |            |
|                                                                                     | 2251BA05 CW    | 5W    | 6500K       | >0.9         | 120°       | >80 | 280       | 375.00                  | 01/25 |            |
|    | 2251BA10 WW    | 10W   | 3000K       | >0.9         | 120°       | >80 | 570       | 390.00                  | 01/25 |            |
|                                                                                     | 2251BA10 NW    | 10W   | 4000K       | >0.9         | 120°       | >80 | 570       | 390.00                  | 01/25 |            |
|                                                                                     | 2251BA10 CW    | 10W   | 6500K       | >0.9         | 120°       | >80 | 570       | 390.00                  | 01/25 |            |
|    | 2251BA20 WW    | 20W   | 3000K       | >0.9         | 120°       | >80 | 1140      | 405.00                  | 01/25 |            |
|                                                                                     | 2251BA20 NW    | 20W   | 4000K       | >0.9         | 120°       | >80 | 1140      | 405.00                  | 01/25 |            |
|                                                                                     | 2251BA20 CW    | 20W   | 6500K       | >0.9         | 120°       | >80 | 1140      | 405.00                  | 01/25 |            |
|   | 2251BA20 RD    | 20W   | Red         | >0.9         | 120°       | >80 | 1140      | 440.00                  | 01/25 |            |
|                                                                                     | 2251BA20 GN    | 20W   | Green       | >0.9         | 120°       | >80 | 1140      | 440.00                  | 01/25 |            |
|                                                                                     | 2251BA20 BE    | 20W   | Blue        | >0.9         | 120°       | >80 | 1140      | 440.00                  | 01/25 |            |
|                                                                                     | 2251BA20 PK    | 20W   | Pink        | >0.9         | 120°       | >80 | 1140      | 440.00                  | 01/25 |            |
|                                                                                     | 2251BA20 OE    | 20W   | Orange      | >0.9         | 120°       | >80 | 1140      | 440.00                  | 01/25 |            |
| <b>VIVID BATTEN LIGHT (ALUMINIUM HOUSING)</b>                                       |                |       |             |              |            |     |           |                         |       | <b>NEW</b> |
|  | 2252BA40 04 CW | 40W   | 6500K       | >0.9         | 120°       | >80 | 1180      | 725.00                  | 01/20 |            |
| <b>KOMET BATTEN LIGHT (ALUMINIUM HOUSING)</b>                                       |                |       |             |              |            |     |           |                         |       | <b>NEW</b> |
|  | 2216BA40 WW    | 40W   | 3000K       | >0.9         | 120°       | >80 | 1180      | 850.00                  | 01/20 |            |
|                                                                                     | 2216BA40 NW    | 40W   | 4000K       | >0.9         | 120°       | >80 | 1180      | 850.00                  | 01/20 |            |
|                                                                                     | 2216BA40 CW    | 40W   | 6500K       | >0.9         | 120°       | >80 | 1180      | 850.00                  | 01/20 |            |

\*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.  
 Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY

ELEVATING  
OUTDOOR  
EXPERIENCES.



Introducing

# KITE

STREET LIGHT

ILLUMINATE  
YOUR  
OUTDOORS  
WITH LED  
STREET  
LIGHTS.



Introducing

# EDGE

STREET LIGHT

Make your outdoors shine with our innovative and stylish LED street lights. Whether you want to create a modern, elegant, or cozy ambience, we have the perfect solution for you. Our LED street lights are durable, versatile, and energy-efficient, offering you a range of colors, shapes, and sizes to suit your needs.

|                                                                                   | Code         | Power | Colour Temp | Power Factor | Beam Angle | List Price (₹) Per Unit | Pack  |            |
|-----------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-------------------------|-------|------------|
| <b>KITE STREET LIGHT</b>                                                          |              |       |             |              |            |                         |       | <b>NEW</b> |
|  | 2235ST24 WW  | 24W   | 3000K       | >0.9         | 120°       | 1380.00                 | 01/20 |            |
|                                                                                   | 2235ST24 CW  | 24W   | 6500K       | >0.9         | 120°       | 1380.00                 | 01/20 |            |
|  | 2235ST36 WW  | 36W   | 3000K       | >0.9         | 120°       | 1855.00                 | 01/20 |            |
|                                                                                   | 2235ST36 CW  | 36W   | 6500K       | >0.9         | 120°       | 1855.00                 | 01/20 |            |
|  | 2235ST50 WW  | 50W   | 3000K       | >0.9         | 120°       | 2565.00                 | 01/10 |            |
|                                                                                   | 2235ST50 CW  | 50W   | 6500K       | >0.9         | 120°       | 2565.00                 | 01/10 |            |
|  | 2235ST100 WW | 100W  | 3000K       | >0.9         | 120°       | 4275.00                 | 01/05 |            |
|                                                                                   | 2235ST100 CW | 100W  | 6500K       | >0.9         | 120°       | 4275.00                 | 01/05 |            |
| <b>KITE STREET LIGHT WITH LIGHT DETECTOR SENSOR</b>                               |              |       |             |              |            |                         |       | <b>NEW</b> |
|  | 2236ST36 WW  | 36W   | 3000K       | >0.9         | 120°       | 2140.00                 | 01/20 |            |
|                                                                                   | 2236ST36 CW  | 36W   | 6500K       | >0.9         | 120°       | 2140.00                 | 01/20 |            |
|  | 2236ST50 WW  | 50W   | 3000K       | >0.9         | 120°       | 2945.00                 | 01/10 |            |
|                                                                                   | 2236ST50 CW  | 50W   | 6500K       | >0.9         | 120°       | 2945.00                 | 01/10 |            |
|  | 2236ST100 WW | 100W  | 3000K       | >0.9         | 120°       | 4750.00                 | 01/05 |            |
|                                                                                   | 2236ST100 CW | 100W  | 6500K       | >0.9         | 120°       | 4750.00                 | 01/05 |            |
| <b>EDGE STREET LIGHT</b>                                                          |              |       |             |              |            |                         |       | <b>NEW</b> |
|  | 2234ST20 WW  | 20W   | 3000K       | >0.9         | 120°       | 1080.00                 | 01/20 |            |
|                                                                                   | 2234ST20 CW  | 20W   | 6500K       | >0.9         | 120°       | 1080.00                 | 01/20 |            |

Street Lights are IP66 Protected.



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY

Introducing

# KITE

FLOOD LIGHT

BRIGHTEN UP  
YOUR OUTDOORS  
WITH LED FLOOD  
LIGHTS.



Brighten up your outdoors with maximum efficiency and durability with our LED flood lights. Our LED flood lights are powerful, sturdy, and stylish, offering you uniform and precise illumination. Our LED flood lights are also eco-friendly, energy-saving, and long-lasting, giving you the best value for your money.

Introducing

# KANON

FLOOD LIGHT

|                                                                                     | Code         | Power | Colour Temp | Power Factor | Beam Angle | List Price (₹) Per Unit | Pack  |            |
|-------------------------------------------------------------------------------------|--------------|-------|-------------|--------------|------------|-------------------------|-------|------------|
| <b>KITE FLOOD LIGHT</b>                                                             |              |       |             |              |            |                         |       | <b>NEW</b> |
|    | 2235FL30 WW  | 30W   | 3000K       | >0.9         | 120°       | 1710.00                 | 01/10 |            |
|                                                                                     | 2235FL30 CW  | 30W   | 6500K       | >0.9         | 120°       | 1710.00                 | 01/10 |            |
|    | 2235FL50 WW  | 50W   | 3000K       | >0.9         | 120°       | 2385.00                 | 01/10 |            |
|                                                                                     | 2235FL50 CW  | 50W   | 6500K       | >0.9         | 120°       | 2385.00                 | 01/10 |            |
|    | 2235FL100 WW | 100W  | 3000K       | >0.9         | 120°       | 4050.00                 | 01/10 |            |
|                                                                                     | 2235FL100 CW | 100W  | 6500K       | >0.9         | 120°       | 4050.00                 | 01/10 |            |
|    | 2235FL150 WW | 150W  | 3000K       | >0.9         | 120°       | 6500.00                 | 01/10 |            |
|                                                                                     | 2235FL150 CW | 150W  | 6500K       | >0.9         | 120°       | 6500.00                 | 01/10 |            |
|    | 2235FL200 WW | 200W  | 3000K       | >0.9         | 120°       | 8100.00                 | 01/05 |            |
|                                                                                     | 2235FL200 CW | 200W  | 6500K       | >0.9         | 120°       | 8100.00                 | 01/05 |            |
| <b>KANON FLOOD LIGHT</b>                                                            |              |       |             |              |            |                         |       | <b>NEW</b> |
|    | 2432FL20 WW  | 20W   | 3000K       | >0.9         | 120°       | 1440.00                 | 01/10 |            |
|                                                                                     | 2432FL20 CW  | 20W   | 6500K       | >0.9         | 120°       | 1440.00                 | 01/10 |            |
|    | 2432FL20 RD  | 20W   | Red         | >0.9         | 120°       | 1560.00                 | 01/10 |            |
|                                                                                     | 2432FL20 GN  | 20W   | Green       | >0.9         | 120°       | 1560.00                 | 01/10 |            |
|                                                                                     | 2432FL20 BE  | 20W   | Blue        | >0.9         | 120°       | 1560.00                 | 01/10 |            |
|    | 2432FL30 WW  | 30W   | 3000K       | >0.9         | 120°       | 1800.00                 | 01/05 |            |
|                                                                                     | 2432FL30 CW  | 30W   | 6500K       | >0.9         | 120°       | 1800.00                 | 01/05 |            |
|   | 2432FL30 RD  | 30W   | Red         | >0.9         | 120°       | 1960.00                 | 01/05 |            |
|                                                                                     | 2432FL30 GN  | 30W   | Green       | >0.9         | 120°       | 1960.00                 | 01/05 |            |
|                                                                                     | 2432FL30 BE  | 30W   | Blue        | >0.9         | 120°       | 1960.00                 | 01/05 |            |
|  | 2432FL50 WW  | 50W   | 3000K       | >0.9         | 120°       | 2480.00                 | 01/05 |            |
|                                                                                     | 2432FL50 CW  | 50W   | 6500K       | >0.9         | 120°       | 2480.00                 | 01/05 |            |
|  | 2432FL100 WW | 100W  | 3000K       | >0.9         | 120°       | 4320.00                 | 01/03 |            |
|                                                                                     | 2432FL100 CW | 100W  | 6500K       | >0.9         | 120°       | 4320.00                 | 01/03 |            |
|  | 2432FL150 WW | 150W  | 3000K       | >0.9         | 120°       | 6400.00                 | 01/03 |            |
|                                                                                     | 2432FL150 CW | 150W  | 6500K       | >0.9         | 120°       | 6400.00                 | 01/03 |            |
|  | 2432FL200 WW | 200W  | 3000K       | >0.9         | 120°       | 9600.00                 | 01/03 |            |
|                                                                                     | 2432FL200 CW | 200W  | 6500K       | >0.9         | 120°       | 9600.00                 | 01/03 |            |

Flood Lights are IP66 Protected.



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY

Introducing

# KAMP

HIGH BAY LIGHT



## BRILLIANCE THAT LEAVES LASTING IMPRESSIONS.

Illuminate your spaces with these new-age LEDs designed for superior efficiency and lasting durability. Engineered for industrial, commercial, and outdoor applications, these lights deliver consistent brightness while withstanding tough environments.

Introducing

# OASIS

SPIKE LIGHT



|                                                                                   | Code          | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | List Price (₹) Per Unit | Pack |
|-----------------------------------------------------------------------------------|---------------|-------|-------------|--------------|------------|-----|-----------|-------------------------|------|
| KAMP HIGH BAY LIGHT                                                               |               |       |             |              |            |     |           |                         |      |
|  | 2263HL50R WW  | 50W   | 3000K       | >0.9         | 120°       | >80 | Φ 162*112 | 3750.00                 | NEW  |
|                                                                                   | 2263HL50R CW  | 50W   | 6500K       | >0.9         | 120°       | >80 | Φ 162*112 | 3750.00                 |      |
|  | 2263HL100R WW | 100W  | 3000K       | >0.9         | 120°       | >80 | Φ 260*182 | 7650.00                 |      |
|                                                                                   | 2263HL100R CW | 100W  | 6500K       | >0.9         | 120°       | >80 | Φ 260*182 | 7650.00                 |      |
|  | 2263HL200R WW | 200W  | 3000K       | >0.9         | 120°       | >80 | Φ 355*225 | 15650.00                |      |
|                                                                                   | 2263HL200R CW | 200W  | 6500K       | >0.9         | 120°       | >80 | Φ 355*225 | 15650.00                |      |
| OASIS SPIKE LIGHT                                                                 |               |       |             |              |            |     |           |                         |      |
|  | 2267SK05R WW  | 5W    | 3000K       | >0.9         | 60°        | >80 | -         | 975.00                  | NEW  |
|                                                                                   | 2267SK05R GN  | 5W    | Green       | >0.9         | 60°        | >80 | -         | 975.00                  |      |
|  | 2267SK10R WW  | 10W   | 3000K       | >0.9         | 60°        | >80 | -         | 1350.00                 |      |
|                                                                                   | 2267SK10R GN  | 10W   | Green       | >0.9         | 60°        | >80 | -         | 1350.00                 |      |

Kamp High Bay Lights & Oasis Spike Lights are IP66 Protected.

All dimensions in mm



ROBUST  
DESIGN



GREEN  
PRODUCT



SUPERIOR  
CRI



ENERGY  
SAVER



MAINTENANCE  
FREE



ZERO  
MERCURY



## ADD RADIANCE TO YOUR LIFE.

Bright lights play an important role in our overall well-being, it's important to have the right lights that offer uniform brightness in our spaces. Our stunning range of LED lightings are the right blend of innovation and science and cater to varied requirements. These are designed specifically to illuminate your spaces incredibly and lift your mood.

## Disclaimer

- Actual products may vary from the product shown in this catalogue.
- Due to the very nature of the basic raw material - due to environmental/climatic/ temperature/lot to lot variation etc. reasons, their finish and colour may vary from piece to piece, which is beyond the Company's control.
- The data provided here are indicative & may be revised without prior intimation.
- All specifications are based on standard test conditions in Laboratory at standard temperature and pressures.
- Kolors logo and Kolors LED logo are trademark & property of Kolors India Private Limited. Misuse of any intellectual property, or any other content displayed herein is strictly prohibited.
- All Kolors products must be opened and repaired exclusively by personnel trained and approved by Kolors. Any unauthorized opening or repair completely cancel all liabilities and rights to replacement and warranties.
- The Company will not be liable for damages arising due to incorrect installation.
- Any attempt made to rectify, dismantle or alter the product may lead to electrical shock or may destroy the product for which the company is not responsible. The Company is also not responsible for any consequential loss or damage or installation costs arising out of the same.
- The Company undertakes to replace or repair products at its discretion should they become defective solely as a result of faulty materials or workmanship. Warranty of any kind becomes invalid if the product has not been installed or maintained in accordance with the Company's instruction, or in any attempts has been made to rectify, dismantle or alter the product and does not extend to cover consequential loss or damage or installation costs arising from the defective product.
- Limitation of liability: Company shall not be liable for any special, indirect, incidental or consequential damages what so ever including but not limited to loss of profit, revenue or data (whether or indirect or commercial loss for breach of any express or implied warranty on your product even if the Company has been advised of the possibility of such damages.
- The Company reserves the right to modify or change the product design and specification in the future without prior intimation. Similarly, colours and finishes are also liable to change without any prior intimation.

## Terms & Conditions

- This cancels all our previous price lists.
- This price list is subject to change without prior notice.
- All prices are list price, taxes will be extra as applicable.
- Warranty policy subject to change without prior notice.



make  
life  
better



KOLORS INDIA PRIVATE LIMITED

401, Vastu Prestige, Sundarban Complex  
Link Road, Andheri (W), Mumbai - 400 053

TOLL FREE: 1800 221 470

EMAIL: [sales@kolorsworld.com](mailto:sales@kolorsworld.com)

Follow us on:    

[kolorsworld.com](http://kolorsworld.com)